

Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'podman-rmi.1' command

\$ man podman-rmi.1

podman-rmi(1) General Commands Manual podman-rmi(1)

NAME

podman-rmi - Removes one or more locally stored images

SYNOPSIS

podman rmi [options] image [...]

podman image rm [options] image [...]

DESCRIPTION

Removes one or more locally stored images. Passing an argument image

deletes it, along with any of its dangling parent images. A dangling

image is an image without a tag and without being referenced by another

image.

Note: To delete an image from a remote registry, use the skopeo delete

command. Some registries do not allow users to delete an image via a

CLI remotely.

OPTIONS

--all, -a

Remove all images in the local storage.

--force, -f

This option will cause podman to remove all containers that are using

the image before removing the image from the system.

--ignore, -i

If a specified image does not exist in the local storage, ignore it and

do not throw an error.

--no-prune

This options will not remove dangling parents of specified image

Remove an image by its short ID

\$ podman rmi c0ed59d05ff7

Remove an image and its associated containers.

\$ podman rmi --force imageID

Remove multiple images by their shortened IDs.

\$ podman rmi c4dfb1609ee2 93fd78260bd1 c0ed59d05ff7

Remove all images and containers.

\$ podman rmi -a -f

Remove an absent image with and without the --ignore flag.

\$ podman rmi --ignore nothing

\$ podman rmi nothing

Error: nothing: image not known

Exit Status

- 0 All specified images removed
- 1 One of the specified images did not exist, and no other failures
- 2 One of the specified images has child images or is being used by a

container

125 The command fails for any other reason

SEE ALSO

podman(1), skopeo-delete(1)

HISTORY

March 2017, Originally compiled by Dan Walsh dwalsh@redhat.com

?mailto:dwalsh@redhat.com?

podman-rmi(1)