



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'podman-stop.1' command

\$ man podman-stop.1

podman-stop(1) General Commands Manual podman-stop(1)

NAME

podman-stop - Stop one or more running containers

SYNOPSIS

podman stop [options] container ...

podman container stop [options] container ...

DESCRIPTION

Stops one or more containers using container IDs or names as input. The `--time` option specifies the number of seconds to wait before forcibly stopping the container after the stop command is issued to the container. The default is 10 seconds. By default, containers are stopped with `SIGTERM` and then `SIGKILL` after the timeout. The `SIGTERM` default can be overridden by the image used to create the container and also via command line when creating the container.

OPTIONS

`--all, -a`

Stop all running containers. This does not include paused containers.

`--cidfile=file`

Read container ID from the specified file and stop the container. Can be specified multiple times.

`--filter, -f=filter`

Filter what containers are going to be stopped. Multiple filters can be given with multiple uses of the `--filter` flag. Filters with the

same key work inclusive with the only exception being label which is exclusive. Filters with different keys always work exclusive.

Valid filters are listed below:

??

?Filter ? Description ?

??

?id ? [ID] Container's ID (accepts ?

? ? regex) ?

??

?name ? [Name] Container's name (ac? ?

? ? cepts regex) ?

??

?label ? [Key] or [Key=Value] Label ?

? ? assigned to a container ?

??

?exited ? [Int] Container's exit code ?

??

?status ? [Status] Container's status: ?

? ? 'created', 'exited', ?

? ? 'paused', 'running', 'un? ?

? ? known' ?

??

?ancestor ? [ImageName] Image or descen? ?

? ? dant used to create container ?

??

?before ? [ID] or [Name] Containers ?

? ? created before this container ?

??

?since ? [ID] or [Name] Containers ?

? ? created since this container ?

??

?volume ? [VolumeName] or [Mountpoint? ?

? ? Destination] Volume mounted ?

? ? in container ?
 ???
 ?health ? [Status] healthy or unhealthy ?
 ???
 ?pod ? [Pod] name or full or partial ?
 ? ? ID of pod ?
 ???
 ?network ? [Network] name or full ID of ?
 ? ? network ?
 ???

--ignore, -i

Ignore errors when specified containers are not in the container store.
 A user might have decided to manually remove a container which would lead to a failure during the ExecStop directive of a systemd service referencing that container.

--latest, -l

Instead of providing the container name or ID, use the last created container. Note: the last started container could be from other users of Podman on the host machine. (This option is not available with the remote Podman client, including Mac and Windows (excluding WSL2) machines)

--time, -t=seconds

Seconds to wait before forcibly stopping the container.

EXAMPLES

```
$ podman stop mywebserver
$ podman stop 860a4b235279
$ podman stop mywebserver 860a4b235279
$ podman stop --cidfile /home/user/cidfile-1
$ podman stop --cidfile /home/user/cidfile-1 --cidfile ./cidfile-2
$ podman stop --time 2 860a4b235279
$ podman stop -a
$ podman stop --latest
```

podman(1), podman-rm(1)

HISTORY

September 2018, Originally compiled by Brent Baude bbaude@redhat.com

[?mailto:bbaude@redhat.com?](mailto:bbaude@redhat.com)

podman-stop(1)