



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'podman-untag.1' command

\$ man podman-untag.1

podman-untag(1) General Commands Manual podman-untag(1)

NAME

podman-untag - Removes one or more names from a locally-stored image

SYNOPSIS

```
podman untag image [name[:tag]...]
```

```
podman image untag image [name[:tag]...]
```

DESCRIPTION

Remove one or more names from an image in the local storage. The image can be referred to by ID or reference. If no name is specified, all names are removed from the image. If a specified name is a short name and does not include a registry, localhost/ will be prefixed (e.g., fe? dora -> localhost/fedora). If a specified name does not include a tag, :latest will be appended (e.g., localhost/fedora -> localhost/fe? dora:latest).

OPTIONS

--help, -h

Print usage statement

EXAMPLES

```
$ podman untag 0e3bbc2
```

```
$ podman untag imageName:latest otherImageName:latest
```

```
$ podman untag httpd myregistryhost:5000/fedora/httpd:v2
```

SEE ALSO

podman(1)

HISTORY

December 2019, Originally compiled by Sascha Grunert sgrunert@suse.com

[?mailto:sgrunert@suse.com?](mailto:sgrunert@suse.com)

podman-untag(1)