



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## **Red Hat Enterprise Linux Release 9.2 Manual Pages on 'podman-volume-inspect.1' command**

### **\$ man podman-volume-inspect.1**

podman-volume-inspect(1) General Commands Manual podman-volume-inspect(1)

#### NAME

podman-volume-inspect - Get detailed information on one or more volumes

#### SYNOPSIS

podman volume inspect [options] volume [...]

#### DESCRIPTION

Display detailed information on one or more volumes. The output can be formatted using the `--format` flag and a Go template. To get detailed information about all the existing volumes, use the `--all` flag. Volumes can be queried individually by providing their full name or a unique partial name.

#### OPTIONS

`--all, -a`

Inspect all volumes.

`--format, -f=format`

Format volume output using Go template

`--help`

Print usage statement

#### EXAMPLES

```
$ podman volume inspect myvol
```

```
$ podman volume inspect --all
```

```
$ podman volume inspect --format "{{.Driver}} {{.Scope}}" myvol
```

#### SEE ALSO

podman(1), podman-volume(1), podman-inspect(1)

## HISTORY

November 2018, Originally compiled by Urvashi Mohnani [umohnani@redhat.com](mailto:umohnani@redhat.com) ?mailto:umohnani@redhat.com?

podman-volume-inspect(1)