

Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'pthread_spin_lock.3' command

\$ man pthread_spin_lock.3

PTHREAD_SPIN_LOCK(3) Linux Programmer's Manual PTHREAD_SPIN_LOCK(3)

NAME

pthread_spin_lock, pthread_spin_trylock, pthread_spin_unlock - lock and unlock a spin lock

SYNOPSIS

#include <pthread.h>

int pthread_spin_lock(pthread_spinlock_t *lock);

int pthread spin trylock(pthread spinlock t *lock);

int pthread_spin_unlock(pthread_spinlock_t *lock);

Compile and link with -pthread.

Feature Test Macro Requirements for glibc (see feature_test_macros(7)):

pthread_spin_lock(), pthread_spin_trylock():

_POSIX_C_SOURCE >= 200112L

DESCRIPTION

The pthread_spin_lock() function locks the spin lock referred to by lock. If the spin lock is currently unlocked, the calling thread ac? quires the lock immediately. If the spin lock is currently locked by another thread, the calling thread spins, testing the lock until it be? comes available, at which point the calling thread acquires the lock. Calling pthread_spin_lock() on a lock that is already held by the caller or a lock that has not been initialized with pthread_spin_init(3) results in undefined behavior.

The pthread_spin_trylock() function is like pthread_spin_lock(), except

that if the spin lock referred to by lock is currently locked, then,

instead of spinning, the call returns immediately with the error EBUSY.

The pthread_spin_unlock() function unlocks the spin lock referred to

lock. If any threads are spinning on the lock, one of those threads

will then acquire the lock.

Calling pthread_spin_unlock() on a lock that is not held by the caller

results in undefined behavior.

RETURN VALUE

On success, these functions return zero. On failure, they return an error number.

ERRORS

pthread_spin_lock() may fail with the following errors:

EDEADLOCK

The system detected a deadlock condition.

pthread_spin_trylock() fails with the following errors:

EBUSY The spin lock is currently locked by another thread.

VERSIONS

These functions first appeared in glibc in version 2.2.

CONFORMING TO

POSIX.1-2001.

NOTES

Applying any of the functions described on this page to an uninitial? ized spin lock results in undefined behavior.

Carefully read NOTES in pthread_spin_init(3).

SEE ALSO

pthread spin destroy(3), pthread spin init(3), pthreads(7)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at

https://www.kernel.org/doc/man-pages/.

Linux

2017-09-30

PTHREAD_SPIN_LOCK(3)