



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'putenv.3' command

\$ man putenv.3

PUTENV(3) Linux Programmer's Manual PUTENV(3)

NAME

putenv - change or add an environment variable

SYNOPSIS

```
#include <stdlib.h>
```

```
int putenv(char *string);
```

Feature Test Macro Requirements for glibc (see feature_test_macros(7)):

```
putenv(): _XOPEN_SOURCE
```

```
  || /* Glibc since 2.19: */ _DEFAULT_SOURCE
```

```
  || /* Glibc versions <= 2.19: */ _SVID_SOURCE
```

DESCRIPTION

The `putenv()` function adds or changes the value of environment variables. The argument `string` is of the form `name=value`. If `name` does not already exist in the environment, then `string` is added to the environment. If `name` does exist, then the value of `name` in the environment is changed to `value`. The string pointed to by `string` becomes part of the environment, so altering the string changes the environment.

RETURN VALUE

The `putenv()` function returns zero on success, or nonzero if an error occurs. In the event of an error, `errno` is set to indicate the cause.

ERRORS

ENOMEM Insufficient space to allocate new environment.

ATTRIBUTES

For an explanation of the terms used in this section, see at? tributes(7).

??

?Interface ? Attribute ? Value ?

??

?putenv() ? Thread safety ? MT-Unsafe const:env ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, SVr4, 4.3BSD.

NOTES

The putenv() function is not required to be reentrant, and the one in glibc 2.0 is not, but the glibc 2.1 version is.

Since version 2.1.2, the glibc implementation conforms to SUSv2: the pointer string given to putenv() is used. In particular, this string becomes part of the environment; changing it later will change the environment. (Thus, it is an error to call putenv() with an automatic variable as the argument, then return from the calling function while string is still part of the environment.) However, glibc versions 2.0 to 2.1.1 differ: a copy of the string is used. On the one hand this causes a memory leak, and on the other hand it violates SUSv2.

The 4.4BSD version, like glibc 2.0, uses a copy.

SUSv2 removes the const from the prototype, and so does glibc 2.1.3.

The GNU C library implementation provides a nonstandard extension. If string does not include an equal sign:

```
putenv("NAME");
```

then the named variable is removed from the caller's environment.

SEE ALSO

clearenv(3), getenv(3), setenv(3), unsetenv(3), environ(7)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at

<https://www.kernel.org/doc/man-pages/>.

