



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'rhcd.1' command

\$ man rhcd.1

rhcd(8) System Manager's Manual rhcd(8)

NAME

rhcd - connect the system to Red Hat

SYNOPSIS

rhcd

 [--broker]=[value]

 [--cert-file]=[value]

 [--config]=[value]

 [--data-host]=[value]

 [--exclude-worker]=[value]

 [--help|-h]

 [--key-file]=[value]

 [--log-level]=[value]

 [--version|-v]

Usage:

rhcd [GLOBAL OPTIONS] command [COMMAND OPTIONS] [ARGUMENTS...]

GLOBAL OPTIONS

--broker="": Connect to the broker specified in URI (default: [])

--cert-file="": Use FILE as the client certificate

--config="": Read config values from FILE

--data-host="": Force all HTTP traffic over HOST (default:
cert.cloud.redhat.com)

--exclude-worker="": Exclude WORKER from activation when starting work?

ers (default: [])

--help, -h: show help

--key-file="": Use FILE as the client's private key

--log-level="": Set the logging output level to LEVEL (default: info)

--version, -v: print the version

COMMANDS

help, h

Shows a list of commands or help for one command

rhcd(8)