



Red Hat Enterprise Linux Release 9.2 Manual Pages on 'scalbnf.3' command

\$ man scalbnf.3

SCALBLN(3) Linux Programmer's Manual SCALBLN(3)

NAME

scalbn, scalbnf, scalbni, scalbln, scalblnf, scalblni - multiply float?
ing-point number by integral power of radix

SYNOPSIS

```
#include <math.h>

double scalbln(double x, long exp);

float scalblnf(float x, long exp);

long double scalblni(long double x, long exp);

double scalbn(double x, int exp);

float scalbnf(float x, int exp);

long double scalbni(long double x, int exp);

Link with -lm.
```

Feature Test Macro Requirements for glibc (see feature_test_macros(7)):

```
scalbln(), scalblnf(), scalblni():

    _ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L
    || /* Since glibc 2.19: */ _DEFAULT_SOURCE

scalbn(), scalbnf(), scalbni():

    _ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L
    || /* Since glibc 2.19: */ _DEFAULT_SOURCE
    || /* Glibc versions <= 2.19: */ _BSD_SOURCE || _SVID_SOURCE
```

DESCRIPTION

These functions multiply their first argument x by FLT_RADIX (probably

2) to the power of exp, that is:

$$x * FLT_RADIX ** exp$$

The definition of FLT_RADIX can be obtained by including <float.h>.

RETURN VALUE

On success, these functions return $x * FLT_RADIX ** exp$.

If x is a NaN, a NaN is returned.

If x is positive infinity (negative infinity), positive infinity (negative infinity) is returned.

If x is +0 (-0), +0 (-0) is returned.

If the result overflows, a range error occurs, and the functions return HUGE_VAL, HUGE_VALF, or HUGE_VALL, respectively, with a sign the same as x.

If the result underflows, a range error occurs, and the functions return zero, with a sign the same as x.

ERRORS

See `math_error(7)` for information on how to determine whether an error has occurred when calling these functions.

The following errors can occur:

Range error, overflow

An overflow floating-point exception (`FE_OVERFLOW`) is raised.

Range error, underflow

`errno` is set to `ERANGE`. An underflow floating-point exception (`FE_UNDERFLOW`) is raised.

VERSIONS

These functions first appeared in `glibc` in version 2.1.

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

??

?Interface ? Attribute ? Value ?

??

?scalbn(), scalbnf(), scalbnl(), ? Thread safety ? MT-Safe ?

?scalbn(), scalbnf(), scalbnl() ? ? ?

??

CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

NOTES

These functions differ from the obsolete functions described in `scalb(3)` in the type of their second argument. The functions described on this page have a second argument of an integral type, while those in `scalb(3)` have a second argument of type `double`.

If `FLT_RADIX` equals 2 (which is usual), then `scalbn()` is equivalent to `ldexp(3)`.

BUGS

Before `glibc 2.20`, these functions did not set `errno` for range errors.

SEE ALSO

`ldexp(3)`, `scalb(3)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2020-11-01 SCALBLN(3)