



## ***Red Hat Enterprise Linux Release 9.2 Manual Pages on 'scsi\_start.8' command***

**\$ man scsi\_start.8**

SCSI\_START(8)                    SG3\_UTILS                    SCSI\_START(8)

### NAME

scsi\_start - start one or more SCSI disks

### SYNOPSIS

scsi\_start [--help] [--verbose] [--wait] DEVICE [DEVICE]\*

### DESCRIPTION

This bash shell script calls the sg\_start utility on each given DEVICE.

The purpose is to spin up (start) each given DEVICE.

### OPTIONS

Arguments to long options are mandatory for short options as well.

-h, --help

print out the usage message then exit.

-v, --verbose

increase level of verbosity.

-w, --wait

wait for the spin up (start) on each given DEVICE to complete.

The default action is to do each start in immediate mode.

### NOTES

If a large number of disks are spun up at the same time (i.e. without the --wait option) then the power supply may be overloaded.

### EXIT STATUS

The exit status of this script is 0 when it is successful. Otherwise the exit status is that of the last sg\_start utility called. See the

sg3\_utils(8) man page.

## AUTHORS

Written by D. Gilbert

## COPYRIGHT

Copyright ? 2009-2013 Douglas Gilbert

This software is distributed under a FreeBSD license. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

## SEE ALSO

sg\_start (sg3\_utils)

sg3\_utils-1.36

May 2013

SCSI\_START(8)