

Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'semanage-dontaudit.8' command

\$ man semanage-dontaudit.8

semanage-dontaudit(8)

semanage-dontaudit(8)

NAME

semanage-dontaudit - SELinux Policy Management dontaudit tool

SYNOPSIS

semanage dontaudit [-h] [-S STORE] [-N] {on,off}

DESCRIPTION

semanage is used to configure certain elements of SELinux policy with? out requiring modification to or recompilation from policy sources. semanage dontaudit toggles whether or not dontaudit rules will be in the policy. Policy writers use dontaudit rules to cause confined ap? plications to use alternative paths. Dontaudit rules are denied but not reported in the logs. Some times dontaudit rules can cause bugs in applications but policy writers will not realize it since the AVC is not audited. Turning off dontaudit rules with this command to see if the kernel is blocking an access.

OPTIONS

-h, --help

show this help message and exit

-S STORE, --store STORE

Select an alternate SELinux Policy Store to manage

-N, --noreload

Do not reload the policy after commit

EXAMPLE Page 1/2

Turn off dontaudit rules

semanage dontaudit off

SEE ALSO

selinux(8), semanage(8)

AUTHOR

This man page was written by Daniel Walsh <dwalsh@redhat.com>

20130617

semanage-dontaudit(8)