



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'setuid.1' command

\$ man setuid.1

SETUID(1) User Commands SETUID(1)

NAME

setuid - run a program in a new session

SYNOPSIS

setuid [options] program [arguments]

DESCRIPTION

setuid runs a program in a new session. The command calls fork(2) if already a process group leader. Otherwise, it executes a program in the current process. This default behavior is possible to override by the --fork option.

OPTIONS

-c, --ctty

Set the controlling terminal to the current one.

-f, --fork

Always create a new process.

-w, --wait

Wait for the execution of the program to end, and return the exit status of this program as the exit status of setuid.

-V, --version

Display version information and exit.

-h, --help

Display help text and exit.

AUTHORS

Rick Sladkey <jrs@world.std.com>

SEE ALSO

setsid(2)

REPORTING BUGS

For bug reports, use the issue tracker at

<https://github.com/karelzak/util-linux/issues>.

AVAILABILITY

The setsid command is part of the util-linux package which can be downloaded from Linux Kernel Archive

<<https://www.kernel.org/pub/linux/utils/util-linux/>>.

util-linux 2.37.4

2022-01-06

SETSID(1)