



Red Hat Enterprise Linux Release 9.2 Manual Pages on 'speech-dispatcher.1' command

\$ man speech-dispatcher.1

SPEECH-DISPATCHER(1) User Commands SPEECH-DISPATCHER(1)

NAME

speech-dispatcher - speech synthesis daemon

SYNOPSIS

```
speech-dispatcher [-d{s}] [-l {1|2|3|4|5}] [-c com_method] [-S
socket_path] [-p port] [-t timeout] | [-v] | [-h]
```

DESCRIPTION

Speech Dispatcher -- Common interface for Speech Synthesis (GNU GPL)

OPTIONS

- d, --run-daemon
Run as a daemon
- s, --run-single
Run as single application
- a, --spawn
Start only if autospawn is not disabled
- l, --log-level
Set log level (between 1 and 5)
- L, --log-dir
Set path to logging
- c, --communication-method
Communication method to use ('unix_socket' or 'inet_socket')
- S, --socket-path
Socket path to use for 'unix_socket' method (filesystem path or

'default')

-p, --port

Specify a port number for 'inet_socket' method

-t, --timeout

Set time in seconds for the server to wait before it shuts down,
if it has no clients connected. Setting to 0 disables such shut?
down

-P, --pid-file

Set path to pid file

-C, --config-dir

Set path to configuration

-m, --module-dir

Set path to modules

-v, --version

Report version of this program

-D, --debug

Output debugging information into \$TMPDIR/speechd-debug if TM?
PDIR is exported, otherwise to /tmp/speechd-debug

-h, --help

Print this info

Please report bugs to speechd-discuss@nongnu.org

COPYRIGHT

Copyright ? 2002-2012 Brailcom, o.p.s.

This is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 2, or (at your option) any later
version. Please see COPYING for more details.

SEE ALSO

The full documentation for speech-dispatcher is maintained as a Texinfo
manual. If the info and speech-dispatcher programs are properly in?
stalled at your site, the command

info speech-dispatcher

should give you access to the complete manual.

