



## **Red Hat Enterprise Linux Release 9.2 Manual Pages on 'sudoers\_timestamp.5' command**

**\$ man sudoers\_timestamp.5**

SUDOERS\_TIMESTAMP(5) BSD File Formats Manual SUDOERS\_TIMESTAMP(5)

NAME

sudoers\_timestamp ? Sudoers Time Stamp Format

DESCRIPTION

The sudoers plugin uses per-user time stamp files for credential caching.

Once a user has been authenticated, they may use sudo without a password

for a short period of time (5 minutes unless overridden by the

timestamp\_timeout option). By default, sudoers uses a separate record

for each terminal, which means that a user's login sessions are authenti?

cated separately. The timestamp\_type option can be used to select the

type of time stamp record sudoers will use.

A multi-record time stamp file format was introduced in sudo 1.8.10 that

uses a single file per user. Previously, a separate file was used for

each user and terminal combination unless tty-based time stamps were dis?

abled. The new format is extensible and records of multiple types and

versions may coexist within the same file.

All records, regardless of type or version, begin with a 16-bit version

number and a 16-bit record size.

Time stamp records have the following structure:

```
/* Time stamp entry types */
```

```
#define TS_GLOBAL      0x01 /* not restricted by tty or ppid */
```

```
#define TS_TTY         0x02 /* restricted by tty */
```

```
#define TS_PPID        0x03 /* restricted by ppid */
```

```

#define TS_LOCKEXCL      0x04  /* special lock record */
/* Time stamp flags */
#define TS_DISABLED      0x01  /* entry disabled */
#define TS_ANYUID        0x02  /* ignore uid, only valid in key */
struct timestamp_entry {
    unsigned short version; /* version number */
    unsigned short size;   /* entry size */
    unsigned short type;   /* TS_GLOBAL, TS_TTY, TS_PPID */
    unsigned short flags;  /* TS_DISABLED, TS_ANYUID */
    uid_t auth_uid;        /* uid to authenticate as */
    pid_t sid;             /* session ID associated with tty/ppid */
    struct timespec start_time; /* session/ppid start time */
    struct timespec ts;     /* time stamp (CLOCK_MONOTONIC) */
    union {
        dev_t ttydev;      /* tty device number */
        pid_t ppid;        /* parent pid */
    } u;
};

```

The timestamp\_entry struct fields are as follows:

#### version

The version number of the timestamp\_entry struct. New entries are created with a version number of 2. Records with different version numbers may coexist in the same file but are not inter-operable.

size The size of the record in bytes.

type The record type, currently TS\_GLOBAL, TS\_TTY, or TS\_PPID.

#### flags

Zero or more record flags which can be bit-wise ORed together.

Supported flags are TS\_DISABLED, for records disabled via sudo -k and TS\_ANYUID, which is used only when matching records.

#### auth\_uid

The user-ID that was used for authentication. Depending on the value of the rootpw, runaspw and targetpw options, the user-ID may be that of the invoking user, the root user, the default runas user

or the target user.

**sid** The ID of the user's terminal session, if present. The session ID is only used when matching records of type TS\_TTY.

**start\_time**

The start time of the session leader for records of type TS\_TTY or of the parent process for records of type TS\_PPID. The start\_time is used to help prevent re-use of a time stamp record after a user has logged out. Not all systems support a method to easily retrieve a process's start time. The start\_time field was added in sudoers version 1.8.22 for the second revision of the timestamp\_entry struct.

**ts** The actual time stamp. A monotonic time source (which does not move backward) is used if the system supports it. Where possible, sudoers uses a monotonic timer that increments even while the system is suspended. The value of ts is updated each time a command is run via sudo. If the difference between ts and the current time is less than the value of the timestamp\_timeout option, no password is required.

**u.ttydev**

The device number of the terminal associated with the session for records of type TS\_TTY.

**u.ppid**

The ID of the parent process for records of type TS\_PPID.

## LOCKING

In sudoers versions 1.8.10 through 1.8.14, the entire time stamp file was locked for exclusive access when reading or writing to the file. Starting in sudoers 1.8.15, individual records are locked in the time stamp file instead of the entire file and the lock is held for a longer period of time. This scheme is described below.

The first record in the time stamp file is of type TS\_LOCKEXCL and is used as a lock record to prevent more than one sudo process from adding a new record at the same time. Once the desired time stamp record has been located or created (and locked), the TS\_LOCKEXCL record is unlocked. The

lock on the individual time stamp record, however, is held until authentication is complete. This allows sudoers to avoid prompting for a password multiple times when it is used more than once in a pipeline. Records of type TS\_GLOBAL cannot be locked for a long period of time since doing so would interfere with other sudo processes. Instead, a separate lock record is used to prevent multiple sudo processes using the same terminal (or parent process ID) from prompting for a password at the same time.

## SEE ALSO

sudoers(5), sudo(8)

## HISTORY

Originally, sudo used a single zero-length file per user and the file's modification time was used as the time stamp. Later versions of sudo added restrictions on the ownership of the time stamp files and directory as well as checks on the validity of the time stamp itself. Notable changes were introduced in the following sudo versions:

### 1.4.0

Support for tty-based time stamp file was added by appending the terminal name to the time stamp file name.

### 1.6.2

The time stamp file was replaced by a per-user directory which contained any tty-based time stamp files.

### 1.6.3p2

The target user name was added to the time stamp file name when the targetpw option was set.

### 1.7.3

Information about the terminal device was stored in tty-based time stamp files for validity checks. This included the terminal device numbers, inode number and, on systems where it was not updated when the device was written to, the inode change time. This helped prevent re-use of the time stamp file after logout.

### 1.8.6p7

The terminal session ID was added to tty-based time stamp files to

prevent re-use of the time stamp by the same user in a different terminal session. It also helped prevent re-use of the time stamp file on systems where the terminal device's inode change time was updated by writing.

#### 1.8.10

A new, multi-record time stamp file format was introduced that uses a single file per user. The terminal device's change time was not included since most systems now update the change time after a write is performed as required by POSIX.

#### 1.8.15

Individual records are locked in the time stamp file instead of the entire file and the lock is held until authentication is complete.

#### 1.8.22

The start time of the terminal session leader or parent process is now stored in non-global time stamp records. This prevents re-use of the time stamp file after logout in most cases.

Support was added for the kernel-based tty time stamps available in OpenBSD which do not use an on-disk time stamp file.

## AUTHORS

Many people have worked on sudo over the years; this version consists of code written primarily by:

Todd C. Miller

See the CONTRIBUTORS file in the sudo distribution

(<https://www.sudo.ws/contributors.html>) for an exhaustive list of people who have contributed to sudo.

## BUGS

If you feel you have found a bug in sudo, please submit a bug report at <https://bugzilla.sudo.ws/>

## SUPPORT

Limited free support is available via the sudo-users mailing list, see <https://www.sudo.ws/mailman/listinfo/sudo-users> to subscribe or search the archives.

## DISCLAIMER

sudo is provided ?AS IS? and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. See the LICENSE file distributed with sudo or <https://www.sudo.ws/license.html> for complete details.

Sudo 1.9.5p2

October 20, 2019

Sudo 1.9.5p2