



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'tee.1' command

\$ man tee.1

TEE(1) User Commands TEE(1)

NAME

tee - read from standard input and write to standard output and files

SYNOPSIS

tee [OPTION]... [FILE]...

DESCRIPTION

Copy standard input to each FILE, and also to standard output.

-a, --append

append to the given FILEs, do not overwrite

-i, --ignore-interrupts

ignore interrupt signals

-p diagnose errors writing to non pipes

--output-error[=MODE]

set behavior on write error. See MODE below

--help display this help and exit

--version

output version information and exit

MODE determines behavior with write errors on the outputs:

'warn' diagnose errors writing to any output

'warn-nopipe'

diagnose errors writing to any output not a pipe

'exit' exit on error writing to any output

'exit-nopipe'

exit on error writing to any output not a pipe

The default MODE for the -p option is 'warn-nopipe'. The default operation when --output-error is not specified, is to exit immediately on error writing to a pipe, and diagnose errors writing to non pipe outputs.

AUTHOR

Written by Mike Parker, Richard M. Stallman, and David MacKenzie.

REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report any translation bugs to <<https://translationproject.org/team/>>

COPYRIGHT

Copyright ? 2020 Free Software Foundation, Inc. License GPLv3+: GNU

GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

Full documentation <<https://www.gnu.org/software/coreutils/tee>>

or available locally via: info '(coreutils) tee invocation'

GNU coreutils 8.32

January 2023

TEE(1)