



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'toascii.3' command

\$ man toascii.3

TOASCII(3) Linux Programmer's Manual TOASCII(3)

NAME

toascii - convert character to ASCII

SYNOPSIS

```
#include <ctype.h>
```

```
int toascii(int c);
```

Feature Test Macro Requirements for glibc (see feature_test_macros(7)):

```
toascii(): _XOPEN_SOURCE
```

```
|| /* Glibc since 2.19: */ _DEFAULT_SOURCE
```

```
|| /* Glibc versions <= 2.19: */ _SVID_SOURCE || _BSD_SOURCE
```

DESCRIPTION

toascii() converts c to a 7-bit unsigned char value that fits into the ASCII character set, by clearing the high-order bits.

RETURN VALUE

The value returned is that of the converted character.

ATTRIBUTES

For an explanation of the terms used in this section, see at?

tributes(7).

??

?Interface ? Attribute ? Value ?

??

?toascii() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

SVr4, BSD, POSIX.1-2001. POSIX.1-2008 marks `toascii()` as obsolete, noting that it cannot be used portably in a localized application.

BUGS

Many people will be unhappy if you use this function. This function will convert accented letters into random characters.

SEE ALSO

`isascii(3)`, `tolower(3)`, `toupper(3)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2016-03-15

TOASCII(3)