



*Full credit is given to the above companies including the OS that this PDF file was generated!*

## ***Red Hat Enterprise Linux Release 9.2 Manual Pages on 'user-dirs.dirs.5' command***

***\$ man user-dirs.dirs.5***

USER-DIRS.DIRS(5)      File Formats      USER-DIRS.DIRS(5)

NAME

user-dirs.dirs - settings for XDG user dirs

DESCRIPTION

The `$HOME/.config/user-dirs.dirs` file is a text file that contains the user-specific values for the XDG user dirs. It is created and updated by the `xdg-user-dirs-update` command.

This file contains lines of the form

```
  XDG_NAME_DIR=VALUE
```

The following names are recognised:

DESKTOP

DOWNLOAD

TEMPLATES

PUBLICSHARE

DOCUMENTS

MUSIC

PICTURES

VIDEOS

VALUE must be of the form "`$HOME/Path`" or "`/Path`".

Lines beginning with a `#` character are ignored.

The format of `user-dirs.dirs` is designed to allow direct sourcing of this file in shell scripts.

ENVIRONMENT

## XDG\_CONFIG\_DIRS

The user-dirs.defaults file is located in this directory. The default is /etc/xdg.

## SEE ALSO

[xdg-user-dirs-update\(1\)](#)

[XDG](#)

[USER-DIRS.DIRS\(5\)](#)