

Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'wc.1' command

\$ man wc.1 WC(1) **User Commands** WC(1) NAME wc - print newline, word, and byte counts for each file **SYNOPSIS** wc [OPTION]... [FILE]... wc [OPTION] ... -- files0-from=F DESCRIPTION Print newline, word, and byte counts for each FILE, and a total line if more than one FILE is specified. A word is a non-zero-length sequence of characters delimited by white space. With no FILE, or when FILE is -, read standard input. The options below may be used to select which counts are printed, al? ways in the following order: newline, word, character, byte, maximum line length. -c, --bytes print the byte counts -m. --chars print the character counts -I, --lines print the newline counts --files0-from=F read input from the files specified by NUL-terminated names in

file F; If F is - then read names from standard input

-L, --max-line-length

print the maximum display width

-w, --words

print the word counts

--help display this help and exit

--version

output version information and exit

AUTHOR

Written by Paul Rubin and David MacKenzie.

REPORTING BUGS

GNU coreutils online help: <https://www.gnu.org/software/coreutils/>

Report any translation bugs to <https://translationproject.org/team/>

COPYRIGHT

Copyright ? 2020 Free Software Foundation, Inc. License GPLv3+: GNU

GPL version 3 or later <https://gnu.org/licenses/gpl.html>.

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

Full documentation <https://www.gnu.org/software/coreutils/wc>

or available locally via: info '(coreutils) wc invocation'

GNU coreutils 8.32 January 2023 WC(1)