



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'wcslen.3' command

\$ man wcslen.3

WCSLEN(3) Linux Programmer's Manual WCSLEN(3)

NAME

wcslen - determine the length of a wide-character string

SYNOPSIS

```
#include <wchar.h>
```

```
size_t wcslen(const wchar_t *s);
```

DESCRIPTION

The wcslen() function is the wide-character equivalent of the strlen(3) function. It determines the length of the wide-character string pointed to by s, excluding the terminating null wide character (L'\0').

RETURN VALUE

The wcslen() function returns the number of wide characters in s.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?wcslen() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

SEE ALSO

strlen(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2019-03-06

WCSLEN(3)