



Full credit is given to the above companies including the OS that this PDF file was generated!

Red Hat Enterprise Linux Release 9.2 Manual Pages on 'wcstoimax.3' command

\$ man wcstoimax.3

WCSTOIMAX(3) Linux Programmer's Manual WCSTOIMAX(3)

NAME

wcstoimax, wcstoumax - convert wide-character string to integer

SYNOPSIS

```
#include <stddef.h>
#include <inttypes.h>
intmax_t wcstoimax(const wchar_t *nptr, wchar_t **endptr, int base);
uintmax_t wcstoumax(const wchar_t *nptr, wchar_t **endptr, int base);
```

DESCRIPTION

These functions are just like `wcstol(3)` and `wcstoul(3)`, except that they return a value of type `intmax_t` and `uintmax_t`, respectively.

ATTRIBUTES

For an explanation of the terms used in this section, see at?

tributes(7).

??

?Interface ? Attribute ? Value ?

??

?wcstoimax(), wcstoumax() ? Thread safety ? MT-Safe locale ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

SEE ALSO

imaxabs(3), imaxdiv(3), strtoumax(3), strtoumax(3), wcstol(3), wc?

stoul(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2015-08-08

WCSTOIMAX(3)