



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command '\_syscall.2'***

**\$ man \_syscall.2**

\_SYSCALL(2) Linux Programmer's Manual \_SYSCALL(2)

NAME

\_syscall - invoking a system call without library support (OBSOLETE)

SYNOPSIS

```
#include <linux/unistd.h>
```

A \_syscall macro

desired system call

DESCRIPTION

The important thing to know about a system call is its prototype. You need to know how many arguments, their types, and the function return type. There are seven macros that make the actual call into the system easier. They have the form:

```
_syscallX(type,name,type1,arg1,type2,arg2,...)
```

where

X is 0?6, which are the number of arguments taken by the system call

type is the return type of the system call

name is the name of the system call

typeN is the Nth argument's type

argN is the name of the Nth argument

These macros create a function called name with the arguments you specify.

Once you include the `_syscall()` in your source file, you call the system call by name.

## FILES

`/usr/include/linux/unistd.h`

## CONFORMING TO

The use of these macros is Linux-specific, and deprecated.

## NOTES

Starting around kernel 2.6.18, the `_syscall` macros were removed from header files supplied to user space. Use `syscall(2)` instead. (Some architectures, notably ia64, never provided the `_syscall` macros; on those architectures, `syscall(2)` was always required.)

The `_syscall()` macros do not produce a prototype. You may have to create one, especially for C++ users.

System calls are not required to return only positive or negative error codes. You need to read the source to be sure how it will return errors. Usually, it is the negative of a standard error code, for example, `-EPERM`. The `_syscall()` macros will return the result `r` of the system call when `r` is nonnegative, but will return `-1` and set the variable `errno` to `-r` when `r` is negative. For the error codes, see `errno(3)`.

When defining a system call, the argument types must be passed by-value or by-pointer (for aggregates like structs).

## EXAMPLES

```
#include <stdio.h>

#include <stdlib.h>

#include <errno.h>

#include <linux/unistd.h>    /* for _syscallX macros/related stuff */
#include <linux/kernel.h>    /* for struct sysinfo */

_syscall1(int, sysinfo, struct sysinfo *, info);

int
```

```

main(void)
{
    struct sysinfo s_info;
    int error;
    error = sysinfo(&s_info);
    printf("code error = %d\n", error);
    printf("Uptime = %lds\nLoad: 1 min %lu / 5 min %lu / 15 min %lu\n"
           "RAM: total %lu / free %lu / shared %lu\n"
           "Memory in buffers = %lu\nSwap: total %lu / free %lu\n"
           "Number of processes = %d\n",
           s_info.uptime, s_info.loads[0],
           s_info.loads[1], s_info.loads[2],
           s_info.totalram, s_info.freeram,
           s_info.sharedram, s_info.bufferram,
           s_info.totalswap, s_info.freeswap,
           s_info.procs);
    exit(EXIT_SUCCESS);
}

```

#### Sample output

```

code error = 0

uptime = 502034s

Load: 1 min 13376 / 5 min 5504 / 15 min 1152

RAM: total 15343616 / free 827392 / shared 8237056

Memory in buffers = 5066752

Swap: total 27881472 / free 24698880

Number of processes = 40

```

#### SEE ALSO

intro(2), syscall(2), errno(3)

#### COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

