

Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'acosh.3'

ACOSH(3) Linux Programmer's Manual ACOSH(3) NAME acosh, acoshl, acoshl - inverse hyperbolic cosine function SYNOPSIS #include <math.h> double acosh(double x); float acoshf(float x); long double acoshl(long double x); Link with -lm. Feature Test Macro Requirements for glibc (see feature_test_macros(7)):

_ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L

|| /* Since glibc 2.19: */ _DEFAULT_SOURCE

\$ man acosh.3

acosh():

```
|| /* Glibc versions <= 2.19: */ BSD SOURCE || SVID SOURCE
```

DESCRIPTION

These functions calculate the inverse hyperbolic cosine of x; that is the value whose hyperbolic cosine is x.

RETURN VALUE

On success, these functions return the inverse hyperbolic cosine of x.

If x is a NaN, a NaN is returned.

If x is +1, +0 is returned.

If x is positive infinity, positive infinity is returned.

If x is less than 1, a domain error occurs, and the functions return a NaN.

ERRORS

See math_error(7) for information on how to determine whether an error has occurred when calling these functions.

The following errors can occur:

Domain error: x is less than 1

errno is set to EDOM. An invalid floating-point exception (FE INVALID) is raised.

ATTRIBUTES

For an explanation of the terms used in this section, see at? tributes(7).

?Interface ? Attribute ? Value ?

?acosh(), acoshf(), acoshl() ? Thread safety ? MT-Safe ?

CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

The variant returning double also conforms to SVr4, 4.3BSD.

SEE ALSO

asinh(3), atanh(3), cacosh(3), cosh(3), sinh(3), tanh(3)

COLOPHON

description of the project, information about reporting bugs, and the latest version of this page, can be found at https://www.kernel.org/doc/man-pages/.

2017-09-15 ACOSH(3)