

Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'arecordmidi.1'

\$ man arecordmidi.1

ARECORDMIDI(1)

General Commands Manual

ARECORDMIDI(1)

NAME

arecordmidi - record Standard MIDI Files

SYNOPSIS

arecordmidi -p client:port[,...] [options] midifile

DESCRIPTION

arecordmidi is a command-line utility that records a Standard MIDI File

from one or more ALSA sequencer ports.

To stop recording, press Ctrl+C.

OPTIONS

-h,--help

Prints a list of options.

-V,--version

Prints the current version.

-l,--list

Prints a list of possible input ports.

-p,--port=client:port,...

Sets the sequencer port(s) from which events are recorded.

A client can be specified by its number, its name, or a prefix of its name. A port is specified by its number; for port 0 of a client, the ":0" part of the port specification can be omitted.

-b,--bpm=beats

Sets the musical tempo of the MIDI file, in beats per minute.

The default value is 120 BPM.

-f,--fps=frames

Sets the SMPTE resolution, in frames per second. Possible val? ues are 24, 25, 29.97 (for 30 drop-frame), and 30.

-t,--ticks=ticks

Sets the resolution of timestamps (ticks) in the MIDI file, in ticks per beat (when using musical tempo) or ticks per frame (when using SMPTE timing). The default value is 384 ticks/beat or 40 ticks/frame, respectively.

-s,--split-channels

Specifies that the data for each MIDI channel should be written to a separate track in the MIDI file. This will result in a "format 1" file. Otherwise, when there is only one track, arecordmidi will generate a "format 0" file.

-m,--metronome=client:port

Plays a metronome signal on the specified sequencer port.

Metronome sounds are played on channel 10, MIDI notes 33 & 34

(GM2/GS/XG metronome standard notes), with velocity 100 and du? ration 1.

-i,--timesig=numerator:denominator

Sets the time signature for the MIDI file and metronome.

The time signature is specified as usual with two numbers, rep? resenting the numerator and denominator of the time signature as it would be notated. The denominator must be a power of two. Both numbers should be separated by a colon. The time signature is 4:4 by default.

AUTHOR