



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'arptables-save.8'***

***\$ man arptables-save.8***

ARPTABLES-SAVE(8)

ARPTABLES-SAVE(8)

#### NAME

arptables-save - dump arptables rules to stdout (nft-based)

#### SYNOPSIS

arptables-save [-M modprobe] [-c]

arptables-save [-V]

#### DESCRIPTION

This tool is deprecated in Red Hat Enterprise Linux. It is maintenance only and will not receive new features. New setups should use `nft(8)`. Existing setups should migrate to `nft(8)` when possible. See [https://red.ht/nft\\_your\\_tables?](https://red.ht/nft_your_tables?) for details.

arptables-save is used to dump the contents of an ARP Table in easily parseable format to STDOUT. Use I/O-redirection provided by your shell

to write to a file.

**-M, --modprobe modprobe\_program**

Specify the path to the modprobe program. By default, arptables-save will inspect `/proc/sys/kernel/modprobe` to determine the executable's path.

**-c, --counters**

Include the current values of all packet and byte counters in the output.

**-V, --version**

Print version information and exit.

## AUTHOR

Jesper Dangaard Brouer <brouer@redhat.com>

## SEE ALSO

arptables-restore(8), arptables(8), nft(8)

March 2019

ARPTABLES-SAVE(8)