



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'atexit.3'

\$ man atexit.3

ATEXTIT(3) Linux Programmer's Manual ATEXTIT(3)

NAME

atexit - register a function to be called at normal process termination

SYNOPSIS

```
#include <stdlib.h>

int atexit(void (*function)(void));
```

DESCRIPTION

The atexit() function registers the given function to be called at normal process termination, either via exit(3) or via return from the program's main(). Functions so registered are called in the reverse order of their registration; no arguments are passed.

The same function may be registered multiple times: it is called once for each registration.

POSIX.1 requires that an implementation allow at least ATEXTIT_MAX (32) such functions to be registered. The actual limit supported by an implementation can be obtained using sysconf(3).

When a child process is created via fork(2), it inherits copies of its parent's registrations. Upon a successful call to one of the exec(3)

functions, all registrations are removed.

RETURN VALUE

The `atexit()` function returns the value 0 if successful; otherwise it returns a nonzero value.

ATTRIBUTES

For an explanation of the terms used in this section, see [attributes\(7\)](#).

??

?Interface ? Attribute ? Value ?

??

?`atexit()` ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C89, C99, SVr4, 4.3BSD.

NOTES

Functions registered using `atexit()` (and `on_exit(3)`) are not called if a process terminates abnormally because of the delivery of a signal.

If one of the registered functions calls `_exit(2)`, then any remaining functions are not invoked, and the other process termination steps performed by `exit(3)` are not performed.

POSIX.1 says that the result of calling `exit(3)` more than once (i.e., calling `exit(3)` within a function registered using `atexit()`) is undefined. On some systems (but not Linux), this can result in an infinite recursion; portable programs should not invoke `exit(3)` inside a function registered using `atexit()`.

The `atexit()` and `on_exit(3)` functions register functions on the same list: at normal process termination, the registered functions are invoked in reverse order of their registration by these two functions.

According to POSIX.1, the result is undefined if `longjmp(3)` is used to terminate execution of one of the functions registered using `atexit()`.

Linux notes

Since `glibc 2.2.3`, `atexit()` (and `on_exit(3)`) can be used within a shared library to establish functions that are called when the shared

library is unloaded.

EXAMPLES

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>

void
bye(void)
{
    printf("That was all, folks\n");
}

int
main(void)
{
    long a;
    int i;

    a = sysconf(_SC_ATEXIT_MAX);
    printf("ATEXIT_MAX = %ld\n", a);

    i = atexit(bye);

    if (i != 0) {
        fprintf(stderr, "cannot set exit function\n");
        exit(EXIT_FAILURE);
    }

    exit(EXIT_SUCCESS);
}
```

SEE ALSO

[_exit\(2\)](#), [dlopen\(3\)](#), [exit\(3\)](#), [on_exit\(3\)](#)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.