



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'bundle-lock.1'

\$ man bundle-lock.1

BUNDLE-LOCK(1) BUNDLE-LOCK(1)

NAME

bundle-lock - Creates / Updates a lockfile without installing

SYNOPSIS

```
bundle lock [--update] [--local] [--print] [--lockfile=PATH]
[--full-index] [--add-platform] [--remove-platform] [--patch] [--minor]
[--major] [--strict] [--conservative]
```

DESCRIPTION

Lock the gems specified in Gemfile.

OPTIONS

--update=<*gems>

Ignores the existing lockfile. Resolve then updates lockfile.

Taking a list of gems or updating all gems if no list is given.

--local

Do not attempt to connect to rubygems.org. Instead, Bundler will use the gems already present in Rubygems? cache or in vendor/cache. Note that if an appropriate platform-specific gem exists on rubygems.org it will not be found.

--print

Prints the lockfile to STDOUT instead of writing to the file system.

--lockfile=<path>

The path where the lockfile should be written to.

--full-index

Fall back to using the single-file index of all gems.

--add-platform

Add a new platform to the lockfile, re-resolving for the addition of that platform.

--remove-platform

Remove a platform from the lockfile.

--patch

If updating, prefer updating only to next patch version.

--minor

If updating, prefer updating only to next minor version.

--major

If updating, prefer updating to next major version (default).

--strict

If updating, do not allow any gem to be updated past latest
--patch | --minor | --major.

--conservative

If updating, use bundle install conservative update behavior and
do not allow shared dependencies to be updated.

UPDATING ALL GEMS

If you run `bundle lock` with `--update` option without list of gems,
bundler will ignore any previously installed gems and resolve all de-
pendencies again based on the latest versions of all gems available in
the sources.

UPDATING A LIST OF GEMS

Sometimes, you want to update a single gem in the Gemfile(5), and leave
the rest of the gems that you specified locked to the versions in the
Gemfile.lock.

For instance, you only want to update nokogiri, run `bundle lock --up-
date nokogiri`.

Bundler will update nokogiri and any of its dependencies, but leave the
rest of the gems that you specified locked to the versions in the Gem-
file.lock.

SUPPORTING OTHER PLATFORMS

If you want your bundle to support platforms other than the one you're
running locally, you can run `bundle lock --add-platform PLATFORM` to add
PLATFORM to the lockfile, force bundler to re-resolve and consider the
new platform when picking gems, all without needing to have a machine
that matches PLATFORM handy to install those platform-specific gems on.

For a full explanation of gem platforms, see `gem help platform`.

PATCH LEVEL OPTIONS

See [bundle update\(1\)](#) [bundle-update.1.html](#) for details.

December 2021

BUNDLE-LOCK(1)