



*Full credit is given to the above companies including the OS  
that this PDF file was generated!*

*Rocky Enterprise Linux 9.2 Manual Pages on command 'cbrtf.3'*

\$ *man cbrtf.3*

CBRT(3)

Linux Programmer's Manual

CBRT(3)

NAME

**cbrt, cbrtf, cbrtl - cube root function**

## SYNOPSIS

```
#include <math.h>
```

```
double cbrt(double x);
```

```
float cbrtf(float x);
```

```
long double cbrtl(long double x);
```

Link with -Im.

Feature Test Macro Requirements for glibc (see `feature_test_macros(7)`):

**cbrt():**

ISO/C99 SOURCE || POSIX C SOURCE >= 200112

|| XOPEN SOURCE >= 500

/\* Since glibc 2.19: \*/ DEFAULT\_SOURCE

|| /\* Glibc versions <= 2.19: \*/ BSD SOURCE || SVID SOURCE

`cbrtf(), cbrtl();`

ISO/IEC 9949-1:1999 (E) — SOURCE || POSIX C SOURCE >= 200112L

/\* Since glibc 2.19: \*/ DEFAULT\_SOURCE

```
|| /* Glibc versions <= 2.19: */ _BSD_SOURCE || _SVID_SOURCE
```

## DESCRIPTION

These functions return the (real) cube root of  $x$ . This function cannot fail; every representable real value has a representable real cube root.

## RETURN VALUE

These functions return the cube root of  $x$ .

If  $x$  is +0, -0, positive infinity, negative infinity, or NaN,  $x$  is returned.

## ERRORS

No errors occur.

## ATTRIBUTES

For an explanation of the terms used in this section, see [at?](#) tributes(7).

??

?Interface ? Attribute ? Value ?

??

?cbrt(), cbtf(), cbtl() ? Thread safety ? MT-Safe ?

??

## CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

## SEE ALSO

[pow\(3\)](#), [sqrt\(3\)](#)

## COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.