



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'ccosf.3'***

**\$ man ccosf.3**

CCOS(3)                      Linux Programmer's Manual                      CCOS(3)

NAME

ccos, ccosf, ccosl - complex cosine function

SYNOPSIS

```
#include <complex.h>
```

```
double complex ccos(double complex z);
```

```
float complex ccosf(float complex z);
```

```
long double complex ccosl(long double complex z);
```

Link with -lm.

DESCRIPTION

These functions calculate the complex cosine of z.

The complex cosine function is defined as:

$$\text{ccos}(z) = (\exp(i * z) + \exp(-i * z)) / 2$$

VERSIONS

These functions first appeared in glibc in version 2.1.

ATTRIBUTES

For an explanation of the terms used in this section, see at?

tributes(7).

??

?Interface           ? Attribute   ? Value   ?

??

?ccos(), ccosf(), ccosl() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

SEE ALSO

cabs(3), cacos(3), csin(3), ctan(3), complex(7)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2017-09-15

CCOS(3)