



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'clevis-luks-pass.1'

\$ man clevis-luks-pass.1

CLEVIS-LUKS-PASS(1) CLEVIS-LUKS-PASS(1)

NAME

clevis-luks-pass - Extracts the passphrase used for binding a particular slot in a LUKS device

SYNOPSIS

clevis luks pass -d DEV -s SLT

OVERVIEW

The clevis luks pass command extracts the passphrase used for binding a particular slot in a LUKS device. For example:

```
clevis luks pass -d /dev/sda1 -s 1
```

OPTIONS

? -d DEV : The LUKS device on which to extract a passphrase from

? -s SLT : The slot to use for extracting the passphrase

EXAMPLE

```
clevis luks pass -d /dev/sda1 -s 1
```

<passphrase here>

Note that the output of clevis luks pass might be non-printable, in which case it would be better to redirect its output to a file and use

it as a key file together with cryptsetup. For instance:

```
clevis luks pass -d /dev/sda1 -s 1 > slot1-passphrase
```

And the file slot1-passphrase will contain the passphrase associated with slot #1 in /dev/sda1.

SEE ALSO

clevis-luks-unlock(1),

01/25/2023

CLEVIS-LUKS-PASS(1)