



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'containers-certs.d.5'

\$ man containers-certs.d.5

containers-certs.d(5) storing containers-certs.d(5)

NAME

containers-certs.d - Directory for storing custom container-registry
TLS configurations

DESCRIPTION

A custom TLS configuration for a container registry can be configured by creating a directory under \$HOME/.config/containers/certs.d or /etc/containers/certs.d. The name of the directory must correspond to the host:port of the registry (e.g., my-registry.com:5000).

Directory Structure

A certs directory can contain one or more files with the following extensions:

? *.crt files with this extensions will be interpreted as CA
certificates

? *.cert files with this extensions will be interpreted as
client certificates

? *.key files with this extensions will be interpreted as
client keys

Note that the client certificate-key pair will be selected by the file
name (e.g., client.{cert,key}). An exemplary setup for a registry run?
ning at my-registry.com:5000 may look as follows:

```
/etc/containers/certs.d/ <- Certificate directory  
??? my-registry.com:5000 <- Hostname:port  
??? client.cert <- Client certificate  
??? client.key <- Client key  
??? ca.crt <- Certificate authority that signed the registry certificate
```

HISTORY

Feb 2019, Originally compiled by Valentin Rothberg rothberg@redhat.com

?mailto:rothberg@redhat.com?

for Directory containers-certs.d(5)