



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'dbilogstrip.1'

\$ man dbilogstrip.1

DBILOGSTRIP(1) User Contributed Perl Documentation DBILOGSTRIP(1)

NAME

dbilogstrip - filter to normalize DBI trace logs for diff'ing

SYNOPSIS

Read DBI trace file "dbitrace.log" and write out a stripped version to "dbitrace_stripped.log"

```
dbilogstrip dbitrace.log > dbitrace_stripped.log
```

Run "yourscript.pl" twice, each with different sets of arguments, with DBI_TRACE enabled. Filter the output and trace through "dbilogstrip" into a separate file for each run. Then compare using diff. (This example assumes you're using a standard shell.)

```
DBI_TRACE=2 perl yourscrip.pl ...args1... 2>&1 | dbilogstrip > dbitrace1.log
```

```
DBI_TRACE=2 perl yourscrip.pl ...args2... 2>&1 | dbilogstrip > dbitrace2.log
```

diff -u dbitrace1.log dbitrace2.log

DESCRIPTION

Replaces any hex addresses, e.g, 0x128f72ce with "0xN".

Replaces any references to process id or thread id, like "pid#6254"
with "pidN".

So a DBI trace line like this:

```
-> STORE for DBD::DBM::st (DBI::st=HASH(0x19162a0)~0x191f9c8 'f_params' ARRAY(0x1922018)) thr#1800400
```

will look like this:

```
-> STORE for DBD::DBM::st (DBI::st=HASH(0xN)~0xN 'f_params' ARRAY(0xN)) thrN
```

perl v5.32.1

2021-08-09

DBILOGSTRIP(1)