



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'fc-scan.1'***

**\$ man fc-scan.1**

FC-SCAN(1) FC-SCAN(1)

#### NAME

fc-scan - scan font files or directories

#### SYNOPSIS

```
fc-scan [ -Vh ]  
[ [ -f format ] [ --format format ] ] [ --version ] [ --help ]  
file...
```

#### DESCRIPTION

fc-scan scans file(s) recursively and prints out font pattern for each face found.

#### OPTIONS

This program follows the usual GNU command line syntax, with long options starting with two dashes ('-'). A summary of options is included below.

- f Format output according to the format specifier format.
- V Show version of the program and exit.
- h Show summary of options.
- file Scan file recursively for font faces.

## RETURN CODES

fc-scan returns error code 0 if at least one font was found or 1 otherwise.

wise.

## SEE ALSO

fc-query(1) FcFileScan(3) FcDirScan(3) FcPatternFormat(3) fc-cat(1) fc-cache(1) fc-list(1) fc-match(1) fc-pattern(1)

The fontconfig user's guide, in HTML format: </usr/share/doc/fontconfig/fontconfig-user.html>.

## AUTHOR

This manual page was updated by Behdad Esfahbod <behdad@behdad.org>.

Jan 15, 2009

FC-SCAN(1)