



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'flatpak-remote-delete.1'***

***\$ man flatpak-remote-delete.1***

FLATPAK REMOTE-DELE(1) flatpak remote-delete FLATPAK REMOTE-DELE(1)

#### NAME

flatpak-remote-delete - Delete a remote repository

#### SYNOPSIS

flatpak remote-delete [OPTION...] NAME

#### DESCRIPTION

Removes a remote repository from the flatpak repository configuration.

NAME is the name of an existing remote.

Unless overridden with the --system, --user, or --installation options, this command uses either the default system-wide installation or the per-user one, depending on which has the specified REMOTE.

#### OPTIONS

The following options are understood:

-h, --help

Show help options and exit.

--user

Modify the per-user configuration.

--system

Modify the default system-wide configuration.

`--installation=NAME`

Modify a system-wide installation specified by NAME among those defined in `/etc/flatpak/installations.d/`. Using

`--installation=default` is equivalent to using `--system`.

`--force`

Remove remote even if its in use by installed apps or runtimes.

`-v, --verbose`

Print debug information during command processing.

`--ostree-verbose`

Print OSTree debug information during command processing.

## EXAMPLES

```
$ flatpak --user remote-delete dried-raisins
```

## SEE ALSO

`flatpak(1)`, `flatpak-remote-add(1)`, `flatpak-remote-modify(1)`, `flatpak-remotes(1)`

flatpak

FLATPAK REMOTE-DELE(1)