

Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'flatpak-remotes.1'

\$ man flatpak-remotes.1

FLATPAK REMOTES(1)

flatpak remotes

FLATPAK REMOTES(1)

NAME

flatpak-remotes - List remote repositories

SYNOPSIS

flatpak remotes [OPTION...]

DESCRIPTION

Lists the known remote repositories, in priority order.

By default, both per-user and system-wide installations are shown. Use

the --user, --system or --installation options to change this.

OPTIONS

The following options are understood:

-h, --help

Show help options and exit.

--user

Show the per-user configuration.

--system

Show the default system-wide configuration.

--installation=NAME Page 1/3

```
Show a system-wide installation by NAME among those defined in
       /etc/flatpak/installations.d/. Using --installation=default is
       equivalent to using --system.
    -d, --show-details
       Show more information for each repository in addition to the name.
       Equivalent to --columns=all.
    --show-disabled
       Show disabled repos.
    -v, --verbose
       Print debug information during command processing.
    --ostree-verbose
       Print OSTree debug information during command processing.
    --columns=FIELD,...
       Specify what information to show about each ref. You can list
       multiple fields, or use this option multiple times.
       Append:s[tart],:m[iddle],:e[nd] or:f[ull] to column names to
       change ellipsization.
FIELDS
    The following fields are understood by the --columns option:
    name
       Show the name of the remote
    title
       Show the title of the remote
    url
       Show the URL of the remote
    filter
       Show the path to the client-side filter of the remote.
    collection
       Show the collection ID of the remote
    priority
       Show the priority of the remote
    options
```

Show options Page 2/3

comment Show comment description Show description homepage Show homepage icon Show icon all Show all columns help Show the list of available columns Note that field names can be abbreviated to a unique prefix. **EXAMPLES** \$ flatpak remotes --user --show-details testrepo Test Repository http://209.132.179.91/repo/ no-gpg-verify SEE ALSO

flatpak(1), flatpak-remote-add(1), flatpak-remote-delete(1)

FLATPAK REMOTES(1)

flatpak