



*Full credit is given to the above companies including the OS  
that this PDF file was generated!*

*Rocky Enterprise Linux 9.2 Manual Pages on command 'frexpf.3'*

\$ man frexpf.3

FREXP(3) Linux Programmer's Manual FREXP(3)

NAME \_\_\_\_\_

**frexp, frexpf, frexpl** - convert floating-point number to fractional and integral components

## SYNOPSIS

```
#include <math.h>

double frexp(double x, int *exp);

float frexpf(float x, int *exp);

long double frexpl(long double x, int *exp);
```

Link with -Im.

Feature Test Macro Requirements for glibc (see feature\_test\_macros(7)):

**frexp(), frexpl():**

| ISO/IEC 9949-1:1999 SOURCE || POSIX C SOURCE >= 200112L

/\* Since glibc 2.19: \*/ DEFAULT\_SOURCE

|| /\* Glibc versions <= 2.19: \*/ BSD\_SOURCE || SVID\_SOURCE

## DESCRIPTION

These functions are used to split the number x into a normalized `frac`?

tion and an exponent which is stored in exp

## RETURN VALUE

These functions return the normalized fraction. If the argument x is not zero, the normalized fraction is x times a power of two, and its absolute value is always in the range 1/2 (inclusive) to 1 (exclusive), that is, [0.5,1).

If x is zero, then the normalized fraction is zero and zero is stored in exp.

If x is a NaN, a NaN is returned, and the value of \*exp is unspecified.

If x is positive infinity (negative infinity), positive infinity (negative infinity) is returned, and the value of \*exp is unspecified.

## ERRORS

No errors occur.

## ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

???

?Interface                  ? Attribute    ? Value ?

???

?frexp(), frexpf(), frexpl() ? Thread safety ? MT-Safe ?

???

## CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

The variant returning double also conforms to SVr4, 4.3BSD, C89.

## EXAMPLES

The program below produces results such as the following:

```
$ ./a.out 2560
frexp(2560, &e) = 0.625: 0.625 * 2^12 = 2560
$ ./a.out -4
frexp(-4, &e) = -0.5: -0.5 * 2^3 = -4
```

Program source

```
#include <math.h>
#include <float.h>
#include <stdio.h>
```

```
#include <stdlib.h>

int
main(int argc, char *argv[])
{
    double x, r;
    int exp;
    x = strtod(argv[1], NULL);
    r = frexp(x, &exp);
    printf("frexp(%g, &e) = %g: %g * %d^%d = %g\n",
           x, r, r, FLT_RADIX, exp, x);
    exit(EXIT_SUCCESS);
}
```

## SEE ALSO

`ldexp(3)`, `modf(3)`

## COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at  
<https://www.kernel.org/doc/man-pages/>.

2020-06-09

FREXP(3)