



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'geteuid32.2'***

***\$ man geteuid32.2***

GETUID(2)           Linux Programmer's Manual           GETUID(2)

#### NAME

getuid, geteuid - get user identity

#### SYNOPSIS

```
#include <unistd.h>
#include <sys/types.h>
uid_t getuid(void);
uid_t geteuid(void);
```

#### DESCRIPTION

getuid() returns the real user ID of the calling process.  
geteuid() returns the effective user ID of the calling process.

#### ERRORS

These functions are always successful.

#### CONFORMING TO

POSIX.1-2001, POSIX.1-2008, 4.3BSD.

#### NOTES

##### History

In UNIX V6 the getuid() call returned (euid << 8) + uid. UNIX V7 in?

roduced separate calls `getuid()` and `geteuid()`.

The original Linux `getuid()` and `geteuid()` system calls supported only 16-bit user IDs. Subsequently, Linux 2.4 added `getuid32()` and `geteuid32()`, supporting 32-bit IDs. The glibc `getuid()` and `geteuid()` wrapper functions transparently deal with the variations across kernel versions.

On Alpha, instead of a pair of `getuid()` and `geteuid()` system calls, a single `getxuid()` system call is provided, which returns a pair of real and effective UIDs. The glibc `getuid()` and `geteuid()` wrapper functions transparently deal with this. See `syscall(2)` for details regarding register mapping.

#### SEE ALSO

`getresuid(2)`, `setreuid(2)`, `setuid(2)`, `credentials(7)`

#### COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.