

Full credit is given to the above companies including the OS that this PDF file was generated!

# Rocky Enterprise Linux 9.2 Manual Pages on command 'gnome-terminal.1'

## \$ man gnome-terminal.1

GNOME-TERMINAL(1)

**User Commands** 

**GNOME-TERMINAL(1)** 

NAME

gnome-terminal - A terminal emulator for GNOME

### **SYNOPSIS**

gnome-terminal [OPTION...] [-- PROGRAM [ARG...]]

### **DESCRIPTION**

gnome-terminal is a terminal emulator application for accessing a UNIX shell environment which can be used to run programs available on your system. It supports several profiles, multiple tabs and implements several keyboard shortcuts.

## **OPTIONS**

--help, -h

Show a brief overview of all the options.

--help-all

Show all the options in detail.

--help-gtk

Show all the GTK options.

--help-terminal Page 1/5

Show all the options to select between new terminal tabs or windows.

### --help-terminal-options

Show all the options to change the attributes of terminals regardless of whether they are in separate tabs or windows.

### --help-window-options

Show all the options to change the attributes of windows containing terminals.

## --load-config=FILE

Restore the application to a previously saved state by loading it from a configuration file.

## --preferences

Show the preferences window.

## --print-environment, -p

Print the environment variables to interact with newly created terminals.

### --quiet, -q

Suppress diagnostics.

## --verbose, -v

Increase diagnostic verbosity.

#### --tab

Open a new tab containing a terminal in the last-opened window with the default profile.

### --window

Open a new window with a tab containing a terminal with the default profile.

### --command, -e=COMMAND

Split the argument to this option into a program and arguments in the same way a shell would, and execute the resulting command-line inside the terminal.

This option is deprecated. Instead, use -- to terminate the options, and put the program and arguments to execute after it: for example, instead of gnome-terminal -e "python3 -q", prefer to use

gnome-terminal -- python3 -q.

Note that the COMMAND is not run via a shell: it is split into words and executed as a program. If shell syntax is required, use the form gnome-terminal -- sh -c '...'.

## --execute PROGRAM [ARGS], -x PROGRAM [ARGS]

Stop parsing options at this point, and interpret all subsequent options as a program and arguments to execute inside the terminal.

This option is deprecated: use -- instead. For example, instead of gnome-terminal -x python3 -q, prefer to use gnome-terminal -- python3 -q.

#### --fd=FD

Forward file descriptor.

### --profile=PROFILE-NAME

Use the given profile instead of the default profile.

## --title, -t=TITLE

Set the initial terminal title.

### --wait

Wait until the terminal's child exits.

## --working-directory=DIRNAME

Set the terminal's working directory.

#### --zoom=ZOOM

Set the terminal's zoom factor. 1.0 is normal size.

### --active

Set the last specified tab as the active one in its window.

### --full-screen

Full-screen the window.

## --geometry=GEOMETRY

Set the window size as COLSxROWS+X+Y. For example, 80x24 or 80x24+200+200.

#### --hide-menubar

Turn off the menubar for the window.

## --show-menubar

Turn on the menubar for the window.

--maximize

Maximize the window.

--role=ROLE

Set the X window role.

--class=CLASS

Program class as used by the window manager.

--display=DISPLAY

X display to use.

--g-fatal-warnings

Make all warnings fatal.

--gdk-debug=FLAGS

GDK debugging flags to set.

--gdk-no-debug=FLAGS

GDK debugging flags to unset.

--gtk-debug=FLAGS

GTK debugging flags to set.

--gtk-no-debug=FLAGS

GTK debugging flags to unset.

--gtk-module=MODULES

Load additional GTK modules.

--name=NAME

Program name as used by the window manager.

### **BUGS**

Please read https://wiki.gnome.org/Apps/Terminal/ReportingBugs on how to report bugs.

## **EXAMPLES**

To run a terminal containing an interactive Python prompt:

To interpret shell syntax in a terminal, either write it in a separate

shell script, or use sh -c:

## SEE ALSO

https://wiki.gnome.org/Apps/Terminal. There's a list of frequently asked questions at https://wiki.gnome.org/Apps/Terminal/FAQ.

GNOME

June 2020

GNOME-TERMINAL(1)