



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'gtk4-update-icon-cache.1'

\$ man gtk4-update-icon-cache.1

GTK4-UPDATE-ICON-(1) User Commands GTK4-UPDATE-ICON-(1)

NAME

gtk4-update-icon-cache - Icon theme caching utility

SYNOPSIS

```
gtk4-update-icon-cache [--force] [--ignore-theme-index] [--index-only |
                        --include-image-data] [--source NAME] [--quiet]
                        [--validate] PATH
```

DESCRIPTION

gtk4-update-icon-cache creates mmapable cache files for icon themes.

It expects to be given the PATH to an icon theme directory containing an index.theme, e.g. /usr/share/icons/hicolor, and writes a icon-theme.cache containing cached information about the icons in the directory tree below the given directory.

GTK can use the cache files created by gtk4-update-icon-cache to avoid a lot of system call and disk seek overhead when the application starts. Since the format of the cache files allows them to be shared across multiple processes, for instance using the POSIX mmap() system call, the overall memory consumption is reduced as well.

OPTIONS

`--force, -f`

Overwrite an existing cache file even if it appears to be up-to-date.

`--ignore-theme-index, -t`

Don't check for the existence of `index.theme` in the icon theme directory. Without this option, `gtk4-update-icon-cache` refuses to create an icon cache in a directory which does not appear to be the toplevel directory of an icon theme.

`--index-only, -i`

Don't include image data in the cache.

`--include-image-data`

Include image data in the cache.

`--source, -c`

Output a C header file declaring a constant `NAME` with the contents of the icon cache.

`--quiet, -q`

Turn off verbose output.

`--validate, -v`

Validate existing icon cache.

GTK

GTK4-UPDATE-ICON-(1)