



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'hcreate.3'***

#### ***\$ man hcreate.3***

HSEARCH(3)                   Linux Programmer's Manual                   HSEARCH(3)

#### NAME

hcreate, hdestroy, hsearch, hcreate\_r, hdestroy\_r, hsearch\_r - hash table management

#### SYNOPSIS

```
#include <search.h>

int hcreate(size_t nel);

ENTRY *hsearch(ENTRY item, ACTION action);

void hdestroy(void);

#define _GNU_SOURCE       /* See feature_test_macros(7) */

#include <search.h>

int hcreate_r(size_t nel, struct hsearch_data *htab);

int hsearch_r(ENTRY item, ACTION action, ENTRY **retval,
              struct hsearch_data *htab);

void hdestroy_r(struct hsearch_data *htab);
```

#### DESCRIPTION

The three functions hcreate(), hsearch(), and hdestroy() allow the caller to create and manage a hash search table containing entries con?

sisting of a key (a string) and associated data. Using these func?

tions, only one hash table can be used at a time.

The three functions `hcreate_r()`, `hsearch_r()`, `hdestroy_r()` are reentrant versions that allow a program to use more than one hash search table at the same time. The last argument, `htab`, points to a structure that describes the table on which the function is to operate. The programmer should treat this structure as opaque (i.e., do not attempt to directly access or modify the fields in this structure).

First a hash table must be created using `hcreate()`. The argument `nel` specifies the maximum number of entries in the table. (This maximum cannot be changed later, so choose it wisely.) The implementation may adjust this value upward to improve the performance of the resulting hash table.

The `hcreate_r()` function performs the same task as `hcreate()`, but for the table described by the structure `*htab`. The structure pointed to by `htab` must be zeroed before the first call to `hcreate_r()`.

The function `hdestroy()` frees the memory occupied by the hash table that was created by `hcreate()`. After calling `hdestroy()`, a new hash table can be created using `hcreate()`. The `hdestroy_r()` function performs the analogous task for a hash table described by `*htab`, which was previously created using `hcreate_r()`.

The `hsearch()` function searches the hash table for an item with the same key as `item` (where "the same" is determined using `strcmp(3)`), and if successful returns a pointer to it.

The argument `item` is of type `ENTRY`, which is defined in `<search.h>` as follows:

```
typedef struct entry {
    char *key;
    void *data;
} ENTRY;
```

The field `key` points to a null-terminated string which is the search key. The field `data` points to data that is associated with that key.

The argument `action` determines what `hsearch()` does after an unsuccess?

ful search. This argument must either have the value ENTER, meaning insert a copy of item (and return a pointer to the new hash table entry as the function result), or the value FIND, meaning that NULL should be returned. (If action is FIND, then data is ignored.)

The hsearch\_r() function is like hsearch() but operates on the hash table described by \*htab. The hsearch\_r() function differs from hsearch() in that a pointer to the found item is returned in \*retval, rather than as the function result.

## RETURN VALUE

hcreate() and hcreate\_r() return nonzero on success. They return 0 on error, with errno set to indicate the cause of the error.

On success, hsearch() returns a pointer to an entry in the hash table.

hsearch() returns NULL on error, that is, if action is ENTER and the hash table is full, or action is FIND and item cannot be found in the hash table. hsearch\_r() returns nonzero on success, and 0 on error.

In the event of an error, these two functions set errno to indicate the cause of the error.

In the event of an error, these two functions set errno to indicate the cause of the error.

## ERRORS

hcreate\_r() and hdestroy\_r() can fail for the following reasons:

EINVAL htab is NULL.

hsearch() and hsearch\_r() can fail for the following reasons:

ENOMEM action was ENTER, key was not found in the table, and there was no room in the table to add a new entry.

ESRCH action was FIND, and key was not found in the table.

POSIX.1 specifies only the ENOMEM error.

## ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

attributes(7).

??

?Interface ? Attribute ? Value ?

??

?hcreate(), hsearch(), ? Thread safety ? MT-Unsafe race:hsearch ?

?hdestroy() ? ? ?

??  
?hcreate\_r(), hsearch\_r(), ? Thread safety ? MT-Safe race:htab ?  
?hdestroy\_r() ? ? ?  
??

## CONFORMING TO

The functions `hcreate()`, `hsearch()`, and `hdestroy()` are from SVr4, and are described in POSIX.1-2001 and POSIX.1-2008.

The functions `hcreate_r()`, `hsearch_r()`, and `hdestroy_r()` are GNU extensions.

## NOTES

Hash table implementations are usually more efficient when the table contains enough free space to minimize collisions. Typically, this means that `nel` should be at least 25% larger than the maximum number of elements that the caller expects to store in the table.

The `hdestroy()` and `hdestroy_r()` functions do not free the buffers pointed to by the key and data elements of the hash table entries. (It can't do this because it doesn't know whether these buffers were allocated dynamically.) If these buffers need to be freed (perhaps because the program is repeatedly creating and destroying hash tables, rather than creating a single table whose lifetime matches that of the program), then the program must maintain bookkeeping data structures that allow it to free them.

## BUGS

SVr4 and POSIX.1-2001 specify that action is significant only for unsuccessful searches, so that an ENTER should not do anything for a successful search. In `libc` and `glibc` (before version 2.3), the implementation violates the specification, updating the data for the given key in this case.

Individual hash table entries can be added, but not deleted.

## EXAMPLES

The following program inserts 24 items into a hash table, then prints some of them.

```
#include <stdio.h>
```

```

#include <stdlib.h>

#include <search.h>

static char *data[] = { "alpha", "bravo", "charlie", "delta",
    "echo", "foxtrot", "golf", "hotel", "india", "juliet",
    "kilo", "lima", "mike", "november", "oscar", "papa",
    "quebec", "romeo", "sierra", "tango", "uniform",
    "victor", "whisky", "x-ray", "yankee", "zulu"
};

int
main(void)
{
    ENTRY e;
    ENTRY *ep;
    hcreate(30);
    for (int i = 0; i < 24; i++) {
        e.key = data[i];
        /* data is just an integer, instead of a
           pointer to something */
        e.data = (void *) i;
        ep = hsearch(e, ENTER);
        /* there should be no failures */
        if (ep == NULL) {
            fprintf(stderr, "entry failed\n");
            exit(EXIT_FAILURE);
        }
    }
    for (int i = 22; i < 26; i++) {
        /* print two entries from the table, and
           show that two are not in the table */
        e.key = data[i];
        ep = hsearch(e, FIND);
        printf("%9.9s -> %9.9s:%d\n", e.key,
            ep ? ep->key : "NULL", ep ? (int)(ep->data) : 0);
    }
}

```

```
}  
hdestroy();  
exit(EXIT_SUCCESS);  
}
```

#### SEE ALSO

bsearch(3), lsearch(3), malloc(3), tsearch(3)

#### COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2020-11-01

HSEARCH(3)