



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'io\_destroy.2'***

***\$ man io\_destroy.2***

IO\_DESTROY(2)      Linux Programmer's Manual      IO\_DESTROY(2)

#### NAME

io\_destroy - destroy an asynchronous I/O context

#### SYNOPSIS

```
#include <linux/aio_abi.h>      /* Defines needed types */
```

```
int io_destroy(aio_context_t ctx_id);
```

Note: There is no glibc wrapper for this system call; see NOTES.

#### DESCRIPTION

Note: this page describes the raw Linux system call interface. The wrapper function provided by libaio uses a different type for the ctx\_id argument. See NOTES.

The io\_destroy() system call will attempt to cancel all outstanding asynchronous I/O operations against ctx\_id, will block on the completion of all operations that could not be canceled, and will destroy the ctx\_id.

#### RETURN VALUE

On success, io\_destroy() returns 0. For the failure return, see NOTES.

#### ERRORS

EFAULT The context pointed to is invalid.

EINVAL The AIO context specified by `ctx_id` is invalid.

ENOSYS `io_destroy()` is not implemented on this architecture.

## VERSIONS

The asynchronous I/O system calls first appeared in Linux 2.5.

## CONFORMING TO

`io_destroy()` is Linux-specific and should not be used in programs that are intended to be portable.

## NOTES

Glibc does not provide a wrapper function for this system call. You could invoke it using `syscall(2)`. But instead, you probably want to use the `io_destroy()` wrapper function provided by `libaio`.

Note that the `libaio` wrapper function uses a different type (`io_context_t`) for the `ctx_id` argument. Note also that the `libaio` wrapper does not follow the usual C library conventions for indicating errors: on error it returns a negated error number (the negative of one of the values listed in `ERRORS`). If the system call is invoked via `syscall(2)`, then the return value follows the usual conventions for indicating an error: `-1`, with `errno` set to a (positive) value that indicates the error.

## SEE ALSO

`io_cancel(2)`, `io_getevents(2)`, `io_setup(2)`, `io_submit(2)`, `aio(7)`

## COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.