



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'iswblank.3'***

#### ***\$ man iswblank.3***

ISWBLANK(3)           Linux Programmer's Manual           ISWBLANK(3)

#### NAME

iswblank - test for whitespace wide character

#### SYNOPSIS

```
#include <wctype.h>
```

```
int iswblank(wint_t wc);
```

Feature Test Macro Requirements for glibc (see feature\_test\_macros(7)):

```
iswblank():
```

```
    _ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L
```

#### DESCRIPTION

The `iswblank()` function is the wide-character equivalent of the `isblank(3)` function. It tests whether `wc` is a wide character belonging to the wide-character class "blank".

The wide-character class "blank" is a subclass of the wide-character class "space".

Being a subclass of the wide-character class "space", the wide-character class "blank" is disjoint from the wide-character class "graph" and therefore also disjoint from its subclasses "alnum", "alpha", "upper",

"lower", "digit", "xdigit", "punct".

The wide-character class "blank" always contains at least the space character and the control character '\t'.

#### RETURN VALUE

The iswblank() function returns nonzero if wc is a wide character belonging to the wide-character class "blank". Otherwise, it returns zero.

#### ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?iswblank() ? Thread safety ? MT-Safe locale ?

??

#### CONFORMING TO

POSIX.1-2001, POSIX.1-2008.

#### NOTES

The behavior of iswblank() depends on the LC\_CTYPE category of the current locale.

#### SEE ALSO

isblank(3), iswctype(3)

#### COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.