



*Full credit is given to the above companies including the OS that this PDF file was generated!*

**Rocky Enterprise Linux 9.2 Manual Pages on command 'java-java-20-openjdk-20.0.2.0.9-1.rolling.el9.x86\_64.1'**

**\$ man java-java-20-openjdk-20.0.2.0.9-1.rolling.el9.x86\_64.1**

JAVA(1)                   JDK Commands                   JAVA(1)

NAME

java - launch a Java application

SYNOPSIS

To launch a class file:

java [options] mainclass [args ...]

To launch the main class in a JAR file:

java [options] -jar jarfile [args ...]

To launch the main class in a module:

java [options] -m module[/mainclass] [args ...]

or

java [options] --module module[/mainclass] [args ...]

To launch a single source-file program:

java [options] source-file [args ...]

options

Optional: Specifies command-line options separated by spaces.

See Overview of Java Options for a description of available op?

tions.

## mainclass

Specifies the name of the class to be launched. Command-line entries following classname are the arguments for the main method.

## -jar jarfile

Executes a program encapsulated in a JAR file. The jarfile argument is the name of a JAR file with a manifest that contains a line in the form `Main-Class:classname` that defines the class with the public static `void main(String[] args)` method that serves as your application's starting point. When you use `-jar`, the specified JAR file is the source of all user classes, and other class path settings are ignored. If you're using JAR files, then see `jar`.

## -m or --module module[/mainclass]

Executes the main class in a module specified by mainclass if it is given, or, if it is not given, the value in the module. In other words, mainclass can be used when it is not specified by the module, or to override the value when it is specified.

See Standard Options for Java.

## source-file

Only used to launch a single source-file program. Specifies the source file that contains the main class when using source-file mode. See Using Source-File Mode to Launch Single-File Source-Code Programs

## args ...

Optional: Arguments following mainclass, source-file, -jar jarfile, and -m or --module module/mainclass are passed as arguments to the main class.

## DESCRIPTION

The `java` command starts a Java application. It does this by starting the Java Virtual Machine (JVM), loading the specified class, and calling that class's `main()` method. The method must be declared public and static, it must not return any value, and it must accept a String array

as a parameter. The method declaration has the following form:

```
public static void main(String[] args)
```

In source-file mode, the java command can launch a class declared in a source file. See Using Source-File Mode to Launch Single-File Source-Code Programs for a description of using the source-file mode.

Note: You can use the JDK\_JAVA\_OPTIONS launcher environment variable to prepend its content to the actual command line of the java launcher. See Using the JDK\_JAVA\_OPTIONS Launcher Environment Variable.

By default, the first argument that isn't an option of the java command is the fully qualified name of the class to be called. If -jar is specified, then its argument is the name of the JAR file containing class and resource files for the application. The startup class must be indicated by the Main-Class manifest header in its manifest file.

Arguments after the class file name or the JAR file name are passed to the main() method.

## javaw

Windows: The javaw command is identical to java, except that with javaw there's no associated console window. Use javaw when you don't want a command prompt window to appear. The javaw launcher will, however, display a dialog box with error information if a launch fails.

## USING SOURCE-FILE MODE TO LAUNCH SINGLE-FILE SOURCE-CODE PROGRAMS

To launch a class declared in a source file, run the java launcher in source-file mode. Entering source-file mode is determined by two items on the java command line:

? The first item on the command line that is not an option or part of an option. In other words, the item in the command line that would otherwise be the main class name.

? The --source version option, if present.

If the class identifies an existing file that has a .java extension, or if the --source option is specified, then source-file mode is selected.

The source file is then compiled and run. The --source option can be used to specify the source version or N of the source code. This de?

termines the API that can be used. When you set `--source N`, you can only use the public API that was defined in JDK N.

Note: The valid values of N change for each release, with new values added and old values removed. You'll get an error message if you use a value of N that is no longer supported. The supported values of N are the current Java SE release (20) and a limited number of previous releases, detailed in the command-line help for `javac`, under the `--source` and `--release` options.

If the file does not have the `.java` extension, the `--source` option must be used to tell the `java` command to use the `source-file` mode. The `--source` option is used for cases when the source file is a "script" to be executed and the name of the source file does not follow the normal naming conventions for Java source files.

In `source-file` mode, the effect is as though the source file is compiled into memory, and the first class found in the source file is executed. Any arguments placed after the name of the source file in the original command line are passed to the compiled class when it is executed.

For example, if a file were named `HelloWorld.java` and contained a class named `hello.World`, then the `source-file` mode command to launch the class would be:

```
java HelloWorld.java
```

The example illustrates that the class can be in a named package, and does not need to be in the unnamed package. This use of `source-file` mode is informally equivalent to using the following two commands where `hello.World` is the name of the class in the package:

```
javac -d <memory> HelloWorld.java
```

```
java -cp <memory> hello.World
```

In `source-file` mode, any additional command-line options are processed as follows:

The launcher scans the options specified before the source file for any that are relevant in order to compile the source file.

This includes: `--class-path`, `--module-path`, `--add-exports`, `--add-mod?`

ules, --limit-modules, --patch-module, --upgrade-module-path, and any variant forms of those options. It also includes the new --enable-preview option, described in JEP 12.

? No provision is made to pass any additional options to the compiler, such as -processor or -Werror.

? Command-line argument files (@-files) may be used in the standard way. Long lists of arguments for either the VM or the program being invoked may be placed in files specified on the command-line by prefixing the filename with an @ character.

In source-file mode, compilation proceeds as follows:

? Any command-line options that are relevant to the compilation environment are taken into account.

? No other source files are found and compiled, as if the source path is set to an empty value.

? Annotation processing is disabled, as if -proc:none is in effect.

? If a version is specified, via the --source option, the value is used as the argument for an implicit --release option for the compilation.

This sets both the source version accepted by compiler and the system API that may be used by the code in the source file.

? The source file is compiled in the context of an unnamed module.

? The source file should contain one or more top-level classes, the first of which is taken as the class to be executed.

? The compiler does not enforce the optional restriction defined at the end of JLS 7.6, that a type in a named package should exist in a file whose name is composed from the type name followed by the .java extension.

? If the source file contains errors, appropriate error messages are written to the standard error stream, and the launcher exits with a non-zero exit code.

In source-file mode, execution proceeds as follows:

? The class to be executed is the first top-level class found in the source file. It must contain a declaration of the standard public static void main(String[]) method.

? The compiled classes are loaded by a custom class loader, that delegates to the application class loader. This implies that classes appearing on the application class path cannot refer to any classes declared in the source file.

? The compiled classes are executed in the context of an unnamed module, as though `--add-modules=ALL-DEFAULT` is in effect. This is in addition to any other `--add-module` options that may have been specified on the command line.

? Any arguments appearing after the name of the file on the command line are passed to the standard main method in the obvious way.

? It is an error if there is a class on the application class path whose name is the same as that of the class to be executed.

See JEP 330: Launch Single-File Source-Code Programs [<https://openjdk.org/jeps/330>] for complete details.

#### USING THE `JDK_JAVA_OPTIONS` LAUNCHER ENVIRONMENT VARIABLE

`JDK_JAVA_OPTIONS` prepends its content to the options parsed from the command line. The content of the `JDK_JAVA_OPTIONS` environment variable is a list of arguments separated by white-space characters (as determined by `isspace()`). These are prepended to the command line arguments passed to java launcher. The encoding requirement for the environment variable is the same as the java command line on the system. `JDK_JAVA_OPTIONS` environment variable content is treated in the same manner as that specified in the command line.

Single (') or double (") quotes can be used to enclose arguments that contain whitespace characters. All content between the open quote and the first matching close quote are preserved by simply removing the pair of quotes. In case a matching quote is not found, the launcher will abort with an error message. `@-files` are supported as they are specified in the command line. However, as in `@-files`, use of a wildcard is not supported. In order to mitigate potential misuse of `JDK_JAVA_OPTIONS` behavior, options that specify the main class (such as `-jar`) or cause the java launcher to exit without executing the main class (such as `-h`) are disallowed in the environment variable. If any

of these options appear in the environment variable, the launcher will abort with an error message. When `JDK_JAVA_OPTIONS` is set, the launcher prints a message to `stderr` as a reminder.

Example:

```
$ export JDK_JAVA_OPTIONS='-g @file1 -Dprop=value @file2 -Dws.prop="white spaces"'
```

```
$ java -Xint @file3
```

is equivalent to the command line:

```
java -g @file1 -Dprop=value @file2 -Dws.prop="white spaces" -Xint @file3
```

## OVERVIEW OF JAVA OPTIONS

The `java` command supports a wide range of options in the following categories:

? **Standard Options for Java:** Options guaranteed to be supported by all implementations of the Java Virtual Machine (JVM). They're used for common actions, such as checking the version of the JRE, setting the class path, enabling verbose output, and so on.

? **Extra Options for Java:** General purpose options that are specific to the Java HotSpot Virtual Machine. They aren't guaranteed to be supported by all JVM implementations, and are subject to change. These options start with `-X`.

The advanced options aren't recommended for casual use. These are developer options used for tuning specific areas of the Java HotSpot Virtual Machine operation that often have specific system requirements and may require privileged access to system configuration parameters. Several examples of performance tuning are provided in Performance Tuning Examples. These options aren't guaranteed to be supported by all JVM implementations and are subject to change. Advanced options start with `-XX`.

? **Advanced Runtime Options for Java:** Control the runtime behavior of the Java HotSpot VM.

? **Advanced JIT Compiler Options for java:** Control the dynamic just-in-time (JIT) compilation performed by the Java HotSpot VM.

? **Advanced Serviceability Options for Java:** Enable gathering system information and performing extensive debugging.

? Advanced Garbage Collection Options for Java: Control how garbage collection (GC) is performed by the Java HotSpot

Boolean options are used to either enable a feature that's disabled by default or disable a feature that's enabled by default. Such options don't require a parameter. Boolean -XX options are enabled using the plus sign (-XX:+OptionName) and disabled using the minus sign (-XX:-OptionName).

For options that require an argument, the argument may be separated from the option name by a space, a colon (:), or an equal sign (=), or the argument may directly follow the option (the exact syntax differs for each option). If you're expected to specify the size in bytes, then you can use no suffix, or use the suffix k or K for kilobytes (KB), m or M for megabytes (MB), or g or G for gigabytes (GB). For example, to set the size to 8 GB, you can specify either 8g, 8192m, 8388608k, or 8589934592 as the argument. If you are expected to specify the percentage, then use a number from 0 to 1. For example, specify 0.25 for 25%.

The following sections describe the options that are deprecated, obsolete, and removed:

? Deprecated Java Options: Accepted and acted upon --- a warning is issued when they're used.

? Obsolete Java Options: Accepted but ignored --- a warning is issued when they're used.

? Removed Java Options: Removed --- using them results in an error.

## STANDARD OPTIONS FOR JAVA

These are the most commonly used options supported by all implementations of the JVM.

Note: To specify an argument for a long option, you can use either --name=value or --name value.

-agentlib:libname[=options]

Loads the specified native agent library. After the library name, a comma-separated list of options specific to the library can be used. If the option -agentlib:foo is specified, then the



JVM attempts to load the library named foo using the platform specific naming conventions and locations:

? Linux and other POSIX-like platforms: The JVM attempts to load the library named libfoo.so in the location specified by the LD\_LIBRARY\_PATH system variable.

? macOS: The JVM attempts to load the library named libfoo.dylib in the location specified by the DYLD\_LIBRARY\_PATH system variable.

? Windows: The JVM attempts to load the library named foo.dll in the location specified by the PATH system variable.

The following example shows how to load the Java Debug Wire Protocol (JDWP) library and listen for the socket connection on port 8000, suspending the JVM before the main class loads:

```
-agentlib:jdwp=transport=dt_socket,server=y,ad?
dress=8000
```

`-agentpath:pathname[=options]`

Loads the native agent library specified by the absolute path name. This option is equivalent to `-agentlib` but uses the full path and file name of the library.

`--class-path classpath, -classpath classpath, or -cp classpath`

Specifies a list of directories, JAR files, and ZIP archives to search for class files.

On Windows, semicolons (;) separate entities in this list; on other platforms it is a colon (:).

Specifying classpath overrides any setting of the CLASSPATH environment variable. If the class path option isn't used and classpath isn't set, then the user class path consists of the current directory (.).

As a special convenience, a class path element that contains a base name of an asterisk (\*) is considered equivalent to specifying a list of all the files in the directory with the extension .jar or .JAR. A Java program can't tell the difference between the two invocations. For example, if the directory my?

dir contains a.jar and b.JAR, then the class path element my? dir/\* is expanded to A.jar:b.JAR, except that the order of JAR files is unspecified. All .jar files in the specified directory, even hidden ones, are included in the list. A class path entry consisting of an asterisk (\*) expands to a list of all the jar files in the current directory. The CLASSPATH environment variable, where defined, is similarly expanded. Any class path wildcard expansion that occurs before the Java VM is started. Java programs never see wildcards that aren't expanded except by querying the environment, such as by calling System.getenv("CLASSPATH").

#### --disable-@files

Can be used anywhere on the command line, including in an argument file, to prevent further @filename expansion. This option stops expanding @-argfiles after the option.

#### --enable-preview

Allows classes to depend on preview features [<https://docs.oracle.com/en/java/javase/12/language/index.html#JSLANGUID-5A82FE0E-0CA4-4F1F-B075-564874FE2823>] of the release.

#### --finalization=value

Controls whether the JVM performs finalization of objects. Valid values are "enabled" and "disabled". Finalization is enabled by default, so the value "enabled" does nothing. The value "disabled" disables finalization, so that no finalizers are invoked.

#### --module-path modulepath... or -p modulepath

Specifies a list of directories in which each directory is a directory of modules.

On Windows, semicolons (;) separate directories in this list; on other platforms it is a colon (:).

#### --upgrade-module-path modulepath...

Specifies a list of directories in which each directory is a directory of modules that replace upgradeable modules in the run?

time image.

On Windows, semicolons (;) separate directories in this list; on other platforms it is a colon (:).

`--add-modules module[,module...]`

Specifies the root modules to resolve in addition to the initial module. `module` also can be ALL-DEFAULT, ALL-SYSTEM, and ALL-MODULE-PATH.

`--list-modules`

Lists the observable modules and then exits.

`-d module_name` or `--describe-module module_name`

Describes a specified module and then exits.

`--dry-run`

Creates the VM but doesn't execute the main method. This `--dry-run` option might be useful for validating the command-line options such as the module system configuration.

`--validate-modules`

Validates all modules and exit. This option is helpful for finding conflicts and other errors with modules on the module path.

`-Dproperty=value`

Sets a system property value. The property variable is a string with no spaces that represents the name of the property. The value variable is a string that represents the value of the property. If value is a string with spaces, then enclose it in quotation marks (for example `-Dfoo="foo bar"`).

`-disableassertions[:[packagename]...[:classname]]` or `-da[:[package? name]...[:classname]]`

Disables assertions. By default, assertions are disabled in all packages and classes. With no arguments, `-disableassertions` (`-da`) disables assertions in all packages and classes. With the `packagename` argument ending in `...`, the switch disables assertions in the specified package and any subpackages. If the argument is simply `...`, then the switch disables assertions in the

unnamed package in the current working directory. With the classname argument, the switch disables assertions in the specified class.

The `-disableassertions (-da)` option applies to all class loaders and to system classes (which don't have a class loader).

There's one exception to this rule: If the option is provided with no arguments, then it doesn't apply to system classes.

This makes it easy to disable assertions in all classes except for system classes. The `-disablesystemassertions` option enables you to disable assertions in all system classes. To explicitly enable assertions in specific packages or classes, use the `-enableassertions (-ea)` option. Both options can be used at the same time. For example, to run the `MyClass` application with assertions enabled in the package `com.wombat.fruitbat` (and any subpackages) but disabled in the class `com.wombat.fruitbat.Brickbat`, use the following command:

```
java -ea:com.wombat.fruitbat... -da:com.wombat.fruitbat.Brickbat MyClass
```

`-disablesystemassertions` or `-dsa`

Disables assertions in all system classes.

`-enableassertions[:[packagename]...[:classname]` or `-ea[:[packagename]...[:classname]`

Enables assertions. By default, assertions are disabled in all packages and classes. With no arguments, `-enableassertions (-ea)` enables assertions in all packages and classes. With the `packagename` argument ending in `...`, the switch enables assertions in the specified package and any subpackages. If the argument is simply `...`, then the switch enables assertions in the unnamed package in the current working directory. With the `classname` argument, the switch enables assertions in the specified class.

The `-enableassertions (-ea)` option applies to all class loaders and to system classes (which don't have a class loader).

There's one exception to this rule: If the `-ea` option is provided with no arguments, then it doesn't apply to system classes. This makes it easy to enable assertions in all classes except for system classes. The `-enablesystemassertions` option provides a separate switch to enable assertions in all system classes. To explicitly disable assertions in specific packages or classes, use the `-disableassertions` (`-da`) option. If a command contains multiple instances of these switches, then they're processed in order, before loading any classes. For example, to run the `MyClass` application with assertions enabled only in the package `com.wombat.fruitbat` (and any subpackages) but disabled in the class `com.wombat.fruitbat.Brickbat`, use the following command:

```
java -ea:com.wombat.fruitbat... -da:com.wombat.fruitbat.Brickbat MyClass
```

`-enablesystemassertions` or `-esa`

Enables assertions in all system classes.

`-help`, `-h`, or `-?`

Prints the help message to the error stream.

`--help` Prints the help message to the output stream.

`-javaagent:jarpath[=options]`

Loads the specified Java programming language agent. See `java.lang.instrument`.

`--show-version`

Prints the product version to the output stream and continues.

`-showversion`

Prints the product version to the error stream and continues.

`--show-module-resolution`

Shows module resolution output during startup.

`-splash:imagepath`

Shows the splash screen with the image specified by `imagepath`.

HiDPI scaled images are automatically supported and used if available. The unscaled image file name, such as `image.ext`,

should always be passed as the argument to the `-splash` option.

The most appropriate scaled image provided is picked up automatically.

For example, to show the `splash.gif` file from the `images` directory when starting your application, use the following option:

```
-splash:images/splash.gif
```

See the `SplashScreen` API documentation for more information.

`-verbose:class`

Displays information about each loaded class.

`-verbose:gc`

Displays information about each garbage collection (GC) event.

`-verbose:jni`

Displays information about the use of native methods and other Java Native Interface (JNI) activity.

`-verbose:module`

Displays information about the modules in use.

`--version`

Prints product version to the output stream and exits.

`-version`

Prints product version to the error stream and exits.

`-X` Prints the help on extra options to the error stream.

`--help-extra`

Prints the help on extra options to the output stream.

`@argfile`

Specifies one or more argument files prefixed by `@` used by the `java` command. It isn't uncommon for the `java` command line to be very long because of the `.jar` files needed in the classpath.

The `@argfile` option overcomes command-line length limitations by enabling the launcher to expand the contents of argument files after shell expansion, but before argument processing. Contents in the argument files are expanded because otherwise, they would be specified on the command line until the `--disable-@files` option was encountered.

The argument files can also contain the main class name and all options. If an argument file contains all of the options required by the java command, then the command line could simply be:

```
java @argfile
```

See [java Command-Line Argument Files](#) for a description and examples of using @-argfiles.

## EXTRA OPTIONS FOR JAVA

The following java options are general purpose options that are specific to the Java HotSpot Virtual Machine.

### -Xbatch

Disables background compilation. By default, the JVM compiles the method as a background task, running the method in interpreter mode until the background compilation is finished. The -Xbatch flag disables background compilation so that compilation of all methods proceeds as a foreground task until completed. This option is equivalent to `-XX:-BackgroundCompilation`.

### -Xbootclasspath/a:directories|zip|JAR-files

Specifies a list of directories, JAR files, and ZIP archives to append to the end of the default bootstrap class path. On Windows, semicolons (;) separate entities in this list; on other platforms it is a colon (:).

### -Xcheck:jni

Performs additional checks for Java Native Interface (JNI) functions.

The following checks are considered indicative of significant problems with the native code, and the JVM terminates with an irrecoverable error in such cases:

? The thread doing the call is not attached to the JVM.

? The thread doing the call is using the JNIEnv belonging to another thread.

? A parameter validation check fails:

? A `jfieldID`, or `jmethodID`, is detected as being invalid. For

example:

? Of the wrong type

? Associated with the wrong class

? A parameter of the wrong type is detected.

? An invalid parameter value is detected. For example:

? NULL where not permitted

? An out-of-bounds array index, or frame capacity

? A non-UTF-8 string

? An invalid JNI reference

? An attempt to use a ReleaseXXX function on a parameter not produced by the corresponding GetXXX function

The following checks only result in warnings being printed:

? A JNI call was made without checking for a pending exception from a previous JNI call, and the current call is not safe when an exception may be pending.

? A class descriptor is in decorated format (Lname;) when it should not be.

? A NULL parameter is allowed, but its use is questionable.

? Calling other JNI functions in the scope of Get/ReleasePrimitiveArrayCritical or Get/ReleaseStringCritical

Expect a performance degradation when this option is used.

-Xcomp Testing mode to exercise JIT compilers. This option should not be used in production environments.

-Xdebug

Does nothing. Provided for backward compatibility.

-Xdiag Shows additional diagnostic messages.

-Xint Runs the application in interpreted-only mode. Compilation to native code is disabled, and all bytecode is executed by the interpreter. The performance benefits offered by the just-in-time (JIT) compiler aren't present in this mode.

-Xinternalversion

Displays more detailed JVM version information than the -version option, and then exits.



#### -Xlog:option

Configure or enable logging with the Java Virtual Machine (JVM) unified logging framework. See [Enable Logging with the JVM Unified Logging Framework](#).

#### -Xmixed

Executes all bytecode by the interpreter except for hot methods, which are compiled to native code. On by default. Use `-Xint` to switch off.

#### -Xmn size

Sets the initial and maximum size (in bytes) of the heap for the young generation (nursery) in the generational collectors. Append the letter `k` or `K` to indicate kilobytes, `m` or `M` to indicate megabytes, or `g` or `G` to indicate gigabytes. The young generation region of the heap is used for new objects. GC is performed in this region more often than in other regions. If the size for the young generation is too small, then a lot of minor garbage collections are performed. If the size is too large, then only full garbage collections are performed, which can take a long time to complete. It is recommended that you do not set the size for the young generation for the G1 collector, and keep the size for the young generation greater than 25% and less than 50% of the overall heap size for other collectors. The following examples show how to set the initial and maximum size of young generation to 256 MB using various units:

```
-Xmn256m
```

```
-Xmn262144k
```

```
-Xmn268435456
```

Instead of the `-Xmn` option to set both the initial and maximum size of the heap for the young generation, you can use `-XX:NewSize` to set the initial size and `-XX:MaxNewSize` to set the maximum size.

#### -Xms size

Sets the minimum and the initial size (in bytes) of the heap.

This value must be a multiple of 1024 and greater than 1 MB. Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. The following examples show how to set the size of allocated memory to 6 MB using various units:

```
-Xms6291456  
-Xms6144k  
-Xms6m
```

If you do not set this option, then the initial size will be set as the sum of the sizes allocated for the old generation and the young generation. The initial size of the heap for the young generation can be set using the `-Xmn` option or the `-XX:NewSize` option.

Note that the `-XX:InitialHeapSize` option can also be used to set the initial heap size. If it appears after `-Xms` on the command line, then the initial heap size gets set to the value specified with `-XX:InitialHeapSize`.

#### `-Xmx` size

Specifies the maximum size (in bytes) of the heap. This value must be a multiple of 1024 and greater than 2 MB. Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. The default value is chosen at runtime based on system configuration. For server deployments, `-Xms` and `-Xmx` are often set to the same value. The following examples show how to set the maximum allowed size of allocated memory to 80 MB using various units:

```
-Xmx83886080  
-Xmx81920k  
-Xmx80m
```

The `-Xmx` option is equivalent to `-XX:MaxHeapSize`.

#### `-Xnoclassgc`

Disables garbage collection (GC) of classes. This can save some GC time, which shortens interruptions during the application

run. When you specify `-Xnoclassgc` at startup, the class objects in the application are left untouched during GC and are always be considered live. This can result in more memory being permanently occupied which, if not used carefully, throws an out-of-memory exception.

`-Xrs` Reduces the use of operating system signals by the JVM. Shutdown hooks enable the orderly shutdown of a Java application by running user cleanup code (such as closing database connections) at shutdown, even if the JVM terminates abruptly.

? Non-Windows:

? The JVM catches signals to implement shutdown hooks for unexpected termination. The JVM uses `SIGHUP`, `SIGINT`, and `SIGTERM` to initiate the running of shutdown hooks.

? Applications embedding the JVM frequently need to trap signals such as `SIGINT` or `SIGTERM`, which can lead to interference with the JVM signal handlers. The `-Xrs` option is available to address this issue. When `-Xrs` is used, the signal masks for `SIGINT`, `SIGTERM`, `SIGHUP`, and `SIGQUIT` aren't changed by the JVM, and signal handlers for these signals aren't installed.

? Windows:

? The JVM watches for console control events to implement shutdown hooks for unexpected termination. Specifically, the JVM registers a console control handler that begins shutdown-hook processing and returns `TRUE` for `CTRL_C_EVENT`, `CTRL_CLOSE_EVENT`, `CTRL_LOGOFF_EVENT`, and `CTRL_SHUTDOWN_EVENT`.

? The JVM uses a similar mechanism to implement the feature of dumping thread stacks for debugging purposes. The JVM uses `CTRL_BREAK_EVENT` to perform thread dumps.

? If the JVM is run as a service (for example, as a servlet engine for a web server), then it can receive `CTRL_LOGOFF_EVENT` but shouldn't initiate shutdown because the oper-

ating system doesn't actually terminate the process. To avoid possible interference such as this, the `-Xrs` option can be used. When the `-Xrs` option is used, the JVM doesn't install a console control handler, implying that it doesn't watch for or process `CTRL_C_EVENT`, `CTRL_CLOSE_EVENT`, `CTRL_LOGOFF_EVENT`, or `CTRL_SHUTDOWN_EVENT`.

There are two consequences of specifying `-Xrs`:

? Non-Windows: `SIGQUIT` thread dumps aren't available.

? Windows: `Ctrl + Break` thread dumps aren't available.

User code is responsible for causing shutdown hooks to run, for example, by calling `System.exit()` when the JVM is to be terminated.

#### `-Xshare:mode`

Sets the class data sharing (CDS) mode.

Possible mode arguments for this option include the following:

`auto` Use shared class data if possible (default).

`on` Require using shared class data, otherwise fail.

Note: The `-Xshare:on` option is used for testing purposes only. It may cause the VM to unexpectedly exit during start-up when the CDS archive cannot be used (for example, when certain VM parameters are changed, or when a different JDK is used). This option should not be used in production environments.

`off` Do not attempt to use shared class data.

#### `-XshowSettings`

Shows all settings and then continues.

#### `-XshowSettings:category`

Shows settings and continues. Possible category arguments for this option include the following:

`all` Shows all categories of settings. This is the default value.

`locale` Shows settings related to locale.

`properties`

Shows settings related to system properties.

vm Shows the settings of the JVM.

system Linux only: Shows host system or container configuration and continues.

-Xss size

Sets the thread stack size (in bytes). Append the letter k or K to indicate KB, m or M to indicate MB, or g or G to indicate GB.

The actual size may be rounded up to a multiple of the system page size as required by the operating system. The default value

depends on the platform. For example:

? Linux/x64: 1024 KB

? Linux/Aarch64: 2048 KB

? macOS/x64: 1024 KB

? macOS/Aarch64: 2048 KB

? Windows: The default value depends on virtual memory

The following examples set the thread stack size to 1024 KB in different units:

-Xss1m

-Xss1024k

-Xss1048576

This option is similar to -XX:ThreadStackSize.

--add-reads module=target-module(,target-module)\*

Updates module to read the target-module, regardless of the module declaration. target-module can be all unnamed to read all unnamed modules.

--add-exports module/package=target-module(,target-module)\*

Updates module to export package to target-module, regardless of module declaration. The target-module can be all unnamed to export to all unnamed modules.

--add-opens module/package=target-module(,target-module)\*

Updates module to open package to target-module, regardless of module declaration.

--limit-modules module[,module...]

Specifies the limit of the universe of observable modules.

`--patch-module module=file(:file)*`

Overrides or augments a module with classes and resources in JAR files or directories.

`--source version`

Sets the version of the source in source-file mode.

## EXTRA OPTIONS FOR MACOS

The following extra options are macOS specific.

`-XstartOnFirstThread`

Runs the `main()` method on the first (AppKit) thread.

`-Xdock:name=application_name`

Overrides the default application name displayed in dock.

`-Xdock:icon=path_to_icon_file`

Overrides the default icon displayed in dock.

## ADVANCED OPTIONS FOR JAVA

These java options can be used to enable other advanced options.

`-XX:+UnlockDiagnosticVMOptions`

Unlocks the options intended for diagnosing the JVM. By default, this option is disabled and diagnostic options aren't available.

Command line options that are enabled with the use of this option are not supported. If you encounter issues while using any of these options, it is very likely that you will be required to reproduce the problem without using any of these unsupported options before Oracle Support can assist with an investigation.

It is also possible that any of these options may be removed or their behavior changed without any warning.

`-XX:+UnlockExperimentalVMOptions`

Unlocks the options that provide experimental features in the JVM. By default, this option is disabled and experimental features aren't available.

## ADVANCED RUNTIME OPTIONS FOR JAVA

These java options control the runtime behavior of the Java HotSpot VM.

#### `-XX:ActiveProcessorCount=x`

Overrides the number of CPUs that the VM will use to calculate the size of thread pools it will use for various operations such as Garbage Collection and ForkJoinPool.

The VM normally determines the number of available processors from the operating system. This flag can be useful for partitioning CPU resources when running multiple Java processes in docker containers. This flag is honored even if `UseContainerSupport` is not enabled. See `-XX:-UseContainerSupport` for a description of enabling and disabling container support.

#### `-XX:AllocateHeapAt=path`

Takes a path to the file system and uses memory mapping to allocate the object heap on the memory device. Using this option enables the HotSpot VM to allocate the Java object heap on an alternative memory device, such as an NV-DIMM, specified by the user.

Alternative memory devices that have the same semantics as DRAM, including the semantics of atomic operations, can be used instead of DRAM for the object heap without changing the existing application code. All other memory structures (such as the code heap, metaspace, and thread stacks) continue to reside in DRAM. Some operating systems expose non-DRAM memory through the file system. Memory-mapped files in these file systems bypass the page cache and provide a direct mapping of virtual memory to the physical memory on the device. The existing heap related flags (such as `-Xmx` and `-Xms`) and garbage-collection related flags continue to work as before.

#### `-XX:-CompactStrings`

Disables the Compact Strings feature. By default, this option is enabled. When this option is enabled, Java Strings containing only single-byte characters are internally represented and stored as single-byte-per-character Strings using ISO-8859-1 / Latin-1 encoding. This reduces, by 50%, the amount of space re?

quired for Strings containing only single-byte characters. For Java Strings containing at least one multibyte character: these are represented and stored as 2 bytes per character using UTF-16 encoding. Disabling the Compact Strings feature forces the use of UTF-16 encoding as the internal representation for all Java Strings.

Cases where it may be beneficial to disable Compact Strings include the following:

? When it's known that an application overwhelmingly will be allocating multibyte character Strings

? In the unexpected event where a performance regression is observed in migrating from Java SE 8 to Java SE 9 and an analysis shows that Compact Strings introduces the regression

In both of these scenarios, disabling Compact Strings makes sense.

`-XX:ErrorFile=filename`

Specifies the path and file name to which error data is written when an irrecoverable error occurs. By default, this file is created in the current working directory and named `hs_err_pid.pid.log` where `pid` is the identifier of the process that encountered the error.

The following example shows how to set the default log file (note that the identifier of the process is specified as `%p`):

```
-XX:ErrorFile=./hs_err_pid%p.log
```

? Non-Windows: The following example shows how to set the error log to `/var/log/java/java_error.log`:

```
-XX:ErrorFile=/var/log/java/java_error.log
```

? Windows: The following example shows how to set the error log file to `C:/log/java/java_error.log`:

```
-XX:ErrorFile=C:/log/java/java_error.log
```

If the file exists, and is writeable, then it will be overwritten. Otherwise, if the file can't be created in the specified directory (due to insufficient space, permission problem, or an



other issue), then the file is created in the temporary directory for the operating system:

ry for the operating system:

? Non-Windows: The temporary directory is /tmp.

? Windows: The temporary directory is specified by the value of the TMP environment variable; if that environment variable isn't defined, then the value of the TEMP environment variable is used.

-XX:+ExtensiveErrorReports

Enables the reporting of more extensive error information in the ErrorFile. This option can be turned on in environments where maximal information is desired - even if the resulting logs may be quite large and/or contain information that might be considered sensitive. The information can vary from release to release, and across different platforms. By default this option is disabled.

-XX:FlightRecorderOptions=parameter=value (or) -XX:FlightRecorderOptions:parameter=value

Sets the parameters that control the behavior of JFR.

The following list contains the available JFR parameter=value entries:

globalbuffersize=size

Specifies the total amount of primary memory used for data retention. The default value is based on the value specified for memorysize. Change the memorysize parameter to alter the size of global buffers.

maxchunksize=size

Specifies the maximum size (in bytes) of the data chunks in a recording. Append m or M to specify the size in megabytes (MB), or g or G to specify the size in gigabytes (GB). By default, the maximum size of data chunks is set to 12 MB. The minimum allowed is 1 MB.

memorysize=size

Determines how much buffer memory should be used, and

sets the `globalbuffersize` and `numglobalbuffers` parameters based on the size specified. Append `m` or `M` to specify the size in megabytes (MB), or `g` or `G` to specify the size in gigabytes (GB). By default, the memory size is set to 10 MB.

#### `numglobalbuffers`

Specifies the number of global buffers used. The default value is based on the memory size specified. Change the `memorysize` parameter to alter the number of global buffers.

#### `old-object-queue-size=number-of-objects`

Maximum number of old objects to track. By default, the number of objects is set to 256.

#### `repository=path`

Specifies the repository (a directory) for temporary disk storage. By default, the system's temporary directory is used.

#### `retransform={true|false}`

Specifies whether event classes should be retransformed using JVMTI. If `false`, instrumentation is added when event classes are loaded. By default, this parameter is enabled.

#### `stackdepth=depth`

Stack depth for stack traces. By default, the depth is set to 64 method calls. The maximum is 2048. Values greater than 64 could create significant overhead and reduce performance.

#### `threadbuffersize=size`

Specifies the per-thread local buffer size (in bytes). By default, the local buffer size is set to 8 kilobytes, with a minimum value of 4 kilobytes. Overriding this parameter could reduce performance and is not recommended.

You can specify values for multiple parameters by separating

them with a comma.

`-XX:LargePageSizeInBytes=size`

Sets the maximum large page size (in bytes) used by the JVM.

The size argument must be a valid page size supported by the en?

vironment to have any effect. Append the letter k or K to indi?

cate kilobytes, m or M to indicate megabytes, or g or G to indi?

cate gigabytes. By default, the size is set to 0, meaning that

the JVM will use the default large page size for the environment

as the maximum size for large pages. See Large Pages.

The following example describes how to set the large page size

to 1 gigabyte (GB):

```
-XX:LargePageSizeInBytes=1g
```

`-XX:MaxDirectMemorySize=size`

Sets the maximum total size (in bytes) of the java.nio package,

direct-buffer allocations. Append the letter k or K to indicate

kilobytes, m or M to indicate megabytes, or g or G to indicate

gigabytes. If not set, the flag is ignored and the JVM chooses

the size for NIO direct-buffer allocations automatically.

The following examples illustrate how to set the NIO size to

1024 KB in different units:

```
-XX:MaxDirectMemorySize=1m
```

```
-XX:MaxDirectMemorySize=1024k
```

```
-XX:MaxDirectMemorySize=1048576
```

`-XX:-MaxFDLimit`

Disables the attempt to set the soft limit for the number of

open file descriptors to the hard limit. By default, this op?

tion is enabled on all platforms, but is ignored on Windows.

The only time that you may need to disable this is on macOS,

where its use imposes a maximum of 10240, which is lower than

the actual system maximum.

`-XX:NativeMemoryTracking=mode`

Specifies the mode for tracking JVM native memory usage. Possi?

ble mode arguments for this option include the following:

off Instructs not to track JVM native memory usage. This is the default behavior if you don't specify the `-XX:NativeMemoryTracking` option.

summary

Tracks memory usage only by JVM subsystems, such as Java heap, class, code, and thread.

detail In addition to tracking memory usage by JVM subsystems, track memory usage by individual CallSite, individual virtual memory region and its committed regions.

`-XX:+NeverActAsServerClassMachine`

Enable the "Client VM emulation" mode which only uses the C1 JIT compiler, a 32Mb CodeCache and the Serial GC. The maximum amount of memory that the JVM may use (controlled by the `-XX:MaxRAM=n` flag) is set to 1GB by default. The string "emulated-client" is added to the JVM version string.

By default the flag is set to true only on Windows in 32-bit mode and false in all other cases.

The "Client VM emulation" mode will not be enabled if any of the following flags are used on the command line:

`-XX:{+|-}TieredCompilation`

`-XX:CompilationMode=mode`

`-XX:TieredStopAtLevel=n`

`-XX:{+|-}EnableJVMCI`

`-XX:{+|-}UseJVMCICompiler`

`-XX:ObjectAlignmentInBytes=alignment`

Sets the memory alignment of Java objects (in bytes). By default, the value is set to 8 bytes. The specified value should be a power of 2, and must be within the range of 8 and 256 (inclusive). This option makes it possible to use compressed pointers with large Java heap sizes.

The heap size limit in bytes is calculated as:

$4\text{GB} * \text{ObjectAlignmentInBytes}$

Note: As the alignment value increases, the unused space

between objects also increases. As a result, you may not realize any benefits from using compressed pointers with large Java heap sizes.

#### `-XX:OnError=string`

Sets a custom command or a series of semicolon-separated commands to run when an irrecoverable error occurs. If the string contains spaces, then it must be enclosed in quotation marks.

**Non-Windows:** The following example shows how the `-XX:OnError` option can be used to run the `gcore` command to create a core image, and start the `gdb` debugger to attach to the process in case of an irrecoverable error (the `%p` designates the current process identifier):

```
-XX:OnError="gcore %p;gdb -p %p"
```

**Windows:** The following example shows how the `-XX:OnError` option can be used to run the `userdump.exe` utility to obtain a crash dump in case of an irrecoverable error (the `%p` designates the current process identifier). This example assumes that the path to the `userdump.exe` utility is specified in the `PATH` environment variable:

```
-XX:OnError="userdump.exe %p"
```

#### `-XX:OnOutOfMemoryError=string`

Sets a custom command or a series of semicolon-separated commands to run when an `OutOfMemoryError` exception is first thrown. If the string contains spaces, then it must be enclosed in quotation marks. For an example of a command string, see the description of the `-XX:OnError` option.

#### `-XX:+PrintCommandLineFlags`

Enables printing of ergonomically selected JVM flags that appeared on the command line. It can be useful to know the ergonomic values set by the JVM, such as the heap space size and the selected garbage collector. By default, this option is disabled and flags aren't printed.

#### `-XX:+PreserveFramePointer`

Selects between using the RBP register as a general purpose register (-XX:-PreserveFramePointer) and using the RBP register to hold the frame pointer of the currently executing method (-XX:+PreserveFramePointer). If the frame pointer is available, then external profiling tools (for example, Linux perf) can construct more accurate stack traces.

`-XX:+PrintNMTStatistics`

Enables printing of collected native memory tracking data at JVM exit when native memory tracking is enabled (see `-XX:NativeMemoryTracking`). By default, this option is disabled and native memory tracking data isn't printed.

`-XX:SharedArchiveFile=path`

Specifies the path and name of the class data sharing (CDS) archive file

See Application Class Data Sharing.

`-XX:SharedArchiveConfigFile=shared_config_file`

Specifies additional shared data added to the archive file.

`-XX:SharedClassListFile=file_name`

Specifies the text file that contains the names of the classes to store in the class data sharing (CDS) archive. This file contains the full name of one class per line, except slashes (/) replace dots (.). For example, to specify the classes `java.lang.Object` and `hello.Main`, create a text file that contains the following two lines:

```
java/lang/Object
```

```
hello/Main
```

The classes that you specify in this text file should include the classes that are commonly used by the application. They may include any classes from the application, extension, or bootstrap class paths.

See Application Class Data Sharing.

`-XX:+ShowCodeDetailsInExceptionMessages`

Enables printing of improved `NullPointerException` messages.

When an application throws a `NullPointerException`, the option enables the JVM to analyze the program's bytecode instructions to determine precisely which reference is null, and describes the source with a null-detail message. The null-detail message is calculated and returned by `NullPointerException.getMessage()`, and will be printed as the exception message along with the method, filename, and line number. By default, this option is enabled.

`-XX:+ShowMessageBoxOnError`

Enables the display of a dialog box when the JVM experiences an irrecoverable error. This prevents the JVM from exiting and keeps the process active so that you can attach a debugger to it to investigate the cause of the error. By default, this option is disabled.

`-XX:StartFlightRecording=parameter=value`

Starts a JFR recording for the Java application. This option is equivalent to the `JFR.start` diagnostic command that starts a recording during runtime. You can set the following parameter=value entries when starting a JFR recording:

`delay=time`

Specifies the delay between the Java application launch time and the start of the recording. Append `s` to specify the time in seconds, `m` for minutes, `h` for hours, or `d` for days (for example, specifying `10m` means 10 minutes). By default, there's no delay, and this parameter is set to `0`.

`disk={true|false}`

Specifies whether to write data to disk while recording. By default, this parameter is enabled.

`dumponexit={true|false}`

Specifies if the running recording is dumped when the JVM shuts down. If enabled and a filename is not entered, the recording is written to a file in the directory where

the process was started. The file name is a system-generated name that contains the process ID, recording ID, and current timestamp, similar to hotspot-pid-47496-id-1-2018\_01\_25\_19\_10\_41.jfr. By default, this parameter is disabled.

#### duration=time

Specifies the duration of the recording. Append s to specify the time in seconds, m for minutes, h for hours, or d for days (for example, specifying 5h means 5 hours). By default, the duration isn't limited, and this parameter is set to 0.

#### filename=path

Specifies the path and name of the file to which the recording is written when the recording is stopped, for example:

? recording.jfr

? /home/user/recordings/recording.jfr

? c:\recordings\recording.jfr

#### name=identifier

Takes both the name and the identifier of a recording.

#### maxage=time

Specifies the maximum age of disk data to keep for the recording. This parameter is valid only when the disk parameter is set to true. Append s to specify the time in seconds, m for minutes, h for hours, or d for days (for example, specifying 30s means 30 seconds). By default, the maximum age isn't limited, and this parameter is set to 0s.

#### maxsize=size

Specifies the maximum size (in bytes) of disk data to keep for the recording. This parameter is valid only when the disk parameter is set to true. The value must not be less than the value for the maxchunksize parameter



set with `-XX:FlightRecorderOptions`. Append `m` or `M` to specify the size in megabytes, or `g` or `G` to specify the size in gigabytes. By default, the maximum size of disk data isn't limited, and this parameter is set to 0.

`path-to-gc-roots={true|false}`

Specifies whether to collect the path to garbage collection (GC) roots at the end of a recording. By default, this parameter is disabled.

The path to GC roots is useful for finding memory leaks, but collecting it is time-consuming. Enable this option only when you start a recording for an application that you suspect has a memory leak. If the `settings` parameter is set to `profile`, the stack trace from where the potential leaking object was allocated is included in the information collected.

`settings=path`

Specifies the path and name of the event settings file (of type JFC). By default, the `default.jfc` file is used, which is located in `JAVA_HOME/lib/jfr`. This default settings file collects a predefined set of information with low overhead, so it has minimal impact on performance and can be used with recordings that run continuously.

A second settings file is also provided, `profile.jfc`, which provides more data than the default configuration, but can have more overhead and impact performance. Use this configuration for short periods of time when more information is needed.

You can specify values for multiple parameters by separating them with a comma. Event settings and `.jfc` options can be specified using the following syntax:

`option=value`

Specifies the option value to modify. To list available options, use the `JAVA_HOME/bin/jfr` tool.

event-setting=value

Specifies the event setting value to modify. Use the form: <event-name>#<setting-name>=<value>. To add a new event setting, prefix the event name with '+'. You can specify values for multiple event settings and .jfc options by separating them with a comma. In case of a conflict between a parameter and a .jfc option, the parameter will take precedence. The whitespace delimiter can be omitted for simple values, i.e. 20ms. For more information about the settings syntax, see Javadoc of the jdk.jfr package.

You can specify values for multiple event settings and .jfc options by separating them with a comma. In case of a conflict between a parameter and a .jfc option, the parameter will take precedence. The whitespace delimiter can be omitted for simple values, i.e. 20ms. For more information about the settings syntax, see Javadoc of the jdk.jfr package.

-XX:ThreadStackSize=size

Sets the Java thread stack size (in kilobytes). Use of a scaling suffix, such as k, results in the scaling of the kilobytes value so that -XX:ThreadStackSize=1k sets the Java thread stack size to 1024\*1024 bytes or 1 megabyte. The default value depends on the platform. For example:

? Linux/x64: 1024 KB

? Linux/Aarch64: 2048 KB

? macOS/x64: 1024 KB

? macOS/Aarch64: 2048 KB

? Windows: The default value depends on virtual memory

The following examples show how to set the thread stack size to 1 megabyte in different units:

-XX:ThreadStackSize=1k

-XX:ThreadStackSize=1024

This option is similar to -Xss.

-XX:-UseCompressedOops

Disables the use of compressed pointers. By default, this option is enabled, and compressed pointers are used. This will automatically limit the maximum ergonomically determined Java heap size to the maximum amount of memory that can be covered by compressed pointers. By default this range is 32 GB.

With compressed oops enabled, object references are represented

as 32-bit offsets instead of 64-bit pointers, which typically increases performance when running the application with Java heap sizes smaller than the compressed oops pointer range. This option works only for 64-bit JVMs.

It's possible to use compressed pointers with Java heap sizes greater than 32 GB. See the `-XX:ObjectAlignmentInBytes` option.

#### `-XX:-UseContainerSupport`

Linux only: The VM now provides automatic container detection support, which allows the VM to determine the amount of memory and number of processors that are available to a Java process running in docker containers. It uses this information to allocate system resources. The default for this flag is `true`, and container support is enabled by default. It can be disabled with `-XX:-UseContainerSupport`.

Unified Logging is available to help to diagnose issues related to this support.

Use `-Xlog:os+container=trace` for maximum logging of container information. See [Enable Logging with the JVM Unified Logging Framework](#) for a description of using Unified Logging.

#### `-XX:+UseHugeTLBFS`

Linux only: This option is the equivalent of specifying `-XX:+UseLargePages`. This option is disabled by default. This option pre-allocates all large pages up-front, when memory is reserved; consequently the JVM can't dynamically grow or shrink large pages memory areas; see `-XX:UseTransparentHugePages` if you want this behavior.

See [Large Pages](#).

#### `-XX:+UseLargePages`

Enables the use of large page memory. By default, this option is disabled and large page memory isn't used.

See [Large Pages](#).

#### `-XX:+UseTransparentHugePages`

Linux only: Enables the use of large pages that can dynamically

grow or shrink. This option is disabled by default. You may encounter performance problems with transparent huge pages as the OS moves other pages around to create huge pages; this option is made available for experimentation.

`-XX:+AllowUserSignalHandlers`

Non-Windows: Enables installation of signal handlers by the application. By default, this option is disabled and the application isn't allowed to install signal handlers.

`-XX:VMOptionsFile=filename`

Allows user to specify VM options in a file, for example, `java -XX:VMOptionsFile=/var/my_vm_options HelloWorld`.

`-XX:UseBranchProtection=mode`

Linux AArch64 only: Specifies the branch protection mode. All options other than none require the VM to have been built with branch protection enabled. In addition, for full protection, any native libraries provided by applications should be compiled with the same level of protection.

Possible mode arguments for this option include the following:

`none` Do not use branch protection. This is the default value.

`standard`

Enables all branch protection modes available on the current platform.

`pac-ret`

Enables protection against ROP based attacks. (AArch64 8.3+ only)

## ADVANCED JIT COMPILER OPTIONS FOR JAVA

These java options control the dynamic just-in-time (JIT) compilation performed by the Java HotSpot VM.

`-XX:AllocateInstancePrefetchLines=lines`

Sets the number of lines to prefetch ahead of the allocation pointer. By default, the number of lines to prefetch is set to 1:

`-XX:AllocateInstancePrefetchLines=1`

`-XX:AllocatePrefetchDistance=size`

Sets the size (in bytes) of the prefetch distance for object allocation location. Memory about to be written with the value of new objects is prefetched up to this distance starting from the address of the last allocated object. Each Java thread has its own allocation point.

Negative values denote that prefetch distance is chosen based on the platform. Positive values are bytes to prefetch. Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. The default value is set to -1.

The following example shows how to set the prefetch distance to 1024 bytes:

```
-XX:AllocatePrefetchDistance=1024
```

`-XX:AllocatePrefetchInstr=instruction`

Sets the prefetch instruction to prefetch ahead of the allocation pointer. Possible values are from 0 to 3. The actual instructions behind the values depend on the platform. By default, the prefetch instruction is set to 0:

```
-XX:AllocatePrefetchInstr=0
```

`-XX:AllocatePrefetchLines=lines`

Sets the number of cache lines to load after the last object allocation location by using the prefetch instructions generated in compiled code. The default value is 1 if the last allocated object was an instance, and 3 if it was an array.

The following example shows how to set the number of loaded cache lines to 5:

```
-XX:AllocatePrefetchLines=5
```

`-XX:AllocatePrefetchStepSize=size`

Sets the step size (in bytes) for sequential prefetch instructions. Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, g or G to indicate gigabytes. By default, the step size is set to 16 bytes:

`-XX:AllocatePrefetchStepSize=16`

`-XX:AllocatePrefetchStyle=style`

Sets the generated code style for prefetch instructions. The style argument is an integer from 0 to 3:

- 0 Don't generate prefetch instructions.
- 1 Execute prefetch instructions after each allocation.  
This is the default setting.
- 2 Use the thread-local allocation block (TLAB) watermark pointer to determine when prefetch instructions are executed.
- 3 Generate one prefetch instruction per cache line.

`-XX:+BackgroundCompilation`

Enables background compilation. This option is enabled by default. To disable background compilation, specify `-XX:-BackgroundCompilation` (this is equivalent to specifying `-Xbatch`).

`-XX:CICompilerCount=threads`

Sets the number of compiler threads to use for compilation. By default, the number of compiler threads is selected automatically depending on the number of CPUs and memory available for compiled code. The following example shows how to set the number of threads to 2:

`-XX:CICompilerCount=2`

`-XX:+UseDynamicNumberOfCompilerThreads`

Dynamically create compiler thread up to the limit specified by `-XX:CICompilerCount`. This option is enabled by default.

`-XX:CompileCommand=command,method[,option]`

Specifies a command to perform on a method. For example, to exclude the `indexOf()` method of the `String` class from being compiled, use the following:

`-XX:CompileCommand=exclude,java/lang/String.indexOf`

Note that the full class name is specified, including all packages and subpackages separated by a slash (/). For easier cut-and-paste operations, it's also possible to use the method name

format produced by the `-XX:+PrintCompilation` and `-XX:+LogCompilation` options:

```
-XX:CompileCommand=exclude,java.lang.String::indexOf
```

If the method is specified without the signature, then the command is applied to all methods with the specified name. However, you can also specify the signature of the method in the class file format. In this case, you should enclose the arguments in quotation marks, because otherwise the shell treats the semicolon as a command end. For example, if you want to exclude only the `indexOf(String)` method of the `String` class from being compiled, use the following:

```
-XX:CompileCommand="exclude,java/lang/String.indexOf  
Of,(Ljava/lang/String;)"
```

You can also use the asterisk (\*) as a wildcard for class and method names. For example, to exclude all `indexOf()` methods in all classes from being compiled, use the following:

```
-XX:CompileCommand=exclude,*.indexOf
```

The commas and periods are aliases for spaces, making it easier to pass compiler commands through a shell. You can pass arguments to `-XX:CompileCommand` using spaces as separators by enclosing the argument in quotation marks:

```
-XX:CompileCommand="exclude java/lang/String indexOf"
```

Note that after parsing the commands passed on the command line using the `-XX:CompileCommand` options, the JIT compiler then reads commands from the `.hotspot_compiler` file. You can add commands to this file or specify a different file using the `-XX:CompileCommandFile` option.

To add several commands, either specify the `-XX:CompileCommand` option multiple times, or separate each argument with the new line separator (`\n`). The following commands are available:

`break` Sets a breakpoint when debugging the JVM to stop at the beginning of compilation of the specified method.

`compileonly`

Excludes all methods from compilation except for the specified method. As an alternative, you can use the `-XX:CompileOnly` option, which lets you specify several methods.

`dontinline`

Prevents inlining of the specified method.

`exclude`

Excludes the specified method from compilation.

`help` Prints a help message for the `-XX:CompileCommand` option.

`inline` Attempts to inline the specified method.

`log` Excludes compilation logging (with the `-XX:+LogCompilation` option) for all methods except for the specified method. By default, logging is performed for all compiled methods.

`option` Passes a JIT compilation option to the specified method in place of the last argument (option). The compilation option is set at the end, after the method name. For example, to enable the `BlockLayoutByFrequency` option for the `append()` method of the `StringBuffer` class, use the following:

```
-XX:CompileCommand=option,java/lang/String?
```

```
Buffer.append,BlockLayoutByFrequency
```

You can specify multiple compilation options, separated by commas or spaces.

`print` Prints generated assembler code after compilation of the specified method.

`quiet` Instructs not to print the compile commands. By default, the commands that you specify with the `-XX:CompileCommand` option are printed; for example, if you exclude from compilation the `indexOf()` method of the `String` class, then the following is printed to standard output:

```
CompilerOracle: exclude java/lang/String.indexOf
```

You can suppress this by specifying the `-XX:CompileCom?`



mand=quiet option before other -XX:CompileCommand options.

#### -XX:CompileCommandFile=filename

Sets the file from which JIT compiler commands are read. By default, the `.hotspot_compiler` file is used to store commands performed by the JIT compiler.

Each line in the command file represents a command, a class name, and a method name for which the command is used. For example, this line prints assembly code for the `toString()` method of the `String` class:

```
print java/lang/String toString
```

If you're using commands for the JIT compiler to perform on methods, then see the `-XX:CompileCommand` option.

#### -XX:CompilerDirectivesFile=file

Adds directives from a file to the directives stack when a program starts. See [Compiler Control \[https://docs.oracle.com/en/java/javase/12/vm/compiler-control1.html#GUID-94AD8194-786A-4F19-BFFF-278F8E237F3A\]](https://docs.oracle.com/en/java/javase/12/vm/compiler-control1.html#GUID-94AD8194-786A-4F19-BFFF-278F8E237F3A).

The `-XX:CompilerDirectivesFile` option has to be used together with the `-XX:UnlockDiagnosticVMOptions` option that unlocks diagnostic JVM options.

#### -XX:+CompilerDirectivesPrint

Prints the directives stack when the program starts or when a new directive is added.

The `-XX:+CompilerDirectivesPrint` option has to be used together with the `-XX:UnlockDiagnosticVMOptions` option that unlocks diagnostic JVM options.

#### -XX:CompileOnly=methods

Sets the list of methods (separated by commas) to which compilation should be restricted. Only the specified methods are compiled. Specify each method with the full class name (including the packages and subpackages). For example, to compile only the `length()` method of the `String` class and the `size()` method of the

List class, use the following:

```
-XX:CompileOnly=java/lang/String.length,ja?
```

```
va/util/List.size
```

Note that the full class name is specified, including all pack?

ages and subpackages separated by a slash (/). For easier cut

and paste operations, it's also possible to use the method name

format produced by the -XX:+PrintCompilation and -XX:+LogCompi?

lation options:

```
-XX:CompileOnly=java.lang.String::length,ja?
```

```
va.util.List::size
```

Although wildcards aren't supported, you can specify only the

class or package name to compile all methods in that class or

package, as well as specify just the method to compile methods

with this name in any class:

```
-XX:CompileOnly=java/lang/String
```

```
-XX:CompileOnly=java/lang
```

```
-XX:CompileOnly=.length
```

```
-XX:CompileThresholdScaling=scale
```

Provides unified control of first compilation. This option con?

trols when methods are first compiled for both the tiered and

the nontiered modes of operation. The CompileThresholdScaling

option has a floating point value between 0 and +Inf and scales

the thresholds corresponding to the current mode of operation

(both tiered and nontiered). Setting CompileThresholdScaling to

a value less than 1.0 results in earlier compilation while val?

ues greater than 1.0 delay compilation. Setting CompileThresh?

oldScaling to 0 is equivalent to disabling compilation.

```
-XX:+DoEscapeAnalysis
```

Enables the use of escape analysis. This option is enabled by

default. To disable the use of escape analysis, specify

```
-XX:-DoEscapeAnalysis.
```

```
-XX:InitialCodeCacheSize=size
```

Sets the initial code cache size (in bytes). Append the letter

k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. The default value depends on the platform. The initial code cache size shouldn't be less than the system's minimal memory page size. The following example shows how to set the initial code cache size to 32 KB:

```
-XX:InitialCodeCacheSize=32k
```

**-XX:+Inline**

Enables method inlining. This option is enabled by default to increase performance. To disable method inlining, specify `-XX:-Inline`.

**-XX:InlineSmallCode=size**

Sets the maximum code size (in bytes) for already compiled methods that may be inlined. This flag only applies to the C2 compiler. Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. The default value depends on the platform and on whether tiered compilation is enabled. In the following example it is set to 1000 bytes:

```
-XX:InlineSmallCode=1000
```

**-XX:+LogCompilation**

Enables logging of compilation activity to a file named `hotspot.log` in the current working directory. You can specify a different log file path and name using the `-XX:LogFile` option.

By default, this option is disabled and compilation activity isn't logged. The `-XX:+LogCompilation` option has to be used together with the `-XX:UnlockDiagnosticVMOptions` option that unlocks diagnostic JVM options.

You can enable verbose diagnostic output with a message printed to the console every time a method is compiled by using the `-XX:+PrintCompilation` option.

**-XX:FreqInlineSize=size**

Sets the maximum bytecode size (in bytes) of a hot method to be inlined. This flag only applies to the C2 compiler. Append the

letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. The default value depends on the platform. In the following example it is set to 325 bytes:

```
-XX:FreqInlineSize=325
```

```
-XX:MaxInlineSize=size
```

Sets the maximum bytecode size (in bytes) of a cold method to be inlined. This flag only applies to the C2 compiler. Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. By default, the maximum bytecode size is set to 35 bytes:

```
-XX:MaxInlineSize=35
```

```
-XX:C1MaxInlineSize=size
```

Sets the maximum bytecode size (in bytes) of a cold method to be inlined. This flag only applies to the C1 compiler. Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. By default, the maximum bytecode size is set to 35 bytes:

```
-XX:MaxInlineSize=35
```

```
-XX:MaxTrivialSize=size
```

Sets the maximum bytecode size (in bytes) of a trivial method to be inlined. This flag only applies to the C2 compiler. Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. By default, the maximum bytecode size of a trivial method is set to 6 bytes:

```
-XX:MaxTrivialSize=6
```

```
-XX:C1MaxTrivialSize=size
```

Sets the maximum bytecode size (in bytes) of a trivial method to be inlined. This flag only applies to the C1 compiler. Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. By default, the maximum bytecode size of a trivial method is set to 6 bytes:

```
-XX:MaxTrivialSize=6
```

`-XX:MaxNodeLimit=nodes`

Sets the maximum number of nodes to be used during single method compilation. By default the value depends on the features enabled. In the following example the maximum number of nodes is set to 100,000:

```
-XX:MaxNodeLimit=100000
```

`-XX:NonNMethodCodeHeapSize=size`

Sets the size in bytes of the code segment containing nonmethod code.

A nonmethod code segment containing nonmethod code, such as compiler buffers and the bytecode interpreter. This code type stays in the code cache forever. This flag is used only if

`-XX:SegmentedCodeCache` is enabled.

`-XX:NonProfiledCodeHeapSize=size`

Sets the size in bytes of the code segment containing nonprofiled methods. This flag is used only if `-XX:SegmentedCodeCache` is enabled.

`-XX:+OptimizeStringConcat`

Enables the optimization of String concatenation operations.

This option is enabled by default. To disable the optimization of String concatenation operations, specify `-XX:-OptimizeStringConcat`.

`-XX:+PrintAssembly`

Enables printing of assembly code for bytecoded and native methods by using the external `hsdis-<arch>.so` or `.dll` library. For 64-bit VM on Windows, it's `hsdis-amd64.dll`. This lets you to see the generated code, which may help you to diagnose performance issues.

By default, this option is disabled and assembly code isn't printed. The `-XX:+PrintAssembly` option has to be used together with the `-XX:UnlockDiagnosticVMOptions` option that unlocks diagnostic JVM options.

`-XX:ProfiledCodeHeapSize=size`

Sets the size in bytes of the code segment containing profiled methods. This flag is used only if `-XX:SegmentedCodeCache` is enabled.

#### `-XX:+PrintCompilation`

Enables verbose diagnostic output from the JVM by printing a message to the console every time a method is compiled. This lets you to see which methods actually get compiled. By default, this option is disabled and diagnostic output isn't printed.

You can also log compilation activity to a file by using the `-XX:+LogCompilation` option.

#### `-XX:+PrintInlining`

Enables printing of inlining decisions. This lets you see which methods are getting inlined.

By default, this option is disabled and inlining information isn't printed. The `-XX:+PrintInlining` option has to be used together with the `-XX:+UnlockDiagnosticVMOptions` option that unlocks diagnostic JVM options.

#### `-XX:ReservedCodeCacheSize=size`

Sets the maximum code cache size (in bytes) for JIT-compiled code. Append the letter `k` or `K` to indicate kilobytes, `m` or `M` to indicate megabytes, or `g` or `G` to indicate gigabytes. The default maximum code cache size is 240 MB; if you disable tiered compilation with the option `-XX:-TieredCompilation`, then the default size is 48 MB. This option has a limit of 2 GB; otherwise, an error is generated. The maximum code cache size shouldn't be less than the initial code cache size; see the option `-XX:InitialCodeCacheSize`.

#### `-XX:RTMAbortRatio=abort_ratio`

Specifies the RTM abort ratio is specified as a percentage (%) of all executed RTM transactions. If a number of aborted transactions becomes greater than this ratio, then the compiled code is deoptimized. This ratio is used when the `-XX:+UseRTMDeopt`

option is enabled. The default value of this option is 50.

This means that the compiled code is deoptimized if 50% of all transactions are aborted.

`-XX:RTMRetryCount=number_of_retries`

Specifies the number of times that the RTM locking code is re-  
tried, when it is aborted or busy, before falling back to the  
normal locking mechanism. The default value for this option is  
5. The `-XX:UseRTMLocking` option must be enabled.

`-XX:+SegmentedCodeCache`

Enables segmentation of the code cache, without which the code  
cache consists of one large segment. With `-XX:+SegmentedCode?`  
Cache, separate segments will be used for non-method, profiled  
method, and non-profiled method code. The segments are not re-  
sized at runtime. The advantages are better control of the mem-  
ory footprint, reduced code fragmentation, and better CPU iTLB  
(instruction translation lookaside buffer) and instruction cache  
behavior due to improved locality.

The feature is enabled by default if tiered compilation is en-  
abled (`-XX:+TieredCompilation`) and the reserved code cache size  
(`-XX:ReservedCodeCacheSize`) is at least 240 MB.

`-XX:StartAggressiveSweepingAt=percent`

Forces stack scanning of active methods to aggressively remove  
unused code when only the given percentage of the code cache is  
free. The default value is 10%.

`-XX:-TieredCompilation`

Disables the use of tiered compilation. By default, this option  
is enabled.

`-XX:UseSSE=version`

Enables the use of SSE instruction set of a specified version.  
Is set by default to the highest supported version available  
(x86 only).

`-XX:UseAVX=version`

Enables the use of AVX instruction set of a specified version.

Is set by default to the highest supported version available (x86 only).

#### -XX:+UseAES

Enables hardware-based AES intrinsics for hardware that supports it. This option is on by default on hardware that has the necessary instructions. The `-XX:+UseAES` is used in conjunction with `UseAESIntrinsics`. Flags that control intrinsics now require the option `-XX:+UnlockDiagnosticVMOptions`.

#### -XX:+UseAESIntrinsics

Enables AES intrinsics. Specifying `-XX:+UseAESIntrinsics` is equivalent to also enabling `-XX:+UseAES`. To disable hardware-based AES intrinsics, specify `-XX:-UseAES -XX:-UseAESIntrinsics`. For example, to enable hardware AES, use the following flags:

```
-XX:+UseAES -XX:+UseAESIntrinsics
```

Flags that control intrinsics now require the option `-XX:+UnlockDiagnosticVMOptions`.

#### -XX:+UseAESCTRIntrinsics

Analogous to `-XX:+UseAESIntrinsics` enables AES/CTR intrinsics.

#### -XX:+UseGHASHIntrinsics

Controls the use of GHASH intrinsics. Enabled by default on platforms that support the corresponding instructions. Flags that control intrinsics now require the option `-XX:+UnlockDiagnosticVMOptions`.

#### -XX:+UseChaCha20Intrinsics

Enable ChaCha20 intrinsics. This option is on by default for supported platforms. To disable ChaCha20 intrinsics, specify `-XX:-UseChaCha20Intrinsics`. Flags that control intrinsics now require the option `-XX:+UnlockDiagnosticVMOptions`.

#### -XX:+UsePoly1305Intrinsics

Enable Poly1305 intrinsics. This option is on by default for supported platforms. To disable Poly1305 intrinsics, specify `-XX:-UsePoly1305Intrinsics`. Flags that control intrinsics now require the option `-XX:+UnlockDiagnosticVMOptions`.



#### -XX:+UseBASE64Intrinsics

Controls the use of accelerated BASE64 encoding routines for `java.util.Base64`. Enabled by default on platforms that support it. Flags that control intrinsics now require the option `-XX:+UnlockDiagnosticVMOptions`.

#### -XX:+UseAdler32Intrinsics

Controls the use of Adler32 checksum algorithm intrinsic for `java.util.zip.Adler32`. Enabled by default on platforms that support it. Flags that control intrinsics now require the option `-XX:+UnlockDiagnosticVMOptions`.

#### -XX:+UseCRC32Intrinsics

Controls the use of CRC32 intrinsics for `java.util.zip.CRC32`. Enabled by default on platforms that support it. Flags that control intrinsics now require the option `-XX:+UnlockDiagnosticVMOptions`.

#### -XX:+UseCRC32CIntrinsics

Controls the use of CRC32C intrinsics for `java.util.zip.CRC32C`. Enabled by default on platforms that support it. Flags that control intrinsics now require the option `-XX:+UnlockDiagnosticVMOptions`.

#### -XX:+UseSHA

Enables hardware-based intrinsics for SHA crypto hash functions for some hardware. The `UseSHA` option is used in conjunction with the `UseSHA1Intrinsics`, `UseSHA256Intrinsics`, and `UseSHA512Intrinsics` options.

The `UseSHA` and `UseSHA*Intrinsics` flags are enabled by default on machines that support the corresponding instructions.

This feature is applicable only when using the `sun.security.provider.Sun` provider for SHA operations. Flags that control intrinsics now require the option `-XX:+UnlockDiagnosticVMOptions`.

To disable all hardware-based SHA intrinsics, specify the `-XX:-UseSHA`. To disable only a particular SHA intrinsic, use

the appropriate corresponding option. For example: -XX:-UseSHA256Intrinsics.

**-XX:+UseSHA1Intrinsics**

Enables intrinsics for SHA-1 crypto hash function. Flags that control intrinsics now require the option -XX:+UnlockDiagnosticVMOptions.

**-XX:+UseSHA256Intrinsics**

Enables intrinsics for SHA-224 and SHA-256 crypto hash functions. Flags that control intrinsics now require the option -XX:+UnlockDiagnosticVMOptions.

**-XX:+UseSHA512Intrinsics**

Enables intrinsics for SHA-384 and SHA-512 crypto hash functions. Flags that control intrinsics now require the option -XX:+UnlockDiagnosticVMOptions.

**-XX:+UseMathExactIntrinsics**

Enables intrinsification of various java.lang.Math.\*Exact() functions. Enabled by default. Flags that control intrinsics now require the option -XX:+UnlockDiagnosticVMOptions.

**-XX:+UseMultiplyToLenIntrinsic**

Enables intrinsification of BigInteger.multiplyToLen(). Enabled by default on platforms that support it. Flags that control intrinsics now require the option -XX:+UnlockDiagnosticVMOptions.

**-XX:+UseSquareToLenIntrinsic**

Enables intrinsification of BigInteger.squareToLen(). Enabled by default on platforms that support it. Flags that control intrinsics now require the option -XX:+UnlockDiagnosticVMOptions.

**-XX:+UseMulAddIntrinsic**

Enables intrinsification of BigInteger.mulAdd(). Enabled by default on platforms that support it. Flags that control intrinsics now require the option -XX:+UnlockDiagnosticVMOptions.

**-XX:+UseMontgomeryMultiplyIntrinsic**

Enables intrinsification of BigInteger.montgomeryMultiply(). Enabled by default on platforms that support it. Flags that

control intrinsics now require the option `-XX:+UnlockDiagnosticVMOptions`.

#### `-XX:+UseMontgomerySquareIntrinsic`

Enables intrinsification of `BigInteger.montgomerySquare()`. Enabled by default on platforms that support it. Flags that control intrinsics now require the option `-XX:+UnlockDiagnosticVMOptions`.

#### `-XX:+UseCMoveUnconditionally`

Generates `CMove` (scalar and vector) instructions regardless of profitability analysis.

#### `-XX:+UseCodeCacheFlushing`

Enables flushing of the code cache before shutting down the compiler. This option is enabled by default. To disable flushing of the code cache before shutting down the compiler, specify `-XX:-UseCodeCacheFlushing`.

#### `-XX:+UseCondCardMark`

Enables checking if the card is already marked before updating the card table. This option is disabled by default. It should be used only on machines with multiple sockets, where it increases the performance of Java applications that rely on concurrent operations.

#### `-XX:+UseCountedLoopSafepoints`

Keeps safepoints in counted loops. Its default value depends on whether the selected garbage collector requires low latency safepoints.

#### `-XX:LoopStripMiningIter=number_of_iterations`

Controls the number of iterations in the inner strip mined loop. Strip mining transforms counted loops into two level nested loops. Safepoints are kept in the outer loop while the inner loop can execute at full speed. This option controls the maximum number of iterations in the inner loop. The default value is 1,000.

#### `-XX:LoopStripMiningIterShortLoop=number_of_iterations`

Controls loop strip mining optimization. Loops with the number of iterations less than specified will not have safepoints in them. Default value is 1/10th of `-XX:LoopStripMiningIter`.

#### `-XX:+UseFMA`

Enables hardware-based FMA intrinsics for hardware where FMA instructions are available (such as, Intel and ARM64). FMA intrinsics are generated for the `java.lang.Math.fma(a, b, c)` methods that calculate the value of  $(a * b + c)$  expressions.

#### `-XX:+UseRTMDeopt`

Autotunes RTM locking depending on the abort ratio. This ratio is specified by the `-XX:RTMAbortRatio` option. If the number of aborted transactions exceeds the abort ratio, then the method containing the lock is deoptimized and recompiled with all locks as normal locks. This option is disabled by default. The `-XX:+UseRTMLocking` option must be enabled.

#### `-XX:+UseRTMLocking`

Generates Restricted Transactional Memory (RTM) locking code for all inflated locks, with the normal locking mechanism as the fallback handler. This option is disabled by default. Options related to RTM are available only on x86 CPUs that support Transactional Synchronization Extensions (TSX).

RTM is part of Intel's TSX, which is an x86 instruction set extension and facilitates the creation of multithreaded applications. RTM introduces the new instructions `XBEGIN`, `XABORT`, `XEND`, and `XTEST`. The `XBEGIN` and `XEND` instructions enclose a set of instructions to run as a transaction. If no conflict is found when running the transaction, then the memory and register modifications are committed together at the `XEND` instruction. The `XABORT` instruction can be used to explicitly abort a transaction and the `XTEST` instruction checks if a set of instructions is being run in a transaction.

A lock on a transaction is inflated when another thread tries to access the same transaction, thereby blocking the thread that

didn't originally request access to the transaction. RTM requires that a fallback set of operations be specified in case a transaction aborts or fails. An RTM lock is a lock that has been delegated to the TSX's system.

RTM improves performance for highly contended locks with low conflict in a critical region (which is code that must not be accessed by more than one thread concurrently). RTM also improves the performance of coarse-grain locking, which typically doesn't perform well in multithreaded applications. (Coarse-grain locking is the strategy of holding locks for long periods to minimize the overhead of taking and releasing locks, while fine-grained locking is the strategy of trying to achieve maximum parallelism by locking only when necessary and unlocking as soon as possible.) Also, for lightly contended locks that are used by different threads, RTM can reduce false cache line sharing, also known as cache line ping-pong. This occurs when multiple threads from different processors are accessing different resources, but the resources share the same cache line. As a result, the processors repeatedly invalidate the cache lines of other processors, which forces them to read from main memory instead of their cache.

`-XX:+UseSuperWord`

Enables the transformation of scalar operations into superword operations. Superword is a vectorization optimization. This option is enabled by default. To disable the transformation of scalar operations into superword operations, specify `-XX:-UseSuperWord`.

#### ADVANCED SERVICEABILITY OPTIONS FOR JAVA

These java options provide the ability to gather system information and perform extensive debugging.

`-XX:+DisableAttachMechanism`

Disables the mechanism that lets tools attach to the JVM. By default, this option is disabled, meaning that the attach mechanism

nism is enabled and you can use diagnostics and troubleshooting tools such as jcmd, jstack, jmap, and jinfo.

Note: The tools such as jcmd, jinfo, jmap, and jstack shipped with the JDK aren't supported when using the tools from one JDK version to troubleshoot a different JDK version.

#### -XX:+DTraceAllocProbes

Linux and macOS: Enable dtrace tool probes for object allocation.

#### -XX:+DTraceMethodProbes

Linux and macOS: Enable dtrace tool probes for method-entry and method-exit.

#### -XX:+DTraceMonitorProbes

Linux and macOS: Enable dtrace tool probes for monitor events.

#### -XX:+HeapDumpOnOutOfMemoryError

Enables the dumping of the Java heap to a file in the current directory by using the heap profiler (HPROF) when a `java.lang.OutOfMemoryError` exception is thrown. You can explicitly set the heap dump file path and name using the `-XX:HeapDumpPath` option. By default, this option is disabled and the heap isn't dumped when an `OutOfMemoryError` exception is thrown.

#### -XX:HeapDumpPath=path

Sets the path and file name for writing the heap dump provided by the heap profiler (HPROF) when the `-XX:+HeapDumpOnOutOfMemoryError` option is set. By default, the file is created in the current working directory, and it's named `java_pid<pid>.hprof` where `<pid>` is the identifier of the process that caused the error. The following example shows how to set the default file explicitly (`%p` represents the current process identifier):

```
-XX:HeapDumpPath=./java_pid%p.hprof
```

Non-Windows: The following example shows how to set the heap dump file to `/var/log/java/java_heapdump.hprof`:

```
-XX:HeapDumpPath=/var/log/java/java_heapdump.hprof
```

? Windows: The following example shows how to set the heap dump file to C:/log/java/java\_heapdump.log:

```
-XX:HeapDumpPath=C:/log/java/java_heapdump.log
```

```
-XX:LogFile=path
```

Sets the path and file name to where log data is written. By default, the file is created in the current working directory, and it's named hotspot.log.

? Non-Windows: The following example shows how to set the log file to /var/log/java/hotspot.log:

```
-XX:LogFile=/var/log/java/hotspot.log
```

? Windows: The following example shows how to set the log file to C:/log/java/hotspot.log:

```
-XX:LogFile=C:/log/java/hotspot.log
```

```
-XX:+PrintClassHistogram
```

Enables printing of a class instance histogram after one of the following events:

? Non-Windows: Control+\ (SIGQUIT)

? Windows: Control+C (SIGTERM)

By default, this option is disabled.

Setting this option is equivalent to running the `jmap -histo` command, or the `jcmd pid GC.class_histogram` command, where `pid` is the current Java process identifier.

```
-XX:+PrintConcurrentLocks
```

Enables printing of `java.util.concurrent` locks after one of the following events:

? Non-Windows: Control+\ (SIGQUIT)

? Windows: Control+C (SIGTERM)

By default, this option is disabled.

Setting this option is equivalent to running the `jstack -l com?` command or the `jcmd pid Thread.print -l` command, where `pid` is the current Java process identifier.

```
-XX:+PrintFlagsRanges
```

Prints the range specified and allows automatic testing of the

values. See Validate Java Virtual Machine Flag Arguments.

#### -XX:+PerfDataSaveToFile

If enabled, saves jstat binary data when the Java application exits. This binary data is saved in a file named `hsperfdata_pid`, where `pid` is the process identifier of the Java application that you ran. Use the `jstat` command to display the performance data contained in this file as follows:

```
jstat -class file:///path/hsperfdata_pid
```

```
jstat -gc file:///path/hsperfdata_pid
```

#### -XX:+UsePerfData

Enables the `perfdata` feature. This option is enabled by default to allow JVM monitoring and performance testing. Disabling it suppresses the creation of the `hsperfdata_userid` directories.

To disable the `perfdata` feature, specify `-XX:-UsePerfData`.

### ADVANCED GARBAGE COLLECTION OPTIONS FOR JAVA

These Java options control how garbage collection (GC) is performed by the Java HotSpot VM.

#### -XX:+AggressiveHeap

Enables Java heap optimization. This sets various parameters to be optimal for long-running jobs with intensive memory allocation, based on the configuration of the computer (RAM and CPU). By default, the option is disabled and the heap sizes are configured less aggressively.

#### -XX:+AlwaysPreTouch

Requests the VM to touch every page on the Java heap after requesting it from the operating system and before handing memory out to the application. By default, this option is disabled and all pages are committed as the application uses the heap space.

#### -XX:ConcGCThreads=threads

Sets the number of threads used for concurrent GC. Sets threads to approximately 1/4 of the number of parallel garbage collection threads. The default value depends on the number of CPUs available to the JVM.



For example, to set the number of threads for concurrent GC to 2, specify the following option:

```
-XX:ConcGCThreads=2
```

```
-XX:+DisableExplicitGC
```

Enables the option that disables processing of calls to the `System.gc()` method. This option is disabled by default, meaning that calls to `System.gc()` are processed. If processing of calls to `System.gc()` is disabled, then the JVM still performs GC when necessary.

```
-XX:+ExplicitGCInvokesConcurrent
```

Enables invoking of concurrent GC by using the `System.gc()` request. This option is disabled by default and can be enabled only with the `-XX:+UseG1GC` option.

```
-XX:G1AdaptiveIHOPNumInitialSamples=number
```

When `-XX:UseAdaptiveIHOP` is enabled, this option sets the number of completed marking cycles used to gather samples until G1 adaptively determines the optimum value of `-XX:InitiatingHeapOccupancyPercent`. Before, G1 uses the value of `-XX:InitiatingHeapOccupancyPercent` directly for this purpose. The default value is 3.

```
-XX:G1HeapRegionSize=size
```

Sets the size of the regions into which the Java heap is subdivided when using the garbage-first (G1) collector. The value is a power of 2 and can range from 1 MB to 32 MB. The default region size is determined ergonomically based on the heap size with a goal of approximately 2048 regions.

The following example sets the size of the subdivisions to 16 MB:

```
-XX:G1HeapRegionSize=16m
```

```
-XX:G1HeapWastePercent=percent
```

Sets the percentage of heap that you're willing to waste. The Java HotSpot VM doesn't initiate the mixed garbage collection cycle when the reclaimable percentage is less than the heap

waste percentage. The default is 5 percent.

`-XX:G1MaxNewSizePercent=percent`

Sets the percentage of the heap size to use as the maximum for the young generation size. The default value is 60 percent of your Java heap.

This is an experimental flag. This setting replaces the `-XX:DefaultMaxNewGenPercent` setting.

`-XX:G1MixedGCCountTarget=number`

Sets the target number of mixed garbage collections after a marking cycle to collect old regions with at most `G1MixedGCColliveThresholdPercent` live data. The default is 8 mixed garbage collections. The goal for mixed collections is to be within this target number.

`-XX:G1MixedGCLiveThresholdPercent=percent`

Sets the occupancy threshold for an old region to be included in a mixed garbage collection cycle. The default occupancy is 85 percent.

This is an experimental flag. This setting replaces the `-XX:G1OldCSetRegionLiveThresholdPercent` setting.

`-XX:G1NewSizePercent=percent`

Sets the percentage of the heap to use as the minimum for the young generation size. The default value is 5 percent of your Java heap.

This is an experimental flag. This setting replaces the `-XX:DefaultMinNewGenPercent` setting.

`-XX:G1OldCSetRegionThresholdPercent=percent`

Sets an upper limit on the number of old regions to be collected during a mixed garbage collection cycle. The default is 10 percent of the Java heap.

`-XX:G1ReservePercent=percent`

Sets the percentage of the heap (0 to 50) that's reserved as a false ceiling to reduce the possibility of promotion failure for the G1 collector. When you increase or decrease the percentage,

ensure that you adjust the total Java heap by the same amount.

By default, this option is set to 10%.

The following example sets the reserved heap to 20%:

```
-XX:G1ReservePercent=20
```

```
-XX:+G1UseAdaptiveIHOP
```

Controls adaptive calculation of the old generation occupancy to start background work preparing for an old generation collection. If enabled, G1 uses `-XX:InitiatingHeapOccupancyPercent` for the first few times as specified by the value of `-XX:G1AdaptiveIHOPNumInitialSamples`, and after that adaptively calculates a new optimum value for the initiating occupancy automatically. Otherwise, the old generation collection process always starts at the old generation occupancy determined by `-XX:InitiatingHeapOccupancyPercent`.

The default is enabled.

```
-XX:InitialHeapSize=size
```

Sets the initial size (in bytes) of the memory allocation pool.

This value must be either 0, or a multiple of 1024 and greater than 1 MB. Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. The default value is selected at run time based on the system configuration.

The following examples show how to set the size of allocated memory to 6 MB using various units:

```
-XX:InitialHeapSize=6291456
```

```
-XX:InitialHeapSize=6144k
```

```
-XX:InitialHeapSize=6m
```

If you set this option to 0, then the initial size is set as the sum of the sizes allocated for the old generation and the young generation. The size of the heap for the young generation can be set using the `-XX:NewSize` option. Note that the `-Xms` option sets both the minimum and the initial heap size of the heap. If `-Xms` appears after `-XX:InitialHeapSize` on the command line, then

the initial heap size gets set to the value specified with -Xms.

`-XX:InitialRAMPercentage=percent`

Sets the initial amount of memory that the JVM will use for the Java heap before applying ergonomics heuristics as a percentage of the maximum amount determined as described in the `-XX:MaxRAM` option. The default value is 1.5625 percent.

The following example shows how to set the percentage of the initial amount of memory used for the Java heap:

`-XX:InitialRAMPercentage=5`

`-XX:InitialSurvivorRatio=ratio`

Sets the initial survivor space ratio used by the throughput garbage collector (which is enabled by the `-XX:+UseParallelGC` option). Adaptive sizing is enabled by default with the throughput garbage collector by using the `-XX:+UseParallelGC` option, and the survivor space is resized according to the application behavior, starting with the initial value. If adaptive sizing is disabled (using the `-XX:-UseAdaptiveSizePolicy` option), then the `-XX:SurvivorRatio` option should be used to set the size of the survivor space for the entire execution of the application.

The following formula can be used to calculate the initial size of survivor space (S) based on the size of the young generation (Y), and the initial survivor space ratio (R):

$$S=Y/(R+2)$$

The 2 in the equation denotes two survivor spaces. The larger the value specified as the initial survivor space ratio, the smaller the initial survivor space size.

By default, the initial survivor space ratio is set to 8. If the default value for the young generation space size is used (2 MB), then the initial size of the survivor space is 0.2 MB.

The following example shows how to set the initial survivor space ratio to 4:

`-XX:InitialSurvivorRatio=4`

`-XX:InitiatingHeapOccupancyPercent=percent`

Sets the percentage of the old generation occupancy (0 to 100) at which to start the first few concurrent marking cycles for the G1 garbage collector.

By default, the initiating value is set to 45%. A value of 0 implies nonstop concurrent GC cycles from the beginning until G1 adaptively sets this value.

See also the `-XX:G1UseAdaptiveIHOP` and `-XX:G1AdaptiveIHOPNumInitiationSamples` options.

The following example shows how to set the initiating heap occupancy to 75%:

```
-XX:InitiatingHeapOccupancyPercent=75
```

`-XX:MaxGCPauseMillis=time`

Sets a target for the maximum GC pause time (in milliseconds).

This is a soft goal, and the JVM will make its best effort to achieve it. The specified value doesn't adapt to your heap size. By default, for G1 the maximum pause time target is 200 milliseconds. The other generational collectors do not use a pause time goal by default.

The following example shows how to set the maximum target pause time to 500 ms:

```
-XX:MaxGCPauseMillis=500
```

`-XX:MaxHeapSize=size`

Sets the maximum size (in bytes) of the memory allocation pool.

This value must be a multiple of 1024 and greater than 2 MB.

Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. The default value is selected at run time based on the system configuration.

For server deployments, the options `-XX:InitialHeapSize` and `-XX:MaxHeapSize` are often set to the same value.

The following examples show how to set the maximum allowed size of allocated memory to 80 MB using various units:

```
-XX:MaxHeapSize=83886080
```

`-XX:MaxHeapSize=81920k`

`-XX:MaxHeapSize=80m`

The `-XX:MaxHeapSize` option is equivalent to `-Xmx`.

`-XX:MaxHeapFreeRatio=percent`

Sets the maximum allowed percentage of free heap space (0 to 100) after a GC event. If free heap space expands above this value, then the heap is shrunk. By default, this value is set to 70%.

Minimize the Java heap size by lowering the values of the parameters `MaxHeapFreeRatio` (default value is 70%) and `MinHeapFreeRatio` (default value is 40%) with the command-line options `-XX:MaxHeapFreeRatio` and `-XX:MinHeapFreeRatio`. Lowering `MaxHeapFreeRatio` to as low as 10% and `MinHeapFreeRatio` to 5% has successfully reduced the heap size without too much performance regression; however, results may vary greatly depending on your application. Try different values for these parameters until they're as low as possible yet still retain acceptable performance.

`-XX:MaxHeapFreeRatio=10 -XX:MinHeapFreeRatio=5`

Customers trying to keep the heap small should also add the option `-XX:-ShrinkHeapInSteps`. See [Performance Tuning Examples](#) for a description of using this option to keep the Java heap small by reducing the dynamic footprint for embedded applications.

`-XX:MaxMetaspaceSize=size`

Sets the maximum amount of native memory that can be allocated for class metadata. By default, the size isn't limited. The amount of metadata for an application depends on the application itself, other running applications, and the amount of memory available on the system.

The following example shows how to set the maximum class metadata size to 256 MB:

`-XX:MaxMetaspaceSize=256m`

`-XX:MaxNewSize=size`

Sets the maximum size (in bytes) of the heap for the young generation (nursery). The default value is set ergonomically.

`-XX:MaxRAM=size`

Sets the maximum amount of memory that the JVM may use for the Java heap before applying ergonomics heuristics. The default value is the maximum amount of available memory to the JVM process or 128 GB, whichever is lower.

The maximum amount of available memory to the JVM process is the minimum of the machine's physical memory and any constraints set by the environment (e.g. container).

Specifying this option disables automatic use of compressed oops if the combined result of this and other options influencing the maximum amount of memory is larger than the range of memory addressable by compressed oops. See `-XX:UseCompressedOops` for further information about compressed oops.

The following example shows how to set the maximum amount of available memory for sizing the Java heap to 2 GB:

```
-XX:MaxRAM=2G
```

`-XX:MaxRAMPercentage=percent`

Sets the maximum amount of memory that the JVM may use for the Java heap before applying ergonomics heuristics as a percentage of the maximum amount determined as described in the `-XX:MaxRAM` option. The default value is 25 percent.

Specifying this option disables automatic use of compressed oops if the combined result of this and other options influencing the maximum amount of memory is larger than the range of memory addressable by compressed oops. See `-XX:UseCompressedOops` for further information about compressed oops.

The following example shows how to set the percentage of the maximum amount of memory used for the Java heap:

```
-XX:MaxRAMPercentage=75
```

`-XX:MinRAMPercentage=percent`

Sets the maximum amount of memory that the JVM may use for the Java heap before applying ergonomics heuristics as a percentage of the maximum amount determined as described in the `-XX:MaxRAM` option for small heaps. A small heap is a heap of approximately 125 MB. The default value is 50 percent.

The following example shows how to set the percentage of the maximum amount of memory used for the Java heap for small heaps:

```
-XX:MinRAMPercentage=75
```

```
-XX:MaxTenuringThreshold=threshold
```

Sets the maximum tenuring threshold for use in adaptive GC sizing. The largest value is 15. The default value is 15 for the parallel (throughput) collector.

The following example shows how to set the maximum tenuring threshold to 10:

```
-XX:MaxTenuringThreshold=10
```

```
-XX:MetaspaceSize=size
```

Sets the size of the allocated class metadata space that triggers a garbage collection the first time it's exceeded. This threshold for a garbage collection is increased or decreased depending on the amount of metadata used. The default size depends on the platform.

```
-XX:MinHeapFreeRatio=percent
```

Sets the minimum allowed percentage of free heap space (0 to 100) after a GC event. If free heap space falls below this value, then the heap is expanded. By default, this value is set to 40%.

Minimize Java heap size by lowering the values of the parameters `MaxHeapFreeRatio` (default value is 70%) and `MinHeapFreeRatio` (default value is 40%) with the command-line options `-XX:MaxHeapFreeRatio` and `-XX:MinHeapFreeRatio`. Lowering `MaxHeapFreeRatio` to as low as 10% and `MinHeapFreeRatio` to 5% has successfully reduced the heap size without too much performance regression; however, results may vary greatly depending on your application.



Try different values for these parameters until they're as low as possible, yet still retain acceptable performance.

```
-XX:MaxHeapFreeRatio=10 -XX:MinHeapFreeRatio=5
```

Customers trying to keep the heap small should also add the option `-XX:-ShrinkHeapInSteps`. See [Performance Tuning Examples](#) for a description of using this option to keep the Java heap small by reducing the dynamic footprint for embedded applications.

```
-XX:MinHeapSize=size
```

Sets the minimum size (in bytes) of the memory allocation pool. This value must be either 0, or a multiple of 1024 and greater than 1 MB. Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. The default value is selected at run time based on the system configuration.

The following examples show how to set the minimum size of allocated memory to 6 MB using various units:

```
-XX:MinHeapSize=6291456
```

```
-XX:MinHeapSize=6144k
```

```
-XX:MinHeapSize=6m
```

If you set this option to 0, then the minimum size is set to the same value as the initial size.

```
-XX:NewRatio=ratio
```

Sets the ratio between young and old generation sizes. By default, this option is set to 2. The following example shows how to set the young-to-old ratio to 1:

```
-XX:NewRatio=1
```

```
-XX:NewSize=size
```

Sets the initial size (in bytes) of the heap for the young generation (nursery). Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes.

The young generation region of the heap is used for new objects.

GC is performed in this region more often than in other regions.

If the size for the young generation is too low, then a large number of minor GCs are performed. If the size is too high, then only full GCs are performed, which can take a long time to complete. It is recommended that you keep the size for the young generation greater than 25% and less than 50% of the overall heap size.

The following examples show how to set the initial size of the young generation to 256 MB using various units:

```
-XX:NewSize=256m
```

```
-XX:NewSize=262144k
```

```
-XX:NewSize=268435456
```

The `-XX:NewSize` option is equivalent to `-Xmn`.

```
-XX:ParallelGCThreads=threads
```

Sets the number of the stop-the-world (STW) worker threads. The default value depends on the number of CPUs available to the JVM and the garbage collector selected.

For example, to set the number of threads for G1 GC to 2, specify the following option:

```
-XX:ParallelGCThreads=2
```

```
-XX:+ParallelRefProcEnabled
```

Enables parallel reference processing. By default, this option is disabled.

```
-XX:+PrintAdaptiveSizePolicy
```

Enables printing of information about adaptive-generation sizing. By default, this option is disabled.

```
-XX:+ScavengeBeforeFullGC
```

Enables GC of the young generation before each full GC. This option is enabled by default. It is recommended that you don't disable it, because scavenging the young generation before a full GC can reduce the number of objects reachable from the old generation space into the young generation space. To disable GC of the young generation before each full GC, specify the option

-XX:-ScavengeBeforeFullGC.

-XX:SoftRefLRUPolicyMSPerMB=time

Sets the amount of time (in milliseconds) a softly reachable object is kept active on the heap after the last time it was referenced. The default value is one second of lifetime per free megabyte in the heap. The -XX:SoftRefLRUPolicyMSPerMB option accepts integer values representing milliseconds per one megabyte of the current heap size (for Java HotSpot Client VM) or the maximum possible heap size (for Java HotSpot Server VM). This difference means that the Client VM tends to flush soft references rather than grow the heap, whereas the Server VM tends to grow the heap rather than flush soft references. In the latter case, the value of the -Xmx option has a significant effect on how quickly soft references are garbage collected.

The following example shows how to set the value to 2.5 seconds:

-XX:SoftRefLRUPolicyMSPerMB=2500

-XX:-ShrinkHeapInSteps

Incrementally reduces the Java heap to the target size, specified by the option -XX:MaxHeapFreeRatio. This option is enabled by default. If disabled, then it immediately reduces the Java heap to the target size instead of requiring multiple garbage collection cycles. Disable this option if you want to minimize the Java heap size. You will likely encounter performance degradation when this option is disabled.

See Performance Tuning Examples for a description of using the MaxHeapFreeRatio option to keep the Java heap small by reducing the dynamic footprint for embedded applications.

-XX:StringDeduplicationAgeThreshold=threshold

Identifies String objects reaching the specified age that are considered candidates for deduplication. An object's age is a measure of how many times it has survived garbage collection. This is sometimes referred to as tenuring.

Note: String objects that are promoted to an old heap re?

gion before this age has been reached are always considered candidates for deduplication. The default value for this option is 3. See the `-XX:+UseStringDeduplication` option.

#### `-XX:SurvivorRatio=ratio`

Sets the ratio between eden space size and survivor space size. By default, this option is set to 8. The following example shows how to set the eden/survivor space ratio to 4:

```
-XX:SurvivorRatio=4
```

#### `-XX:TargetSurvivorRatio=percent`

Sets the desired percentage of survivor space (0 to 100) used after young garbage collection. By default, this option is set to 50%.

The following example shows how to set the target survivor space ratio to 30%:

```
-XX:TargetSurvivorRatio=30
```

#### `-XX:TLABSize=size`

Sets the initial size (in bytes) of a thread-local allocation buffer (TLAB). Append the letter k or K to indicate kilobytes, m or M to indicate megabytes, or g or G to indicate gigabytes. If this option is set to 0, then the JVM selects the initial size automatically.

The following example shows how to set the initial TLAB size to 512 KB:

```
-XX:TLABSize=512k
```

#### `-XX:+UseAdaptiveSizePolicy`

Enables the use of adaptive generation sizing. This option is enabled by default. To disable adaptive generation sizing, specify `-XX:-UseAdaptiveSizePolicy` and set the size of the memory allocation pool explicitly. See the `-XX:SurvivorRatio` option.

#### `-XX:+UseG1GC`

Enables the use of the garbage-first (G1) garbage collector.

It's a server-style garbage collector, targeted for multiprocessor machines with a large amount of RAM. This option meets GC pause time goals with high probability, while maintaining good throughput. The G1 collector is recommended for applications requiring large heaps (sizes of around 6 GB or larger) with limited GC latency requirements (a stable and predictable pause time below 0.5 seconds). By default, this option is enabled and G1 is used as the default garbage collector.

#### -XX:+UseGCOverheadLimit

Enables the use of a policy that limits the proportion of time spent by the JVM on GC before an `OutOfMemoryError` exception is thrown. This option is enabled, by default, and the parallel GC will throw an `OutOfMemoryError` if more than 98% of the total time is spent on garbage collection and less than 2% of the heap is recovered. When the heap is small, this feature can be used to prevent applications from running for long periods of time with little or no progress. To disable this option, specify the option `-XX:-UseGCOverheadLimit`.

#### -XX:+UseNUMA

Enables performance optimization of an application on a machine with nonuniform memory architecture (NUMA) by increasing the application's use of lower latency memory. By default, this option is disabled and no optimization for NUMA is made. The option is available only when the parallel garbage collector is used (`-XX:+UseParallelGC`).

#### -XX:+UseParallelGC

Enables the use of the parallel scavenge garbage collector (also known as the throughput collector) to improve the performance of your application by leveraging multiple processors.

By default, this option is disabled and the default collector is used.

#### -XX:+UseSerialGC

Enables the use of the serial garbage collector. This is gener-

ally the best choice for small and simple applications that don't require any special functionality from garbage collection. By default, this option is disabled and the default collector is used.

#### `-XX:+UseSHM`

Linux only: Enables the JVM to use shared memory to set up large pages.

See Large Pages for setting up large pages.

#### `-XX:+UseStringDeduplication`

Enables string deduplication. By default, this option is disabled. To use this option, you must enable the garbage-first (G1) garbage collector.

String deduplication reduces the memory footprint of String objects on the Java heap by taking advantage of the fact that many String objects are identical. Instead of each String object pointing to its own character array, identical String objects can point to and share the same character array.

#### `-XX:+UseTLAB`

Enables the use of thread-local allocation blocks (TLABs) in the young generation space. This option is enabled by default. To disable the use of TLABs, specify the option `-XX:-UseTLAB`.

#### `-XX:+UseZGC`

Enables the use of the Z garbage collector (ZGC). This is a low latency garbage collector, providing max pause times of a few milliseconds, at some throughput cost. Pause times are independent of what heap size is used. Supports heap sizes from 8MB to 16TB.

#### `-XX:ZAllocationSpikeTolerance=factor`

Sets the allocation spike tolerance for ZGC. By default, this option is set to 2.0. This factor describes the level of allocation spikes to expect. For example, using a factor of 3.0 means the current allocation rate can be expected to triple at any time.

-XX:ZCollectionInterval=seconds

Sets the maximum interval (in seconds) between two GC cycles when using ZGC. By default, this option is set to 0 (disabled).

-XX:ZFragmentationLimit=percent

Sets the maximum acceptable heap fragmentation (in percent) for ZGC. By default, this option is set to 25. Using a lower value will cause the heap to be compacted more aggressively, to reclaim more memory at the cost of using more CPU time.

-XX:+ZProactive

Enables proactive GC cycles when using ZGC. By default, this option is enabled. ZGC will start a proactive GC cycle if doing so is expected to have minimal impact on the running application. This is useful if the application is mostly idle or allocates very few objects, but you still want to keep the heap size down and allow reference processing to happen even when there are a lot of free space on the heap.

-XX:+ZUncommit

Enables uncommitting of unused heap memory when using ZGC. By default, this option is enabled. Uncommitting unused heap memory will lower the memory footprint of the JVM, and make that memory available for other processes to use.

-XX:ZUncommitDelay=seconds

Sets the amount of time (in seconds) that heap memory must have been unused before being uncommitted. By default, this option is set to 300 (5 minutes). Committing and uncommitting memory are relatively expensive operations. Using a lower value will cause heap memory to be uncommitted earlier, at the risk of soon having to commit it again.

## DEPRECATED JAVA OPTIONS

These java options are deprecated and might be removed in a future JDK release. They're still accepted and acted upon, but a warning is issued when they're used.

-Xfuture

Enables strict class-file format checks that enforce conformance to the class-file format specification. Developers should use this flag when developing new code. Stricter checks may become the default in future releases.

#### `-Xloggc:filename`

Sets the file to which verbose GC events information should be redirected for logging. The `-Xloggc` option overrides `-verbose:gc` if both are given with the same `java` command. `-Xloggc:filename` is replaced by `-Xlog:gc:filename`. See [Enable Logging with the JVM Unified Logging Framework](#).

Example:

```
-Xlog:gc:garbage-collection.log
```

#### `-XX:+FlightRecorder`

Enables the use of Java Flight Recorder (JFR) during the runtime of the application. Since JDK 8u40 this option has not been required to use JFR.

#### `-XX:InitialRAMFraction=ratio`

Sets the initial amount of memory that the JVM may use for the Java heap before applying ergonomics heuristics as a ratio of the maximum amount determined as described in the `-XX:MaxRAM` option. The default value is 64.

Use the option `-XX:InitialRAMPercentage` instead.

#### `-XX:MaxRAMFraction=ratio`

Sets the maximum amount of memory that the JVM may use for the Java heap before applying ergonomics heuristics as a fraction of the maximum amount determined as described in the `-XX:MaxRAM` option. The default value is 4.

Specifying this option disables automatic use of compressed oops if the combined result of this and other options influencing the maximum amount of memory is larger than the range of memory addressable by compressed oops. See `-XX:UseCompressedOops` for further information about compressed oops.

Use the option `-XX:MaxRAMPercentage` instead.



`-XX:MinRAMFraction=ratio`

Sets the maximum amount of memory that the JVM may use for the Java heap before applying ergonomics heuristics as a fraction of the maximum amount determined as described in the `-XX:MaxRAM` option for small heaps. A small heap is a heap of approximately 125 MB. The default value is 2.

Use the option `-XX:MinRAMPercentage` instead.

## OBSOLETE JAVA OPTIONS

These Java options are still accepted but ignored, and a warning is issued when they're used.

`--illegal-access=parameter`

Controlled relaxed strong encapsulation, as defined in JEP 261 [<https://openjdk.org/jeps/261#Relaxed-strong-encapsulation>].

This option was deprecated in JDK 16 by JEP 396 [<https://openjdk.org/jeps/396>] and made obsolete in JDK 17 by JEP 403 [<https://openjdk.org/jeps/403>].

`-XX:+ExtendedDTraceProbes`

Linux and macOS: Enables additional dtrace tool probes that affect performance. By default, this option is disabled and dtrace performs only standard probes. Use the combination of these flags instead: `-XX:+DTraceMethodProbes`, `-XX:+DTraceAllocationProbes`, `-XX:+DTraceMonitorProbes`.

## REMOVED JAVA OPTIONS

No documented Java options have been removed in JDK 20.

For the lists and descriptions of options removed in previous releases see the Removed Java Options section in:

• The `java` Command, Release 19 [<https://docs.oracle.com/en/java/javase/19/docs/specs/man/java.html>]

• The `java` Command, Release 18 [<https://docs.oracle.com/en/java/javase/18/docs/specs/man/java.html>]

• The `java` Command, Release 17 [<https://docs.oracle.com/en/java/javase/17/docs/specs/man/java.html>]

• The `java` Command, Release 16 [<https://docs.oracle.com/en/java/javase/16/docs/specs/man/java.html>]

[va/javase/16/docs/specs/man/java.html\]](https://docs.oracle.com/en/java/javase/16/docs/specs/man/java.html)

? The java Command, Release 15 [[https://docs.oracle.com/en/java?va/javase/15/docs/specs/man/java.html\]](https://docs.oracle.com/en/java/javase/15/docs/specs/man/java.html)

? The java Command, Release 14 [[https://docs.oracle.com/en/java?va/javase/14/docs/specs/man/java.html\]](https://docs.oracle.com/en/java/javase/14/docs/specs/man/java.html)

? The java Command, Release 13 [[https://docs.oracle.com/en/java?va/javase/13/docs/specs/man/java.html\]](https://docs.oracle.com/en/java/javase/13/docs/specs/man/java.html)

? Java Platform, Standard Edition Tools Reference, Release 12 [[https://docs.oracle.com/en/java/javase/12/tools/java?va.html#GUID-3B1CE181-CD30-4178-9602-230B800D4FAE\]](https://docs.oracle.com/en/java/javase/12/tools/java.html#GUID-3B1CE181-CD30-4178-9602-230B800D4FAE)

? Java Platform, Standard Edition Tools Reference, Release 11 [[https://docs.oracle.com/en/java/javase/11/tools/java?va.html#GUID-741FC470-AA3E-494A-8D2B-1B1FE4A990D1\]](https://docs.oracle.com/en/java/javase/11/tools/java.html#GUID-741FC470-AA3E-494A-8D2B-1B1FE4A990D1)

? Java Platform, Standard Edition Tools Reference, Release 10 [[https://docs.oracle.com/javase/10/tools/java.htm#JSWOR624\]](https://docs.oracle.com/javase/10/tools/java.htm#JSWOR624)

? Java Platform, Standard Edition Tools Reference, Release 9 [[https://docs.oracle.com/javase/9/tools/java.htm#JSWOR624\]](https://docs.oracle.com/javase/9/tools/java.htm#JSWOR624)

? Java Platform, Standard Edition Tools Reference, Release 8 for Oracle JDK on Windows [[https://docs.oracle.com/javase/8/docs/tech?notes/tools/windows/java.html#BGBCIEFC\]](https://docs.oracle.com/javase/8/docs/technotes/tools/windows/java.html#BGBCIEFC)

? Java Platform, Standard Edition Tools Reference, Release 8 for Oracle JDK on Solaris, Linux, and macOS [[https://docs.ora?cle.com/javase/8/docs/technotes/tools/unix/java.html#BGBCIEFC\]](https://docs.oracle.com/javase/8/docs/technotes/tools/unix/java.html#BGBCIEFC)

## JAVA COMMAND-LINE ARGUMENT FILES

You can shorten or simplify the java command by using @ argument files to specify one or more text files that contain arguments, such as options and class names, which are passed to the java command. This lets you to create java commands of any length on any operating system.

In the command line, use the at sign (@) prefix to identify an argument file that contains java options and class names. When the java command encounters a file beginning with the at sign (@), it expands the contents of that file into an argument list just as they would be specified

fied on the command line.

The `java` launcher expands the argument file contents until it encounters the `--disable-@files` option. You can use the `--disable-@files` option anywhere on the command line, including in an argument file, to stop `@` argument files expansion.

The following items describe the syntax of `java` argument files:

- ? The argument file must contain only ASCII characters or characters in system default encoding that's ASCII friendly, such as UTF-8.
- ? The argument file size must not exceed MAXINT (2,147,483,647) bytes.
- ? The launcher doesn't expand wildcards that are present within an argument file.
- ? Use white space or new line characters to separate arguments included in the file.
- ? White space includes a white space character, `\t`, `\n`, `\r`, and `\f`.  
For example, it is possible to have a path with a space, such as `c:\Program Files` that can be specified as either `"c:\Program Files"` or, to avoid an escape, `c:\Program "Files"`.
- ? Any option that contains spaces, such as a path component, must be within quotation marks using quotation (`"`) characters in its entirety.
- ? A string within quotation marks may contain the characters `\n`, `\r`, `\t`, and `\f`. They are converted to their respective ASCII codes.
- ? If a file name contains embedded spaces, then put the whole file name in double quotation marks.
- ? File names in an argument file are relative to the current directory, not to the location of the argument file.
- ? Use the number sign `#` in the argument file to identify comments. All characters following the `#` are ignored until the end of line.
- ? Additional at sign `@` prefixes to `@` prefixed options act as an escape, (the first `@` is removed and the rest of the arguments are presented to the launcher literally).
- ? Lines may be continued using the continuation character (`\`) at the end-of-line. The two lines are concatenated with the leading white

spaces trimmed. To prevent trimming the leading white spaces, a continuation character (\) may be placed at the first column.

? Because backslash (\) is an escape character, a backslash character must be escaped with another backslash character.

? Partial quote is allowed and is closed by an end-of-file.

? An open quote stops at end-of-line unless \ is the last character, which then joins the next line by removing all leading white space characters.

? Wildcards (\*) aren't allowed in these lists (such as specifying \*.java).

? Use of the at sign (@) to recursively interpret files isn't supported.

#### Example of Open or Partial Quotes in an Argument File

In the argument file,

```
-cp "lib/  
cool/  
app/  
jars
```

this is interpreted as:

```
-cp lib/cool/app/jars
```

#### Example of a Backslash Character Escaped with Another Backslash Character

in an Argument File

To output the following:

```
-cp c:\Program Files (x86)\Java\jre\lib\ext;c:\Program Files\Java\jre9\lib\ext
```

The backslash character must be specified in the argument file as:

```
-cp "c:\\Program Files (x86)\\Java\\jre\\lib\\ext;c:\\Program Files\\Java\\jre9\\lib\\ext"
```

#### Example of an EOL Escape Used to Force Concatenation of Lines in an Argument File

ment File

In the argument file,

```
-cp "/lib/cool app/jars:\n/lib/another app/jars"
```

This is interpreted as:

```
-cp /lib/cool app/jars:/lib/another app/jars
```

#### Example of Line Continuation with Leading Spaces in an Argument File

In the argument file,

```
-cp "/lib/cool\  
 \app/jars"
```

This is interpreted as:

```
-cp /lib/cool app/jars
```

#### Examples of Using Single Argument File

You can use a single argument file, such as myargumentfile in the following example, to hold all required java arguments:

```
java @myargumentfile
```

#### Examples of Using Argument Files with Paths

You can include relative paths in argument files; however, they're relative to the current working directory and not to the paths of the argument files themselves. In the following example, path1/options and path2/options represent argument files with different paths. Any relative paths that they contain are relative to the current working directory and not to the argument files:

```
java @path1/options @path2/classes
```

## CODE HEAP STATE ANALYTICS

### Overview

There are occasions when having insight into the current state of the JVM code heap would be helpful to answer questions such as:

? Why was the JIT turned off and then on again and again?

? Where has all the code heap space gone?

? Why is the method sweeper not working effectively?

To provide this insight, a code heap state analytics feature has been implemented that enables on-the-fly analysis of the code heap. The analytics process is divided into two parts. The first part examines the entire code heap and aggregates all information that is believed to be useful or important. The second part consists of several independent steps that print the collected information with an emphasis on differ?

ent aspects of the data. Data collection and printing are done on an "on request" basis.

## Syntax

Requests for real-time, on-the-fly analysis can be issued with the following command:

```
java -Xlog:pid,Compiler.CodeHeap_Analytics [function] [granularity]
```

If you are only interested in how the code heap looks like after running a sample workload, you can use the command line option:

```
-Xlog:codecache=Trace
```

To see the code heap state when a "CodeCache full" condition exists, start the VM with the command line option:

```
-Xlog:codecache=Debug
```

See [CodeHeap State Analytics \(OpenJDK\) \[https://bugs.openjdk.org/show\\_bug.cgi?id=75649\]](https://bugs.openjdk.org/show_bug.cgi?id=75649) for a detailed description of the code heap state analytics feature, the supported functions, and the granularity options.

## ENABLE LOGGING WITH THE JVM UNIFIED LOGGING FRAMEWORK

You use the `-Xlog` option to configure or enable logging with the Java Virtual Machine (JVM) unified logging framework.

### Synopsis

```
-Xlog:[what][:[output]][:[decorators][:output-options[,...]]]
```

```
-Xlog:directive
```

**what** Specifies a combination of tags and levels of the form `tag1[+tag2...][*][=level][,...]`. Unless the wildcard (\*) is specified, only log messages tagged with exactly the tags specified are matched. See `-Xlog Tags and Levels`.

**output** Sets the type of output. Omitting the output type defaults to `stdout`. See `-Xlog Output`.

**decorators**

Configures the output to use a custom set of decorators. Omitting decorators defaults to `uptime`, `level`, and `tags`. See `Decorations`.

**output-options**

Sets the -Xlog logging output options.

directive

A global option or subcommand: help, disable, async

## Description

The Java Virtual Machine (JVM) unified logging framework provides a common logging system for all components of the JVM. GC logging for the JVM has been changed to use the new logging framework. The mapping of old GC flags to the corresponding new Xlog configuration is described in [Convert GC Logging Flags to Xlog](#). In addition, runtime logging has also been changed to use the JVM unified logging framework. The mapping of legacy runtime logging flags to the corresponding new Xlog configuration is described in [Convert Runtime Logging Flags to Xlog](#).

The following provides quick reference to the -Xlog command and syntax for options:

**-Xlog** Enables JVM logging on an info level.

**-Xlog:help**

Prints -Xlog usage syntax and available tags, levels, and decorators along with example command lines with explanations.

**-Xlog:disable**

Turns off all logging and clears all configuration of the logging framework including the default configuration for warnings and errors.

**-Xlog[:option]**

Applies multiple arguments in the order that they appear on the command line. Multiple -Xlog arguments for the same output override each other in their given order.

The option is set as:

```
[tag-selection][:[output]][:[decorators]][:output-options]]
```

Omitting the tag-selection defaults to a tag-set of all and a level of info.

```
tag[+...] all
```

The all tag is a meta tag consisting of all tag-sets available.

The asterisk \* in a tag set definition denotes a wildcard tag match. Matching with a wildcard selects all tag sets that contain at least the specified tags. Without the wildcard, only exact matches of the specified tag sets are selected.

output-options is

```
filecount=file-count filesize=file size with optional K,  
M or G suffix foldmultilines=<true|false>
```

When foldmultilines is true, a log event that consists of multiple lines will be folded into a single line by replacing newline characters with the sequence '\n' in the output. Existing single backslash characters will also be replaced with a sequence of two backslashes so that the conversion can be reversed. This option is safe to use with UTF-8 character encodings, but other encodings may not work. For example, it may not correctly convert multi-byte sequences in Shift JIS and BIG5.

#### Default Configuration

When the -Xlog option and nothing else is specified on the command line, the default configuration is used. The default configuration logs all messages with a level that matches either warning or error regardless of what tags the message is associated with. The default configuration is equivalent to entering the following on the command line:

```
-Xlog:all=warning:stdout:uptime,level,tags
```

#### Controlling Logging at Runtime

Logging can also be controlled at run time through Diagnostic Commands (with the jcmd utility). Everything that can be specified on the command line can also be specified dynamically with the VM.log command. As the diagnostic commands are automatically exposed as MBeans, you can use JMX to change logging configuration at run time.

#### -Xlog Tags and Levels

Each log message has a level and a tag set associated with it. The level of the message corresponds to its details, and the tag set corresponds to what the message contains or which JVM component it involves



(such as, gc, jit, or os). Mapping GC flags to the Xlog configuration is described in [Convert GC Logging Flags to Xlog](#). Mapping legacy run-time logging flags to the corresponding Xlog configuration is described in [Convert Runtime Logging Flags to Xlog](#).

Available log levels:

? off

? trace

? debug

? info

? warning

? error

Available log tags:

There are literally dozens of log tags, which in the right combinations, will enable a range of logging output. The full set of available log tags can be seen using `-Xlog:help`. Specifying all instead of a tag combination matches all tag combinations.

#### -Xlog Output

The `-Xlog` option supports the following types of outputs:

? `stdout` --- Sends output to stdout

? `stderr` --- Sends output to stderr

? `file=filename` --- Sends output to text file(s).

When using `file=filename`, specifying `%p` and/or `%t` in the file name expands to the JVM's PID and startup timestamp, respectively. You can also configure text files to handle file rotation based on file size and a number of files to rotate. For example, to rotate the log file every 10 MB and keep 5 files in rotation, specify the options `file:size=10M, filecount=5`. The target size of the files isn't guaranteed to be exact, it's just an approximate value. Files are rotated by default with up to 5 rotated files of target size 20 MB, unless configured otherwise. Specifying `filecount=0` means that the log file shouldn't be rotated. There's a possibility of the pre-existing log file getting overwritten.

#### -Xlog Output Mode

By default logging messages are output synchronously - each log message is written to the designated output when the logging call is made. But you can instead use asynchronous logging mode by specifying:

-Xlog:async

Write all logging asynchronously.

In asynchronous logging mode, log sites enqueue all logging messages to an intermediate buffer and a standalone thread is responsible for flushing them to the corresponding outputs. The intermediate buffer is bounded and on buffer exhaustion the enqueueing message is discarded. Log entry write operations are guaranteed non-blocking.

The option -XX:AsyncLogBufferSize=N specifies the memory budget in bytes for the intermediate buffer. The default value should be big enough to cater for most cases. Users can provide a custom value to trade memory overhead for log accuracy if they need to.

## Decorations

Logging messages are decorated with information about the message. You can configure each output to use a custom set of decorators. The order of the output is always the same as listed in the table. You can configure the decorations to be used at run time. Decorations are prepended to the log message. For example:

```
[6.567s][info][gc,old] Old collection complete
```

Omitting decorators defaults to uptime, level, and tags. The none decorator is special and is used to turn off all decorations.

time (t), utctime (utc), uptime (u), timemillis (tm), uptimemillis (um), timenanos (tn), uptimenanos (un), hostname (hn), pid (p), tid (ti), level (l), tags (tg) decorators can also be specified as none for no decoration.

## Logging Messages Decorations

Decorations	Description
-------------	-------------

time or t	Current time and date in ISO-8601 format.
utctime or utc	Universal Time Coordinated or Coordinated Universal
Time.	

uptime or u Time since the start of the JVM in seconds and milliseconds. For example, 6.567s.

timemillis or The same value as generated by System.currentTimeMillis()

uptimemillis or Milliseconds since the JVM started.

timenanos or tn The same value generated by System.nanoTime().

uptimenanos or Nanoseconds since the JVM started.

hostname or hn The host name.

pid or p The process identifier.

tid or ti The thread identifier.

level or l The level associated with the log message.

tags or tg The tag-set associated with the log message.

### Convert GC Logging Flags to Xlog

#### Legacy GC Logging Flags to Xlog Configuration Mapping

Legacy Garbage Collection (GC) Flag	Xlog Configuration	Comment
G1PrintHeapRegions	-Xlog:gc+region=trace	Not Applicable
GCLogFileSize	No configuration	Log rotation is handled by the available framework.
NumberOfGCLogFiles	Not Applicable	Log rotation is handled by the framework.
PrintAdaptiveSizePolicy	-Xlog:gc+er*go*=level	Use a level of debug for most of the information, or a level of trace for all of what was logged for PrintAdaptiveSizePolicy.
PrintGC	-Xlog:gc	Not Applicable
PrintGCApplicationConcurrentTime	-Xlog:safepoint	Note that PrintGCApplicationConcurrentTime and PrintGCApp?

plicationStoppedTime are logged  
on the same tag and aren't sep-  
arated in the new logging.

PrintGCApplication? -Xlog:safepoint Note that PrintGCApplication?  
StoppedTime ConcurrentTime and PrintGCApp?

plicationStoppedTime are logged  
on the same tag and not sepa-  
rated in the new logging.

PrintGCCause Not Applicable GC cause is now always logged.

PrintGCDateStamps Not Applicable Date stamps are logged by the  
framework.

PrintGCDetails -Xlog:gc\* Not Applicable

PrintGCID Not Applicable GC ID is now always logged.

PrintGCTaskTimeStamps -Xlog:gc+task\*=de? Not Applicable  
bug

PrintGCTimeStamps Not Applicable Time stamps are logged by the  
framework.

PrintHeapAtGC -Xlog:gc+heap=trace Not Applicable

PrintReferenceGC -Xlog:gc+ref\*=debug Note that in the old logging,  
PrintReferenceGC had an effect  
only if PrintGCDetails was also  
enabled.

PrintStringDeduplication? -Xlog:gc+stringdedup\*=de? Not Applicable  
bug

PrintTenuringDistribution? -Xlog:gc+age\*=level Use a level of debug for the  
most relevant information, or a  
level of trace for all of what  
was logged for PrintTenur-  
ingDistribution.

UseGCLogFileRotation Not Applicable What was logged for PrintTenur-  
ingDistribution.

## Convert Runtime Logging Flags to Xlog

These legacy flags are no longer recognized and will cause an error if

used directly. Use their unified logging equivalent instead.

### Runtime Logging Flags to Xlog Configuration Mapping

Legacy Runtime Xlog Configuration Comment

Flag

??

TraceExceptions -Xlog:exceptions=in? Not Applicable

fo

TraceClassLoad? -Xlog:class+load=lev? Use level=info for regular informa?

ing el tion, or level=debug for additional information. In Unified Logging syntax, -verbose:class equals -Xlog:class+load=info,class+un? load=info.

TraceClassLoad? -Xlog:class+pre? Not Applicable

ingPreorder order=debug

TraceClassUn? -Xlog:class+un? Use level=info for regular informa?

loading load=level tion, or level=trace for additional information. In Unified Logging syntax, -verbose:class equals -Xlog:class+load=info,class+un? load=info.

VerboseVerifi? -Xlog:verifica? Not Applicable

cation tion=info

TraceClassPaths -Xlog:class+path=info Not Applicable

TraceClassReso? -Xlog:class+re? Not Applicable

lution solve=debug

TraceClassIni? -Xlog:class+init=info Not Applicable

tialization

TraceLoaderCon? -Xlog:class+load? Not Applicable

straints er+constraints=info

TraceClassLoad? -Xlog:class+load? Use level=debug for regular infor?

erData er+data=level mation or level=trace for addition?

al information.

TraceSafepoint? -Xlog:safe? Not Applicable

CleanupTime point+cleanup=info

TraceSafepoint -Xlog:safepoint=debug Not Applicable

TraceMonitorIn? -Xlog:monitorinfla? Not Applicable

flation tion=debug

TraceRede? -Xlog:redex? level=info, debug, and trace pro?

fineClasses fine+class\*=level vide increasing amounts of informa? tion.

## -Xlog Usage Examples

The following are -Xlog examples.

-Xlog Logs all messages by using the info level to stdout with uptime, levels, and tags decorations. This is equivalent to using:

```
-Xlog:all=info:stdout:uptime,levels,tags
```

-Xlog:gc

Logs messages tagged with the gc tag using info level to stdout.

The default configuration for all other messages at level warn? ing is in effect.

-Xlog:gc,safepoint

Logs messages tagged either with the gc or safepoint tags, both using the info level, to stdout, with default decorations. Mes? sages tagged with both gc and safepoint won't be logged.

-Xlog:gc+ref=debug

Logs messages tagged with both gc and ref tags, using the debug level to stdout, with default decorations. Messages tagged only with one of the two tags won't be logged.

-Xlog:gc=debug:file=gc.txt:none

Logs messages tagged with the gc tag using the debug level to a file called gc.txt with no decorations. The default configura? tion for all other messages at level warning is still in effect.

-Xlog:gc=trace:file=gctrace.txt:upmemillis,pids:filecount=5,file? size=1024

Logs messages tagged with the gc tag using the trace level to a rotating file set with 5 files with size 1 MB with the base name

gctrace.txt and uses decorations uptime, millis and pid.

The default configuration for all other messages at level warning is still in effect.

`-Xlog:gc::uptime,tid`

Logs messages tagged with the gc tag using the default 'info' level to default the output stdout and uses decorations uptime and tid. The default configuration for all other messages at level warning is still in effect.

`-Xlog:gc*=info,safepoint*=off`

Logs messages tagged with at least gc using the info level, but turns off logging of messages tagged with safepoint. Messages tagged with both gc and safepoint won't be logged.

`-Xlog:disable -Xlog:safepoint=trace:safepointtrace.txt`

Turns off all logging, including warnings and errors, and then enables messages tagged with safepoint using tracelevel to the file safepointtrace.txt. The default configuration doesn't apply, because the command line started with -Xlog:disable.

### Complex -Xlog Usage Examples

The following describes a few complex examples of using the -Xlog option.

`-Xlog:gc+class*=debug`

Logs messages tagged with at least gc and class tags using the debug level to stdout. The default configuration for all other messages at the level warning is still in effect.

`-Xlog:gc+meta*=trace,class*=off:file=gcmetatrace.txt`

Logs messages tagged with at least the gc and meta tags using the trace level to the file metatrace.txt but turns off all messages tagged with class. Messages tagged with gc, meta, and class aren't be logged as class\* is set to off. The default configuration for all other messages at level warning is in effect except for those that include class.

`-Xlog:gc+meta=trace`

Logs messages tagged with exactly the gc and meta tags using the

trace level to stdout. The default configuration for all other messages at level warning is still be in effect.

```
-Xlog:gc+class+heap*=debug,meta*=warning,threads*=off
```

Logs messages tagged with at least gc, class, and heap tags using the trace level to stdout but only log messages tagged with meta with level. The default configuration for all other messages at the level warning is in effect except for those that include threads.

## VALIDATE JAVA VIRTUAL MACHINE FLAG ARGUMENTS

You use values provided to all Java Virtual Machine (JVM) command-line flags for validation and, if the input value is invalid or out-of-range, then an appropriate error message is displayed.

Whether they're set ergonomically, in a command line, by an input tool, or through the APIs (for example, classes contained in the package `java.lang.management`) the values provided to all Java Virtual Machine (JVM) command-line flags are validated. Ergonomics are described in Java Platform, Standard Edition HotSpot Virtual Machine Garbage Collection Tuning Guide.

Range and constraints are validated either when all flags have their values set during JVM initialization or a flag's value is changed during runtime (for example using the `jcmd` tool). The JVM is terminated if a value violates either the range or constraint check and an appropriate error message is printed on the error stream.

For example, if a flag violates a range or a constraint check, then the JVM exits with an error:

```
java -XX:AllocatePrefetchStyle=5 -version
intx AllocatePrefetchStyle=5 is outside the allowed range [ 0 ... 3 ]
Improperly specified VM option 'AllocatePrefetchStyle=5'
Error: Could not create the Java Virtual Machine.
Error: A fatal exception has occurred. Program will exit.
```

The flag `-XX:+PrintFlagsRanges` prints the range of all the flags. This flag allows automatic testing of the flags by the values provided by the ranges. For the flags that have the ranges specified, the type,



name, and the actual range is printed in the output.

For example,

```
intx ThreadStackSize [ 0 ... 9007199254740987 ] {pd product}
```

For the flags that don't have the range specified, the values aren't displayed in the print out. For example:

```
size_t NewSize [ ... ] {product}
```

This helps to identify the flags that need to be implemented. The automatic testing framework can skip those flags that don't have values and aren't implemented.

## LARGE PAGES

You use large pages, also known as huge pages, as memory pages that are significantly larger than the standard memory page size (which varies depending on the processor and operating system). Large pages optimize processor Translation-Lookaside Buffers.

A Translation-Lookaside Buffer (TLB) is a page translation cache that holds the most-recently used virtual-to-physical address translations.

A TLB is a scarce system resource. A TLB miss can be costly because the processor must then read from the hierarchical page table, which may require multiple memory accesses. By using a larger memory page size, a single TLB entry can represent a larger memory range. This results in less pressure on a TLB, and memory-intensive applications may have better performance.

However, using large pages can negatively affect system performance.

For example, when a large amount of memory is pinned by an application, it may create a shortage of regular memory and cause excessive paging in other applications and slow down the entire system. Also, a system that has been up for a long time could produce excessive fragmentation, which could make it impossible to reserve enough large page memory. When this happens, either the OS or JVM reverts to using regular pages.

Linux and Windows support large pages.

### Large Pages Support for Linux

Linux supports large pages since version 2.6. To check if your environment supports large pages, try the following:

```
# cat /proc/meminfo | grep Huge
```

```
HugePages_Total: 0
```

```
HugePages_Free: 0
```

```
...
```

```
Hugepagesize: 2048 kB
```

If the output contains items prefixed with "Huge", then your system supports large pages. The values may vary depending on environment.

The Hugepagesize field shows the default large page size in your environment, and the other fields show details for large pages of this size. Newer kernels have support for multiple large page sizes. To list the supported page sizes, run this:

```
# ls /sys/kernel/mm/hugepages/
```

```
hugepages-1048576kB hugepages-2048kB
```

The above environment supports 2 MB and 1 GB large pages, but they need to be configured so that the JVM can use them. When using large pages and not enabling transparent huge pages (option `-XX:+UseTransparentHugePages`), the number of large pages must be pre-allocated. For example, to enable 8 GB of memory to be backed by 2 MB large pages, login as root and run:

```
# echo 4096 > /sys/kernel/mm/hugepages/hugepages-2048kB/nr_hugepages
```

It is always recommended to check the value of `nr_hugepages` after the request to make sure the kernel was able to allocate the requested number of large pages.

When using the option `-XX:+UseSHM` to enable large pages you also need to make sure the `SHMMAX` parameter is configured to allow large enough shared memory segments to be allocated. To allow a maximum shared segment of 8 GB, login as root and run:

```
# echo 8589934592 > /proc/sys/kernel/shmmax
```

In some environments this is not needed since the default value is large enough, but it is important to make sure the value is large enough to fit the amount of memory intended to be backed by large pages.

Note: The values contained in `/proc` and `/sys` reset after you reboot your system, so you may want to set them in an initialization script (for example, `rc.local` or `sysctl.conf`).

If you configure the OS kernel parameters to enable use of large pages, the Java processes may allocate large pages for the Java heap as well as other internal areas, for example:

? Code cache

? Marking bitmaps

Consequently, if you configure the `nr_hugepages` parameter to the size of the Java heap, then the JVM can still fail to allocate the heap using large pages because other areas such as the code cache might already have used some of the configured large pages.

#### Large Pages Support for Windows

To use large pages support on Windows, the administrator must first assign additional privileges to the user who is running the application:

1. Select Control Panel, Administrative Tools, and then Local Security Policy.
2. Select Local Policies and then User Rights Assignment.
3. Double-click Lock pages in memory, then add users and/or groups.
4. Reboot your system.

Note that these steps are required even if it's the administrator who's running the application, because administrators by default don't have the privilege to lock pages in memory.

#### APPLICATION CLASS DATA SHARING

Application Class Data Sharing (AppCDS) stores classes used by your applications in an archive file. Since these classes are stored in a format that can be loaded very quickly (compared to classes stored in a JAR file), AppCDS can improve the start-up time of your applications. In addition, AppCDS can reduce the runtime memory footprint by sharing parts of these classes across multiple processes.

Classes in the CDS archive are stored in an optimized format that's about 2 to 5 times larger than classes stored in JAR files or the JDK runtime image. Therefore, it's a good idea to archive only those

classes that are actually used by your application. These usually are just a small portion of all available classes. For example, your application may use only a few APIs provided by a large library.

## Using CDS Archives

By default, in most JDK distributions, unless `-Xshare:off` is specified, the JVM starts up with a default CDS archive, which is usually located in `JAVA_HOME/lib/server/classes.jsa` (or `JAVA_HOME\bin\server\classes.jsa` on Windows). This archive contains about 1300 core library classes that are used by most applications.

To use CDS for the exact set of classes used by your application, you can use the `-XX:SharedArchiveFile` option, which has the general form:

```
-XX:SharedArchiveFile=<static_archive>:<dynamic_archive>
```

? The `<static_archive>` overrides the default CDS archive.

? The `<dynamic_archive>` provides additional classes that can be loaded on top of those in the `<static_archive>`.

? On Windows, the above path delimiter `:` should be replaced with `;`

(The names "static" and "dynamic" are used for historical reasons. The only significance is that the "static" archive is loaded first and the "dynamic" archive is loaded second).

The JVM can use up to two archives. To use only a single `<static_archive>`, you can omit the `<dynamic_archive>` portion:

```
-XX:SharedArchiveFile=<static_archive>
```

For convenience, the `<dynamic_archive>` records the location of the `<static_archive>`. Therefore, you can omit the `<static_archive>` by saying only:

```
-XX:SharedArchiveFile=<dynamic_archive>
```

## Manually Creating CDS Archives

CDS archives can be created manually using several methods:

? `-Xshare:dump`

? `-XX:ArchiveClassesAtExit`

? `jcmd VM.cds`

One common operation in all these methods is a "trial run", where you run the application once to determine the classes that should be stored

in the archive.

#### Creating a Static CDS Archive File with -Xshare:dump

The following steps create a static CDS archive file that contains all the classes used by the test.Hello application.

1. Create a list of all classes used by the test.Hello application.

The following command creates a file named hello.classlist that contains a list of all classes used by this application:

```
java -Xshare:off -XX:DumpLoadedClassList=hello.classlist -cp
hello.jar test.Hello
```

The classpath specified by the -cp parameter must contain only JAR files.

2. Create a static archive, named hello.jsa, that contains all the classes in hello.classlist:

```
java -Xshare:dump -XX:SharedArchiveFile=hello.jsa
-XX:SharedClassListFile=hello.classlist -cp hello.jar
```

3. Run the application test.Hello with the archive hello.jsa:

```
java -XX:SharedArchiveFile=hello.jsa -cp hello.jar test.Hello
```

4. Optional Verify that the test.Hello application is using the class contained in the hello.jsa shared archive:

```
java -XX:SharedArchiveFile=hello.jsa -cp hello.jar
-Xlog:class+load test.Hello
```

The output of this command should contain the following text:

```
[info][class,load] test.Hello source: shared objects file
```

#### Creating a Dynamic CDS Archive File with -XX:ArchiveClassesAtExit

Advantages of dynamic CDS archives are:

- ? They usually use less disk space, since they don't need to store the classes that are already in the static archive.
- ? They are created with one fewer step than the comparable static archive.

The following steps create a dynamic CDS archive file that contains the classes that are used by the test.Hello application, excluding those that are already in the default CDS archive.

1. Create a dynamic CDS archive, named hello.jsa, that contains all the classes in hello.jar loaded by the application test.Hello:

```
java -XX:ArchiveClassesAtExit=hello.jsa -cp hello.jar Hello
```

2. Run the application test.Hello with the shared archive hello.jsa:

```
java -XX:SharedArchiveFile=hello.jsa -cp hello.jar test.Hello
```

3. Optional Repeat step 4 of the previous section to verify that the test.Hello application is using the class contained in the hello.jsa shared archive.

It's also possible to create a dynamic CDS archive with a non-default static CDS archive. E.g.,

```
java -XX:SharedArchiveFile=base.jsa -XX:ArchiveClassesAtExit=hello.jsa -cp hello.jar Hello
```

To run the application using this dynamic CDS archive:

```
java -XX:SharedArchiveFile=base.jsa:hello.jsa -cp hello.jar Hello
```

(On Windows, the above path delimiter : should be replaced with ;)

As mentioned above, the name of the static archive can be skipped:

```
java -XX:SharedArchiveFile=hello.jsa -cp hello.jar Hello
```

### Creating CDS Archive Files with jcmd

The previous two sections require you to modify the application's start-up script in order to create a CDS archive. Sometimes this could be difficult, for example, if the application's class path is set up by complex routines.

The jcmd VM.cds command provides a less intrusive way for creating a CDS archive by connecting to a running JVM process. You can create either a static:

```
jcmd <pid> VM.cds static_dump my_static_archive.jsa
```

or a dynamic archive:

```
jcmd <pid> VM.cds dynamic_dump my_dynamic_archive.jsa
```

To use the resulting archive file in a subsequent run of the application without modifying the application's start-up script, you can use the following technique:

```
env JAVA_TOOL_OPTIONS=-XX:SharedArchiveFile=my_static_archive.jsa bash app_start.sh
```

Note: to use `jcmt <pid> VM.cds dynamic_dump`, the JVM process identified by `<pid>` must be started with `-XX:+RecordDynamicDumpInfo`, which can also be passed to the application start-up script with the same technique:

```
env JAVA_TOOL_OPTIONS=-XX:+RecordDynamicDumpInfo bash app_start.sh
```

#### Creating Dynamic CDS Archive File with `-XX:+AutoCreateSharedArchive`

`-XX:+AutoCreateSharedArchive` is a more convenient way of creating/using CDS archives. Unlike the methods of manual CDS archive creation described in the previous section, with `-XX:+AutoCreateSharedArchive`, it's no longer necessary to have a separate trial run. Instead, you can always run the application with the same command-line and enjoy the benefits of CDS automatically.

```
java -XX:+AutoCreateSharedArchive -XX:SharedArchiveFile=hello.jsa -cp hello.jar Hello
```

If the specified archive file exists and was created by the same version of the JDK, then it will be loaded as a dynamic archive; otherwise it is ignored at VM startup.

At VM exit, if the specified archive file does not exist, it will be created. If it exists but was created with a different (but post JDK 19) version of the JDK, then it will be replaced. In both cases the archive will be ready to be loaded the next time the JVM is launched with the same command line.

If the specified archive file exists but was created by a JDK version prior to JDK 19, then it will be ignored: neither loaded at startup, nor replaced at exit.

Developers should note that the contents of the CDS archive file are specific to each build of the JDK. Therefore, if you switch to a different JDK build, `-XX:+AutoCreateSharedArchive` will automatically recreate the archive to match the JDK. If you intend to use this feature with an existing archive, you should make sure that the archive is

created by at least version 19 of the JDK.

## Restrictions on Class Path and Module Path

- ? Neither the class path (-classpath and -Xbootclasspath/a) nor the module path (--module-path) can contain non-empty directories.
- ? Only modular JAR files are supported in --module-path. Exploded modules are not supported.
- ? The class path used at archive creation time must be the same as (or a prefix of) the class path used at run time. (There's no such requirement for the module path.)
- ? The CDS archive cannot be loaded if any JAR files in the class path or module path are modified after the archive is generated.
- ? If any of the VM options --upgrade-module-path, --patch-module or --limit-modules are specified, CDS is disabled. This means that the JVM will execute without loading any CDS archives. In addition, if you try to create a CDS archive with any of these 3 options specified, the JVM will report an error.

## PERFORMANCE TUNING EXAMPLES

You can use the Java advanced runtime options to optimize the performance of your applications.

### Tuning for Higher Throughput

Use the following commands and advanced options to achieve higher throughput performance for your application:

```
java -server -XX:+UseParallelGC -XX:+UseLargePages -Xmn10g  
-Xms26g -Xmx26g
```

### Tuning for Lower Response Time

Use the following commands and advanced options to achieve lower response times for your application:

```
java -XX:+UseG1GC -XX:MaxGCPauseMillis=100
```

### Keeping the Java Heap Small and Reducing the Dynamic Footprint of Embedded Applications

Use the following advanced runtime options to keep the Java heap small and reduce the dynamic footprint of embedded applications:

```
-XX:MaxHeapFreeRatio=10 -XX:MinHeapFreeRatio=5
```



Note: The defaults for these two options are 70% and 40% respectively. Because performance sacrifices can occur when using these small settings, you should optimize for a small footprint by reducing these settings as much as possible without introducing unacceptable performance degradation.

## EXIT STATUS

The following exit values are typically returned by the launcher when the launcher is called with the wrong arguments, serious errors, or exceptions thrown by the JVM. However, a Java application may choose to return any value by using the API call `System.exit(exitValue)`. The values are:

? 0: Successful completion

? >0: An error occurred

JDK 20

2023

JAVA(1)