



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'msgen.1'***

**\$ man msgen.1**

MSGEN(1) User Commands MSGEN(1)

NAME

msgen - create English message catalog

SYNOPSIS

msgen [OPTION] INPUTFILE

DESCRIPTION

Creates an English translation catalog. The input file is the last created English PO file, or a PO Template file (generally created by xgettext). Untranslated entries are assigned a translation that is identical to the msgid.

Mandatory arguments to long options are mandatory for short options too.

Input file location:

INPUTFILE

input PO or POT file

-D, --directory=DIRECTORY

add DIRECTORY to list for input files search

If input file is -, standard input is read.

Output file location:

-o, --output-file=FILE

write output to specified file

The results are written to standard output if no output file is speci?

fied or if it is -.

Input file syntax:

-P, --properties-input

input file is in Java .properties syntax

--stringtable-input

input file is in NeXTstep/GNUstep .strings syntax

Output details:

--lang=CATALOGNAME

set 'Language' field in the header entry

--color

use colors and other text attributes always

--color=WHEN

use colors and other text attributes if WHEN. WHEN may be 'al?

ways', 'never', 'auto', or 'html'.

--style=STYLEFILE

specify CSS style rule file for --color

-e, --no-escape

do not use C escapes in output (default)

-E, --escape

use C escapes in output, no extended chars

--force-po

write PO file even if empty

-i, --indent

indented output style

--no-location

suppress '#: filename:line' lines

-n, --add-location

preserve '#: filename:line' lines (default)

--strict

strict Uniform output style

-p, --properties-output

write out a Java .properties file

--stringtable-output

write out a NeXTstep/GNUstep .strings file

-w, --width=NUMBER

set output page width

--no-wrap

do not break long message lines, longer than the output page width, into several lines

-s, --sort-output

generate sorted output

-F, --sort-by-file

sort output by file location

Informative output:

-h, --help

display this help and exit

-V, --version

output version information and exit

## AUTHOR

Written by Bruno Haible.

## REPORTING BUGS

Report bugs in the bug tracker at <https://savan.nah.gnu.org/projects/gettext> or by email to [bug-gettext@gnu.org](mailto:bug-gettext@gnu.org).

## COPYRIGHT

Copyright ? 2001-2020 Free Software Foundation, Inc. License GPLv3+:

GNU GPL version 3 or later <https://gnu.org/licenses/gpl.html>

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

## SEE ALSO

The full documentation for msgen is maintained as a Texinfo manual. If the info and msgen programs are properly installed at your site, the command

info msgen

should give you access to the complete manual.

GNU gettext-tools 20200704

July 2020

MSGEN(1)