



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'nice.1'

\$ man nice.1

NICE(1) User Commands NICE(1)

NAME

nice - run a program with modified scheduling priority

SYNOPSIS

nice [OPTION] [COMMAND [ARG]...]

DESCRIPTION

Run `COMMAND` with an adjusted niceness, which affects process schedul?

ing. With no `COMMAND`, print the current niceness. Niceness values

range from -20 (most favorable to the process) to 19 (least favorable to the process).

Mandatory arguments to long options are mandatory for short options

too.

`-n, --adjustment=N`

add integer `N` to the niceness (default 10)

`--help` display this help and exit

`--version`

output version information and exit

NOTE: your shell may have its own version of nice, which usually super?

describes the version described here. Please refer to your shell's documentation for details about the options it supports.

AUTHOR

Written by David MacKenzie.

REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report any translation bugs to <<https://translationproject.org/team/>>

COPYRIGHT

Copyright © 2020 Free Software Foundation, Inc. License GPLv3+: GNU

GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

nice(2), renice(1)

Full documentation <<https://www.gnu.org/software/coreutils/nice>>

or available locally via: info '(coreutils) nice invocation'

GNU coreutils 8.32

January 2023

NICE(1)