



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'nsswitch.conf.5'

\$ man nsswitch.conf.5

NSSWITCH.CONF(5) Linux Programmer's Manual NSSWITCH.CONF(5)

NAME

nsswitch.conf - Name Service Switch configuration file

DESCRIPTION

The Name Service Switch (NSS) configuration file, /etc/nsswitch.conf, is used by the GNU C Library and certain other applications to determine the sources from which to obtain name-service information in a range of categories, and in what order. Each category of information is identified by a database name.

The file is plain ASCII text, with columns separated by spaces or tab characters. The first column specifies the database name. The remaining columns describe the order of sources to query and a limited set of actions that can be performed by lookup result.

The following databases are understood by the GNU C Library:

aliases Mail aliases, used by getaliasent(3) and related functions.

ethers Ethernet numbers.

group Groups of users, used by getgrent(3) and related functions.

hosts Host names and numbers, used by gethostbyname(3) and re?

lated functions.

`initgroups` Supplementary group access list, used by `getgrouplist(3)` function.

`netgroup` Network-wide list of hosts and users, used for access rules. C libraries before glibc 2.1 supported netgroups only over NIS.

`networks` Network names and numbers, used by `getnetent(3)` and related functions.

`passwd` User passwords, used by `getpwent(3)` and related functions.

`protocols` Network protocols, used by `getprotoent(3)` and related functions.

`publickey` Public and secret keys for Secure_RPC used by NFS and NIS+.

`rpc` Remote procedure call names and numbers, used by `getrpcbyname(3)` and related functions.

`services` Network services, used by `getservent(3)` and related functions.

`shadow` Shadow user passwords, used by `getspnam(3)` and related functions.

The GNU C Library ignores databases with unknown names. Some applications use this to implement special handling for their own databases. For example, `sudo(8)` consults the `sudoers` database. Delegation of subordinate user/group IDs can be configured using the `subid` database. Refer to `subuid(5)` and `subgid(5)` for more details.

Here is an example `/etc/nsswitch.conf` file:

```
passwd:    compat
group:     compat
shadow:    compat

hosts:     dns [!UNAVAIL=return] files
networks:  nis [NOTFOUND=return] files
ethers:    nis [NOTFOUND=return] files
protocols: nis [NOTFOUND=return] files
rpc:       nis [NOTFOUND=return] files
services:  nis [NOTFOUND=return] files
```

The first column is the database name. The remaining columns specify:

- * One or more service specifications, for example, "files", "db", or "nis". The order of the services on the line determines the order in which those services will be queried, in turn, until a result is found.
- * Optional actions to perform if a particular result is obtained from the preceding service, for example, "[NOTFOUND=return]".

The service specifications supported on your system depend on the presence of shared libraries, and are therefore extensible. Libraries called `/lib/libnss_SERVICE.so.X` will provide the named SERVICE. On a standard installation, you can use "files", "db", "nis", and "nisplus".

For the hosts database, you can additionally specify "dns". For the passwd, group, and shadow databases, you can additionally specify "compat" (see Compatibility mode below). The version number X may be 1 for glibc 2.0, or 2 for glibc 2.1 and later. On systems with additional libraries installed, you may have access to further services such as "hesiod", "ldap", "winbind" and "wins".

An action may also be specified following a service specification. The action modifies the behavior following a result obtained from the preceding data source. Action items take the general form:

[STATUS=ACTION]

[!STATUS=ACTION]

where

STATUS => success | notfound | unavail | tryagain

ACTION => return | continue | merge

The ! negates the test, matching all possible results except the one specified. The case of the keywords is not significant.

The STATUS value is matched against the result of the lookup function called by the preceding service specification, and can be one of:

success No error occurred and the requested entry is returned.

The default action for this condition is "return".

notfound The lookup succeeded, but the requested entry was not found. The default action for this condition is "con?"

tinue".

unavail The service is permanently unavailable. This can mean either that the required file cannot be read, or, for network services, that the server is not available or does not allow queries. The default action for this condition is "continue".

tryagain The service is temporarily unavailable. This could mean a file is locked or a server currently cannot accept more connections. The default action for this condition is "continue".

The ACTION value can be one of:

return Return a result now. Do not call any further lookup functions. However, for compatibility reasons, if this is the selected action for the group database and the notfound status, and the configuration file does not contain the initgroups line, the next lookup function is always called, without affecting the search result.

continue Call the next lookup function.

merge [SUCCESS=merge] is used between two database entries.

When a group is located in the first of the two group entries, processing will continue on to the next one.

If the group is also found in the next entry (and the group name and GID are an exact match), the member list of the second entry will be added to the group object to be returned. Available since glibc 2.24. Note that merging will not be done for `getgrent(3)` nor will duplicate members be pruned when they occur in both entries being merged.

Compatibility mode (compat)

The NSS "compat" service is similar to "files" except that it additionally permits special entries in corresponding files for granting users or members of netgroups access to the system. The following entries are valid in this mode:

For passwd and shadow databases:

- +user Include the specified user from the NIS passwd/shadow map.
- +@netgroup Include all users in the given netgroup.
- user Exclude the specified user from the NIS passwd/shadow map.
- @netgroup Exclude all users in the given netgroup.
- + Include every user, except previously excluded ones, from the NIS passwd/shadow map.

For group database:

- +group Include the specified group from the NIS group map.
- group Exclude the specified group from the NIS group map.
- + Include every group, except previously excluded ones, from the NIS group map.

By default, the source is "nis", but this may be overridden by specifying any NSS service except "compat" itself as the source for the pseudo-databases passwd_compat, group_compat, and shadow_compat.

FILES

A service named SERVICE is implemented by a shared object library named libnss_SERVICE.so.X that resides in /lib.

- /etc/nsswitch.conf NSS configuration file.
- /lib/libnss_compat.so.X implements "compat" source.
- /lib/libnss_db.so.X implements "db" source.
- /lib/libnss_dns.so.X implements "dns" source.
- /lib/libnss_files.so.X implements "files" source.
- /lib/libnss_hesiod.so.X implements "hesiod" source.
- /lib/libnss_nis.so.X implements "nis" source.
- /lib/libnss_nisplus.so.X implements "nisplus" source.

The following files are read when "files" source is specified for respective databases:

- aliases /etc/aliases
- ethers /etc/ethers
- group /etc/group

hosts /etc/hosts
initgroups /etc/group
netgroup /etc/netgroup
networks /etc/networks
passwd /etc/passwd
protocols /etc/protocols
publickey /etc/publickey
rpc /etc/rpc
services /etc/services
shadow /etc/shadow

NOTES

Within each process that uses `nsswitch.conf`, the entire file is read only once. If the file is later changed, the process will continue using the old configuration.

Traditionally, there was only a single source for service information, often in the form of a single configuration file (e.g., `/etc/passwd`).

However, as other name services, such as the Network Information Service (NIS) and the Domain Name Service (DNS), became popular, a method was needed that would be more flexible than fixed search orders coded into the C library. The Name Service Switch mechanism, which was based on the mechanism used by Sun Microsystems in the Solaris 2 C library, introduced a cleaner solution to the problem.

SEE ALSO

`getent(1)`, `nss(5)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

Linux 2017-05-03 NSSWITCH.CONF(5)