



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'nvme-fid-support-effects-log.1'***

***\$ man nvme-fid-support-effects-log.1***

NVME-FID-SUPPORT-(1)          NVMe Manual          NVME-FID-SUPPORT-(1)

#### NAME

nvme-fid-support-effects-log - Send NVMe FID Support and Effects log,  
return result and structure

#### SYNOPSIS

nvme fid-support-effects-log <device> [-o <fmt> | --output-format=<fmt>]

#### DESCRIPTION

For the NVMe device given, sends an FID Support and Effects log and provides the result and returned log structure.

The <device> parameter is mandatory and may be either the NVMe character device (ex: /dev/nvme0), or a namespace block device (ex: /dev/nvme0n1).

On success, the structure may be returned in one of several ways depending on the option flags; the structure may be parsed by the program or the raw buffer may be printed to stdout.

#### OPTIONS

-o <format>, --output-format=<format>

Set the reporting format to normal, json, or binary. Only one

output format can be used at a time.

-H, --human-readable

This option will parse and format many of the bit fields into human-readable formats.

#### EXAMPLES

No examples yet.

#### NVME

Part of the nvme-user suite

NVMe                      06/23/2023                      NVME-FID-SUPPORT-(1)