



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'nvme-id-domain.1'

\$ man nvme-id-domain.1

NVME-ID-DOMAIN(1) NVMe Manual NVME-ID-DOMAIN(1)

NAME

nvme-id-domain - Send NVMe Identify Domain List, return result and structure

SYNOPSIS

```
nvme id-domain <device> [--dom-id=<domian_id> | -d <domian_id>]
                    [-o <fmt> | --output-format=<fmt>]
```

DESCRIPTION

For the NVMe device given, send an identify command and return the domain list data structure.

The <device> parameter is mandatory and may be either the NVMe character device (ex: /dev/nvme0), or a namespace block device (ex: /dev/nvme0n1).

OPTIONS

-d <domian_id>, --dom-id=<domian_id>

Retrieve the identify domain list data structure for the given domain id. If this value is not given, domain id will be 0xffff.

-o <format>, --output-format=<format>

Set the reporting format to normal, json, or binary. Only one output format can be used at a time.

EXAMPLES

No examples yet.

NVME

Part of the nvme-user suite

NVMe	06/23/2023	NVME-ID-DOMAIN(1)
------	------------	-------------------