



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'nvme-mi-cmd-support-effects-log.1'

\$ man nvme-mi-cmd-support-effects-log.1

NVME-MI-CMD-SUPPO(1) NVMe Manual NVME-MI-CMD-SUPPO(1)

NAME

nvme-mi-cmd-support-effects-log - Send NVMe MI Command Support and Effects log, returns results and structure

SYNOPSIS

```
nvme-mi-cmd-support-effects-log <device> [-o <fmt> | --output-format=<fmt>]
                                     [-H | --human-readable]
```

DESCRIPTION

For the NVMe device given, sends an MI Command Support and Effects log (id 13h) and provides the result and returned log structure.

The <device> parameter is mandatory and may be either the NVMe character device (ex: /dev/nvme0), or a namespace block device (ex: /dev/nvme0n1).

On success, the structure may be returned in one of several ways depending on the option flags; the structure may be parsed by the program or the raw buffer may be printed to stdout.

OPTIONS

-o <format>, --output-format=<format>

Set the reporting format to normal, json, or binary. Only one output format can be used at a time.

-H, --human-readable

This option will parse and format many of the bit fields into human-readable formats.

EXAMPLES

```
nvme mi-cmd-support-effects-log /dev/nvme0 -H
```

NVME

Part of the nvme-user suite

NVMe 06/23/2023 NVME-MI-CMD-SUPPO(1)