



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'pam_console_apply.8'

\$ man pam_console_apply.8

pam_console_apply(8) System Administrator's Manual pam_console_apply(8)

NAME

pam_console_apply - set or revoke permissions for users at the system console

SYNOPSIS

pam_console_apply [-f <fstab file>] [-c <console.perms file>] [-r] [-t <tty>] [-s] [-d] [<device file> ...]

DESCRIPTION

pam_console_apply is a helper executable which sets or resets permissions on device nodes.

If /var/run/console.lock exists, pam_console_apply will grant permissions to the user listed therein. If the lock file does not exist, permissions are reset according to defaults set in console.perms files, normally configured to set permissions on devices so that root owns them.

When initializing its configuration it first parses the `/etc/security/console.perms` file and then it searches for files ending with the `.perms` suffix in the `/etc/security/console.perms.d` directory. These files are parsed in the lexical order in "C" locale. Permission rules are appended to a global list, console and device class definitions override previous definitions of the same class.

ARGUMENTS

- c Load other console.perms file than the default one.

- f Load other fstab file than the default one (`/etc/fstab`).

- r Signals `pam_console_apply` to reset permissions. The default is to set permissions so that the user listed in `/var/run/console.lock` has access to the devices, and to reset permissions if no such file exists.

- t Use `<tty>` to match console class in console.perms file. The default is `tty0`.

- s Write error messages to the system log instead of `stderr`.

- d Log/display messages useful for debugging.

The optional `<device file>` arguments constrain what files should be affected by `pam_console_apply`. If they aren't specified permissions are changed on all files specified in the console.perms file.

FILES

`/var/run/console.lock`

`/etc/security/console.perms`

`/etc/security/console.perms.d/50-default.perms`

SEE ALSO

pam_console(8)

console.perms(5)

BUGS

Let's hope not, but if you find any, please report them via the "Bug Track" link at <http://bugzilla.redhat.com/bugzilla/>

AUTHORS

Nalin Dahyabhai <nalin@redhat.com>, using code shamelessly stolen from parts of pam_console.

Support of console.perms.d and other improvements by Tomas Mraz <tm?raz@redhat.com>.

Red Hat

2005/5/2

pam_console_apply(8)