



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'pmap.1'***

***\$ man pmap.1***

PMP(1) User Commands PMP(1)

NAME

pmap - report memory map of a process

SYNOPSIS

pmap [options] pid [...]

DESCRIPTION

The pmap command reports the memory map of a process or processes.

OPTIONS

-x, --extended

Show the extended format.

-d, --device

Show the device format.

-q, --quiet

Do not display some header or footer lines.

-A, --range low,high

Limit results to the given range to low and high address range.

Notice that the low and high arguments are single string sepa?

rated with comma.

- X Show even more details than the -x option. WARNING: format changes according to /proc/PID/smaps
- XX Show everything the kernel provides
- p, --show-path  
Show full path to files in the mapping column
- c, --read-rc  
Read the default configuration
- C, --read-rc-from file  
Read the configuration from file
- n, --create-rc  
Create new default configuration
- N, --create-rc-to file  
Create new configuration to file
- h, --help  
Display help text and exit.
- V, --version  
Display version information and exit.

#### EXIT STATUS

- 0 Success.
- 1 Failure.
- 42 Did not find all processes asked for.

#### SEE ALSO

ps(1), pgrep(1)

#### STANDARDS

No standards apply, but pmap looks an awful lot like a SunOS command.

#### REPORTING BUGS

Please send bug reports to [?procps@freelists.org?](mailto:procps@freelists.org)

procps-ng

2020-06-04

PMAP(1)