



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'podman-network-rm.1'***

**\$ man podman-network-rm.1**

podman-network-rm(1)    General Commands Manual    podman-network-rm(1)

#### NAME

podman-network-rm - Remove one or more networks

#### SYNOPSIS

podman network rm [options] [network...]

#### DESCRIPTION

Delete one or more Podman networks.

#### OPTIONS

--force, -f

The force option will remove all containers that use the named network.

If the container is running, the container will be stopped and removed.

--time, -t=seconds

Seconds to wait before forcibly stopping the running containers that are using the specified network. The --force option must be specified to use the --time option.

#### EXAMPLE

Delete the podman9 network

```
# podman network rm podman9
```

Deleted: podman9

Delete the fred network and all containers associated with the network.

```
# podman network rm -f fred
```

Deleted: fred

#### Exit Status

- 0 All specified networks removed
- 1 One of the specified networks did not exist, and no other failures
- 2 The network is in use by a container or a Pod
- 125 The command fails for any other reason

#### SEE ALSO

podman(1), podman-network(1)

#### HISTORY

August 2019, Originally compiled by Brent Baude [bbaude@redhat.com](mailto:bbaude@redhat.com)

[?mailto:bbaude@redhat.com?](mailto:bbaude@redhat.com)

podman-network-rm(1)